

HIKOKI

HIGH PERFORMANCE POWER TOOLS

Proline accessory catalogue 2023

The perfect accessories for every job.



The company behind the power tools.

HiKOKI, a leading power tool company under the diversified KOKI group since 1948, offers customers immediate access to cutting-edge advancements in metallurgy, motor design, and electronics. With a strong focus on innovation, HiKOKI develops and applies the latest technologies through extensive Research & Development programs, ensuring high-quality machines.

The company's global distribution network guarantees excellent products for professional users, complemented by a wide range of top-quality accessories that optimize performance. HiKOKI's independence in the market allows for selective development, resulting in innovative accessories at competitive prices. Dedicated to providing professionals with efficient, durable, and superior tools, HiKOKI constantly seeks new and innovative solutions.



Finishing into the smallest detail.

HiKOKI understands like no other that for a good end result, more is needed than just a reliable and high-quality power tool. Perfectly finished accessories are essential for successfully completing tasks or projects. Only in combination with the best accessories is the quality of HiKOKI's range optimized.

HiKOKI's accessories, designed with the greatest detail and made from the highest quality of materials, perfectly complement all power tools. With a strong focus on innovation, our range of accessories meets all standards and regulations, ensuring ease of use for our valued customers.



General information. Good to know.

Glossary

PQ Packed quantity: this reflects the number of pieces per part number.

MOQ Minimum Order Quantity / Multiple Order Quantity: this reflects the minimum quantity per order of a part number and is also the multiple in which the part needs to be ordered.

Images Please note that the images showcased within the tables are intended to illustrate a range of accessories. They do not directly correspond with each specific item number mentioned. Each image may depict a variety of items to provide an overview of the style and quality we offer.

HiKOKI realizes that due to the enormous abundance of consumables it is often difficult for an end user to select the right tool for the desired application. In order to simplify the selection and selection process, HiKOKI uses a color-coding that is extended as much as possible by all product groups. This applies to drilling, sawing, abrasives and so on.

The color-coding table below contains the explanation of color and application area. For some product groups, HiKOKI is forced to use a different color-coding (for example, with diamond saws). This is then stated before the chapter.

The prices shown on this catalogue are only recommended prices, and dealers shall determine their own resale prices.

Color and use		
Stainless steel	Yellow/gold	Stainless steel
Metal	Blue	Metal
Wood + metal	Bright blue	Metal + wood
Wood	Beige/brown	Wood
Masonry	Red	Masonry
Tiles	White	Tiles
Special	Grey	Special






Contents.

Everything for the highest performance.









The company behind the tools 2

General information 6





Hammer Drill Bits SDS-plus 12

	Full Carbide Head Ø5-16 mm	14
	4-Cutter Ø18-32 mm	18
	2-Cutter Ø4-26 mm	19
	Basic Ø4-16 mm	25
	SDS-plus Accessories	27


Hammer Drill Bits SDS-max 28

	Full Carbide Head Ø12-32 mm	29
	4-Cutter Ø12-15 mm	31
	4-Cutter Ø16-52 mm	32
	2-Cutter Ø12-15 mm	34
	Semi Professional Ø14-40 mm	35
	SDS-plus/SDS-max for Dust Extraction	36
	Core Cutters SDS-max TCT	38
	SDS-max Accessories	39




Hammer Drill Bits 40

	13 mm and 19 mm Hexagonal	40
	Spline	41
	Hollow Core Bits	42
	Varia Drilling System	43


Masonry Drill Bits 44

	Masonry Drill Bits	44
---	--------------------	----


Metal Drill Bits 46

	HSS-R DIN 338	48
	HSS-G DIN 338	51
	HSS-Co DIN 338	57


Sheet Metal Drill Bits 62

	Sheet Metal Drill Bits	62
---	------------------------	----


Combi Drill Bit 64

	Combi Drill Bit	64
---	-----------------	----


Metal Core Cutters 65

	Metal Core Cutters	66
---	--------------------	----


Wood Drill Bits 71

	Wood CV Drill Bits	72
---	--------------------	----


Wood Auger Drill Bits 74

	Wood Auger Drill Bits	74
---	-----------------------	----


Flat Wood Drill Bits 77

	Flat Wood Drill Bits	77
---	----------------------	----





Formwork and Installation Bits 80

	Formwork and Installation Bits	80
---	--------------------------------	----


Forstner Bits 82

	Forstner Bits	82
---	---------------	----

Hole saws 83

	Bi-Metal Hole Saws	84
	Carbide Tipped Hole Saws	88
	Diamond Hole Saws for grinders	90
	Diamond Hole Saws for drilling machines	91

Mixing Paddles 92

	Mixing Paddles	94
---	----------------	----


Drill Chucks 96

	Drill Chucks	97
--	--------------	----


Chisels 99

	Chisels	101
---	---------	-----


Impact Bits 108

	Impact Bits	109
---	-------------	-----






Bits and Bit Sets 110

	Bits and Bit Sets	110
---	-------------------	-----


Impact Sockets 120

	Impact Sockets	122
---	----------------	-----


Diamond Saw Blades 129

	Diamond Saw Blades	131
	Diamond Cup Wheels	136
	Abrasive Cutting and Grinding Discs	138
	Flap/Fibre Discs	142
	Angle Grinder Accessories	144


Carbide Burrs 148

	Carbide Burrs	149
---	---------------	-----


Brushes 153

	Brushes	154
---	---------	-----


Saws 157

	Circular Saw Blades	158
	Circular Saw Blades for cordless power tools	162
	PCD Circular Saw Blades	164
	Circular Saw Accessories	166
	Jigsaw Blades	169
	Reciprocating Saw Blades	177
	Band Saw Blades	189


Oscillating Multi Tools 191

	Oscillating Multi Tools	194
---	-------------------------	-----


Router Bits 200

	Router Bits	201
---	-------------	-----


Planer Blades 207

	Planer Blades	207
---	---------------	-----


Sanding Paper 208

	Sanding Paper	208
---	---------------	-----



Wool Bonnets and Polishing Foams 217

	Wool Bonnets and Polishing Foams	217
---	----------------------------------	-----



Vacuum Cleaner Accessories 219

	Vacuum Cleaner Accessories	219
--	----------------------------	-----





Nailer Accessories 226

	Collated Screws	227
	Nails and Fuel cells	229


Chain Saw Accessories 234

	Chain Saws	235
	Chain Saw Files	237


Mowing Accessories 239

	Trimmer Heads	240
	Trimmer Heads Quick Load	241
	Trimmer Heads Aluminium	242
	Nylon Lines	244






Earth Auger Bits 246

	Earth Auger Bits	246
---	------------------	-----


High Pressure Washer Accessories 248

	High Pressure Washer Accessories	248
---	----------------------------------	-----

Other Accessories 250

	Heat Gun Accessories	251
	Tethering Tools	252
	Lubricants	254
	Jerrycans	257
	Miscellaneous	258

HiKOKI Stackable Cases 260

	HiKOKI Stackable Cases	261
---	------------------------	-----

Index 262

Proline Hammer Drill Bits SDS-plus



About our Proline hammer drills.

HiKOKI's hammer drills for concrete are 100% made in Germany. By using highly advanced software, we meet the highest standards and demands when it comes to efficiency, accuracy, and durability. Every day we are working on developing and improving product performances. Together with our hammer drill range, we have developed a complete range of accessories for all hammer drill applications.

SDS-plus and SDS-max hammer drills.

At HiKOKI, we offer a complete range of hammer drills at different price levels. This way, you're able to find the right hammer drill for every application. Our hammer drills are available in five different versions: SDS-plus for regular drill hammers, SDS-max for larger drill hammers, 13 or 19 mm hexagon and spline shank.





PGM-certified hammer drills.

The SDS series of HiKOKI are certified by the German PGM Masonry Drill Bit Certification Board. It guarantees that the products can be used for secure anchoring in concrete and masonry. The tolerances are tailor-made for metal, cast, and plastic anchors with a European Technical Approval (ETA). Also, hammer drills with a PGM-marking meet strict criteria regarding the diameter of the carbide drill tip, the symmetrical soldering, and the concentricity of the drills. In short, with PGM you can rely on geometrically accurate holes, solid anchoring, and the best results.




SDS-plus in three models.

HiKOKI composed a complete line-up of SDS-plus drill bits in three different levels of quality and price. With that, HiKOKI tries to serve every type of end user, from heavy users to occasional users. It is up to the end user to decide which quality and price level fits him the best. In the following chart you can find an overview of the advantages of each group of drill bits on the most important characteristics.

	Profi 4-Cutter		Profi 2-Cutter	Basic 2-Cutter
Diameter	5-16 mm	18-32 mm	4-26 mm	4-16 mm
Carbide tip shape	 FCH			
Centering tip on carbide	Yes		Yes	No
Flute design	Multi fluted		Multi fluted	Standard
For rebar	Recommended		Suitable	No
Dimensional accuracy	***		**	*
Drilling speed	**		**	*
Durability	***		**	*
Vibration absorption	***		**	*
Power transmission	***		***	*
Manufactured in	Germany		Germany	China
PGM approved	Yes		Yes	No
Suitable for power tool	2-4 kg		2-4 kg	2-4 kg
Application	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.		Suitable for the intermediate user, wanting to use the hammer drill bit on average hard materials.	Suitable for the incidental user where purchasing price is of highest priority.

SDS-plus TCT Hammer Drill Bits Full Carbide Head Ø5-16 mm

- 1** One piece molded tungsten carbide head drill with unique properties
- 2** Centering tip
- 3** Massive main cutting edge
- 4** Enlarged space opening and short flute entrance
- 5** Rebar chamfer
- 6** Wear marking
- 7** Breaking rif
- 8** Top quality steel
- 9** Multi flute design



After the great success of the SDS-plus 4-Cutter hammer drill bits with embedded carbide head, HiKOKI now accelerates drilling technology by the introduction of the SDS-plus drill bits with Full Carbide Head (FCH). These drills exceed the performance of the previous model in terms of drilling speed, more precise holes and a significant increase of durability in concrete with reinforcement. This is all achieved by the newly developed head geometry and flute design.

The FCH design contains four rebar chamfers at every corner, which lead to an increased lifetime and optimum drilling behavior when the drill hits reinforcement.

The two breaking rifs on the carbide cutting edge provide an improved strength of the carbide head and an improved breaking performance in concrete.

The carbide head with its massive main cutting edge and its 4 x 90° cutting symmetry prevents hooking in case of reinforcement strikes. Its geometry has been developed for maximum impact and torsion forces as well as a prolonged service life.

The centering point helps accurate positioning of the hole and prevents the drill from floating over the surface.

The wear mark serves as an indicator of the dimensional accuracy and stability for dowel holes in accordance to PGM.

The new head geometry has an enlarged free space at the cutting surface to facilitate an easy removal of the debris. The short flute entrance makes the drilling dust travelling quicker from the head into the flute.

The newly developed 4-spiral geometry alternates from narrow back to wide back. The wide back supports the power of the drill and reduces the wear whereas the narrow back reduces the friction of the drill in the hole and improves the drilling speed. The optimized combination of the two ensure a faster removal of the drilling dust while at the same time ensures low-vibration drilling.

The use of high-quality alloy steel in combination with specialized hardening, soldering and surface treatment produces a high-quality, robust professional tool.

This totally newly designed drill results in a 25 % faster drilling capacity and a 20% longer lifetime compared to the embedded 4-Cutter hammer drill bit.

In case the user encounters concrete reinforcement, the FCH design ensures a higher resistance against breakage and an increase of lifetime of about 150%.


SDS-plus TCT Hammer Drill Bits Full Carbide Head

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
5	115	50	1	1	783201	8717574056112	00.00	00.00
5	165	100	1	1	783202	8717574056129	00.00	00.00
5	215	150	1	1	783203	8717574056136	00.00	00.00
5	265	200	1	1	783204	8717574056143	00.00	00.00
5	315	250	1	1	783205	8717574056150	00.00	00.00
5,5	115	50	1	1	783206	8717574056167	00.00	00.00
5,5	165	100	1	1	783207	8717574056174	00.00	00.00
6	115	50	1	1	783208	8717574056181	00.00	00.00
6	165	100	1	1	783209	8717574056198	00.00	00.00
6	215	150	1	1	783210	8717574056204	00.00	00.00
6	265	200	1	1	783211	8717574056211	00.00	00.00
6	315	250	1	1	783212	8717574056228	00.00	00.00
6,5	165	100	1	1	783214	8717574056242	00.00	00.00
6,5	215	150	1	1	783215	8717574056259	00.00	00.00
6,5	265	200	1	1	783216	8717574056266	00.00	00.00
6,5	315	250	1	1	783217	8717574056273	00.00	00.00
7	115	50	1	1	783218	8717574056280	00.00	00.00
7	165	100	1	1	783219	8717574056297	00.00	00.00
7	215	150	1	1	783220	8717574056303	00.00	00.00
8	115	50	1	1	783221	8717574056310	00.00	00.00
8	165	100	1	1	783222	8717574056327	00.00	00.00
8	215	150	1	1	783223	8717574056334	00.00	00.00
8	265	200	1	1	783224	8717574056341	00.00	00.00
8	315	250	1	1	783225	8717574056358	00.00	00.00
8	365	300	1	1	783226	8717574056365	00.00	00.00
8	465	400	1	1	783227	8717574056372	00.00	00.00
8	605	540	1	1	783228	8717574056389	00.00	00.00
9	165	100	1	1	783229	8717574056396	00.00	00.00
9	265	200	1	1	783230	8717574056402	00.00	00.00
10	115	50	1	1	783231	8717574056419	00.00	00.00
10	165	100	1	1	783232	8717574056426	00.00	00.00
10	215	150	1	1	783233	8717574056433	00.00	00.00
10	265	200	1	1	783234	8717574056440	00.00	00.00
10	315	250	1	1	783235	8717574056457	00.00	00.00
10	365	300	1	1	783236	8717574056464	00.00	00.00
10	455	390	1	1	783237	8717574056471	00.00	00.00
10	600	540	1	1	783238	8717574056488	00.00	00.00
10	1000	940	1	1	783239	8717574056495	00.00	00.00
11	165	100	1	1	783240	8717574056501	00.00	00.00
11	215	150	1	1	783241	8717574056518	00.00	00.00
11	265	200	1	1	783242	8717574056525	00.00	00.00
11	315	250	1	1	783243	8717574056532	00.00	00.00
12	165	100	1	1	783244	8717574056549	00.00	00.00
12	215	150	1	1	783245	8717574056556	00.00	00.00
12	265	200	1	1	783246	8717574056563	00.00	00.00
12	315	250	1	1	783247	8717574056570	00.00	00.00
12	455	390	1	1	783248	8717574056587	00.00	00.00
12	600	550	1	1	783249	8717574056594	00.00	00.00
12	1000	950	1	1	783250	8717574017533	00.00	00.00
13	165	100	1	1	783251	8717574056617	00.00	00.00
13	215	150	1	1	783252	8717574056624	00.00	00.00
13	265	200	1	1	783253	8717574056631	00.00	00.00
13	315	250	1	1	783254	8717574056648	00.00	00.00
14	165	100	1	1	783255	8717574056655	00.00	00.00
14	215	150	1	1	783256	8717574056662	00.00	00.00
14	265	200	1	1	783257	8717574056679	00.00	00.00
14	315	250	1	1	783258	8717574056686	00.00	00.00
14	455	390	1	1	783259	8717574056693	00.00	00.00



SDS-plus 4-Cutter Ø18-32 mm

- 1 Three-piece carbide tip with unique cutting geometry
- 2 Rebar chamfers at both ends of main cutter
- 3 Centering tip
- 4 Stronger primary and secondary cutter
- 5 Extremely tough soldered joints
- 6 4 x 90° symmetry
- 7 Wear mark at both ends of Main cutter
- 8 Short conical shaped spiral windings



Following the overwhelmingly successful development of the SDS-plus 4-Cutter up to Ø16 mm also larger sizes SDS-plus drills are further developed. This is based on the basic technical design specifications of the smaller sizes, which are perfectly for the intensive users. Thus, using the same symmetric



4-course spiral and outstanding carbide plate with high efficiency cutting edges. In this series of drills, the carbide insert is no longer cross-shaped, but the 4-Cutter is formed by a head plate with two hard metal side plates at an angle of 90°.

SDS-plus TCT Hammer Drill Bits 4-Cutter

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
18	250	200	1	1	783273	8717574056839	00.00	00.00
18	450	400	1	1	783274	8717574056846	00.00	00.00
20	250	200	1	1	783275	8717574056853	00.00	00.00
20	450	400	1	1	783276	8717574056860	00.00	00.00
22	250	200	1	1	783277	8717574056877	00.00	00.00
22	450	400	1	1	783278	8717574056884	00.00	00.00
24	250	200	1	1	783279	8717574056891	00.00	00.00
24	450	400	1	1	783280	8717574056907	00.00	00.00
25	250	200	1	1	783281	8717574056914	00.00	00.00
25	450	400	1	1	783282	8717574056921	00.00	00.00
26	450	400	1	1	783283	8717574056938	00.00	00.00
28	250	200	1	1	783284	8717574056945	00.00	00.00
28	450	400	1	1	783285	8717574056952	00.00	00.00
30	250	200	1	1	783286	8717574056969	00.00	00.00
30	450	400	1	1	783287	8717574056976	00.00	00.00
32	450	400	1	1	783288	8717574056983	00.00	00.00

SDS-plus 2-Cutter Ø4-26 mm

- 1 Three power breakers
- 2 Centering tip
- 3 Enlarged chamfers for improved resistance against rebar
- 4 Chisel shaped drill head
- 5 Larger volume vario flutes
- 6 Core reinforced geometry
- 7 Vario flute: narrow shoulder at the front for wide channel for removal debris
- 8 Vario flute: wide shoulder at the back for enlarged strength and improved energy transmission



Next level drilling

SDS-plus 2-Cutter drill bits with double spiral satisfy to the highest quality standards and are designed for the professional end user. HiKOKI brings the latest innovation with a newly developed drill bit, which sets a new standard. They are tested under extreme conditions and have proven their quality in terms of efficiency and performance.

Breaking concrete

A central placed tungsten carbide plate that offers special features and benefits forms the 2-Cutter. A newly designed centering tip with smooth crossover to shoulder sections ensures immediate spot drilling and easy centering. Next to the carbide tip, three so-called "power breakers" have been added. Now the impact power is transferred from the machine to smaller surfaces of concrete where the punctual power is much higher. The demolition effect creates micro cracks in the drilled material, hence creating noticeably higher drilling speed.

Transporting debris

After the concrete is broken, the drilling debris or dust has to be transported out of the hole. Due to the tapered shoulder of the vario flute, the front part of the drill bit has a high transportation capacity. Besides avoiding dust explosions or speed reduction occurred by clogged drill hole, the tapered shoulder also reduces the friction in the hole and improves drilling speed.

The back part of the drill is more sturdy and rigid, the backs are wider. First positive effect is the improved energy transfer for faster drilling. Secondly, the chance of breakage is less. This special spiral also reduces vibration; drilling is less strenuous for both the operator and the rotary hammer.

Encountering rebar


Steel reinforcement no longer presents a problem. The dynamic, chisel-shaped drill bit head penetrates rapidly into the material and simultaneously feeds the drilling dust into the multi-groove spiral.

Since the rebar chamfers are enlarged with about 35% compared to the previous model, the side tip now is prevented against damage in case of hitting rebar. In addition, the likelihood of the bit getting jammed is reduced, especially on lateral hits.


Speed and lifetime

All these technical improvements now lead to a cutting speed, which is 12% higher than the previous SDS-plus drill bits. HiKOKI hammer drill bits: "The new standard in performance"

SDS-plus TCT Hammer Drill Bits 2-Cutter - sets



















Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>5-pcs Ø5 x 110 mm Ø6 x 110 mm Ø8 x 110 mm Ø6 x 160 mm Ø8 x 160 mm</p>	5	1	782530	8717574047165	00.00	00.00
 <p>5-pcs Ø5 x 160 mm Ø6 x 160 mm Ø8 x 160 mm Ø10 x 160 mm Ø12 x 160 mm</p>	5	1	782531	8717574047172	00.00	00.00
 <p>5-pcs Ø6 x 110 mm Ø8 x 110 mm Ø6 x 160 mm Ø8 x 160 mm Ø10 x 160 mm</p>	5	1	782532	8717574047189	00.00	00.00
 <p>5-pcs Ø10 x 450 mm Ø12 x 450 mm Ø14 x 450 mm Ø16 x 450 mm Ø20 x 450 mm</p>	5	1	782534	8717574052572	00.00	00.00
 <p>6-pcs Ø10 x 450 mm Ø12 x 450 mm Ø14 x 450 mm Ø16 x 450 mm Ø18 x 450 mm Ø20 x 450 mm</p>	6	1	782533	8717574047196	00.00	00.00
 <p>7-pcs Ø5 x 110 mm Ø6 x 110 mm Ø8 x 110 mm Ø6 x 160 mm Ø8 x 160 mm Ø10 x 160 mm Ø12 x 160 mm</p>	7	1	782535	8717574067545	00.00	00.00

SDS-plus 2-Cutter Basic Ø4-16 mm



The SDS-plus Basic line is an entry-level drill bit suitable for the incidental user. The attractive pricing is of higher importance than the lifetime due to the low number of holes this incidental user will drill. The drills are for use in masonry and normal concrete.

SDS-plus Basic Hammer Drill Bits 2-Cutter

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	4	110	41	1	1	4100801	8717574063080	00.00	00.00
	4	160	91	1	1	4100802	8717574063097	00.00	00.00
	5	110	41	1	1	4100803	8717574063103	00.00	00.00
	5	160	91	1	1	4100804	8717574063110	00.00	00.00
	5,5	110	41	1	1	4100805	8717574063127	00.00	00.00
	5,5	160	91	1	1	4100806	8717574063134	00.00	00.00
	6	110	41	1	1	4100807	8717574063141	00.00	00.00
	6	160	91	1	1	4100808	8717574063158	00.00	00.00
	6	210	140	1	1	4100809	8717574063165	00.00	00.00
	6,5	110	41	1	1	4100810	8717574063172	00.00	00.00
	6,5	160	91	1	1	4100811	8717574063189	00.00	00.00
	7	110	41	1	1	4100812	8717574063196	00.00	00.00
	7	160	91	1	1	4100813	8717574063202	00.00	00.00
	8	110	41	1	1	4100814	8717574063219	00.00	00.00
	8	160	91	1	1	4100815	8717574063226	00.00	00.00
	8	210	140	1	1	4100816	8717574063233	00.00	00.00
	8	260	185	1	1	4100817	8717574063240	00.00	00.00
	10	160	91	1	1	4100818	8717574063257	00.00	00.00
	10	210	140	1	1	4100819	8717574063264	00.00	00.00
	10	260	185	1	1	4100820	8717574063271	00.00	00.00
	10	460	365	1	1	4100821	8717574063288	00.00	00.00
	12	160	91	1	1	4100822	8717574063295	00.00	00.00
	12	210	140	1	1	4100823	8717574063301	00.00	00.00
	12	260	185	1	1	4100824	8717574063318	00.00	00.00
	12	460	365	1	1	4100825	8717574063325	00.00	00.00
	14	160	85	1	1	4100826	8717574063332	00.00	00.00
	14	210	130	1	1	4100827	8717574063349	00.00	00.00
	14	260	175	1	1	4100828	8717574063356	00.00	00.00
	14	460	365	1	1	4100829	8717574063363	00.00	00.00
	16	160	85	1	1	4100830	8717574063370	00.00	00.00
	16	210	130	1	1	4100831	8717574063387	00.00	00.00
	16	460	365	1	1	4100832	8717574063394	00.00	00.00









SDS-plus Basic Hammer Drill Bits 2-Cutter - sets

Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>5-pcs Ø5 x 110 mm Ø6 x 110 mm Ø8 x 160 mm Ø10 x 160 mm Ø12 x 160 mm</p>	5	1	4100840	8717574063400	00.00	00.00
 <p>17-pcs Ø5 x 110 mm Ø6 x 110 mm Ø6 x 160 mm Ø8 x 110 mm Ø8 x 160 mm Ø8 x 210 mm Ø10 x 110 mm Ø10 x 160 mm Ø10 x 210 mm Ø12 x 160 mm Ø12 x 260 mm Ø14 x 260 mm Bull point L = 140 mm Bull point L = 250 mm Flat chisel 20 x 140 mm Flat chisel 20 x 250 mm Flat chisel 40 x 250 mm</p>	17	1	402555	4549115081345	00.00	00.00
 <p>10-pcs Ø5 x 110 mm Ø6 x 110 mm Ø8 x 110 mm Ø6 x 160 mm Ø8 x 160 mm Ø10 x 160 mm Ø12 x 160 mm Ø6 x 210 mm Ø8 x 210 mm Ø10 x 210 mm</p>	10	1*	40030030	4250155823962	00.00	00.00

*When ordered in multiple of 4 pieces, items will be delivered in a counter display.

SDS-plus Accessories

SDS-plus Accessories


Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Adaptors from SDS-plus						
 <p>To 1/2" x 20 UNF external thread and M6 internal for drill chuck</p>	1	1	744085	8717154656039	00.00	00.00
 <p>To 1/2" x 20 UNF external thread for drill chuck and 1/4" internal hexagonal for bits</p>	1	1	744088	8717154659184	00.00	00.00
 <p>To 1/4" internal hexagonal for bits without magnet</p>	1	1	752388	8717574017397	00.00	00.00
 <p>To 1/4" internal hexagonal for bits with magnet</p>	1	1	752389	8717574017403	00.00	00.00
 <p>To 1/2" square for impact sockets</p>	1	1	750455	8717574023862	00.00	00.00
Adaptors to SDS-plus						
 <p>From SDS-max</p>	1	1	751006	8717154652772	00.00	00.00
 <p>From spline</p>	1	1	750200	8717154651539	00.00	00.00
 <p>From 13 mm hexagonal</p>	1	1	750246	8717154651997	00.00	00.00

Proline Hammer Drill Bits SDS-max



SDS-max Full Carbide Head Ø12-32 mm

- 1 Centering tip 90°
- 2 Rebar chamfers
- 3 Short carbide shoulder
- 4 Wear marking
- 5 Unique welding technology
- 6 Large dust removal channels



SDS-max in four models

The HiKOKI SDS-max drill bits are available in four quality levels: A top quality with Full Carbide Head (FCH) for the best performance in heavy reinforced concrete in diameters 12-32 mm. A comprehensive range 4-Cutter from 16-52 mm up to 1.320 mm length with a 2-Cutter for the diameters 12-15 mm and in a shortened delivery program, a more economic Semi Professional line.

The latest generation HiKOKI SDS-max hammer drill bits are robust and powerful tools, an innovative combination of new and proven existing geometric intersections of unprecedented quality.

This results in an extra long life, high precision in drilling and maximum energy transfer, even in extremely hard materials. A high performance hammer drill bit for all professional users who need drilling in reinforced concrete and stone.

After the introduction of the robust and high-end professional SDS-plus hammer drill bits with Full Carbide Head (FCH), HiKOKI enlarges its range in this technology to the SDS-max range as well. In a world where concrete contains more and more reinforcement and where SDS-max drill hammers feature more and more power (Joule), the end-users demands for life time of the drill bit extends continuously.

The FCH design contains four rebar chamfers at every corner, which lead to an increased lifetime and optimum drilling behavior when the drill hits its reinforcement. The carbide head with its massive main cutting edge and its 4 x 90° cutting symmetry prevents hooking in case of reinforcement strikes. Its geometry has been developed for maximum impact and torsion forces as well as a prolonged service life.

The use of high quality alloy steel in combination with specialized hardening, soldering and surface treatment produces a high-quality, robust professional tool. This totally newly designed drill results in a 20 % faster drilling capacity and a 20% longer lifetime compared to the traditional 4-Cutter (3-plate) SDS-max hammer drill bits. In case the user encounters concrete reinforcement, the FCH design ensures a higher resistance against breakage and an increase of lifetime of about 150%.

The SDS-max FCH drill bits exceed the performance of the traditional model in terms of drilling speed, holes that are more precise and a significant increase of durability in concrete with reinforcement. This is all achieved by the newly developed 4-Cutter Full Tungsten Carbide head geometry and flute design.

The 90° pyramid design centering point makes the centering tip extremely robust and nearly indestructible, helps accurate positioning of the hole, and prevents the drill from floating over the surface. The wear mark serves as an indicator of the dimensional accuracy and stability for dowel holes in accordance to PGM.

The Full Tungsten Carbide Head is welded onto the steel body with a unique Induction Diffusion Welding technology, which ensures a homogenous welding zone between flute, and drill bit head for long lifetime under extreme conditions. There is less material stress in the drill head and it is resistant to the highest drilling temperatures.

The new head geometry has an enlarged free space at the cutting surface to facilitate an easy removal of the debris. The short flute entrance makes the drilling dust travelling quicker from the head into the flute. The wide and open 4-spiral geometry provides an ultimate transportation of the debris out of the hole, resulting in less wear and higher drilling speed.


	Professional			Semi professional
	Full Carbide Head Ø12-32 mm	4-Cutter Ø12-52 mm	2-Cutter Ø12-15 mm	2-Cutter Ø14-40 mm
Carbide tip shape				
Centering tip on carbide	Yes	Yes	Yes	No
Flute design	4-spiral	4-spiral	Multi fluted	Standard
For rebar	Recommended	Recommended	Suitable	Standard
Dimensional accuracy	***	***	**	*
Drilling speed	**	**	***	*
Durability	***	***	**	*
Vibration absorption	***	***	**	*
Power transmission	***	***	***	*
PGM approved	Yes	Yes	Yes	Yes
Suitable for powertool	5-12 kg	5-12 kg	5-10 kg	4-8 kg
Application	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.	Suitable for those users who demand a long life cycle and face lots of rebar and stones in hard concrete. While bearing a higher purchasing price, costs per hole are lower.	Suitable for the intermediate user, wanting to use the hammer drill bit on average hard materials.	Suitable for the occasional user, prioritizing purchasing price, where durability and drilling speed are less important or not relevant due to application nature.

SDS-max Full Carbide Head Ø12-32 mm Full Carbide Head

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
12	340	200	1	1	4100901	8717574064629	00.00	00.00
12	540	400	1	1	4100902	8717574064636	00.00	00.00
12	740	600	1	1	4100903	8717574064643	00.00	00.00
12	940	800	1	1	4100904	8717574064650	00.00	00.00
14	340	200	1	1	4100905	8717574064667	00.00	00.00
14	540	400	1	1	4100906	8717574064674	00.00	00.00
14	740	600	1	1	4100907	8717574064681	00.00	00.00
14	940	800	1	1	4100908	8717574064698	00.00	00.00
16	340	200	1	1	4100911	8717574064704	00.00	00.00
16	540	400	1	1	4100912	8717574064711	00.00	00.00
16	740	600	1	1	4100913	8717574064728	00.00	00.00
16	940	800	1	1	4100914	8717574064735	00.00	00.00
18	340	200	1	1	4100916	8717574064742	00.00	00.00
18	540	400	1	1	4100917	8717574064759	00.00	00.00
18	740	600	1	1	4100918	8717574064766	00.00	00.00
18	940	800	1	1	4100919	8717574064773	00.00	00.00
20	320	200	1	1	4100921	8717574064780	00.00	00.00
20	520	400	1	1	4100922	8717574064797	00.00	00.00
20	720	600	1	1	4100923	8717574064803	00.00	00.00
20	920	800	1	1	4100924	8717574064810	00.00	00.00
22	320	200	1	1	4100926	8717574064827	00.00	00.00
22	520	400	1	1	4100927	8717574064834	00.00	00.00
22	720	600	1	1	4100928	8717574064841	00.00	00.00
22	920	800	1	1	4100929	8717574064858	00.00	00.00
24	320	200	1	1	4100931	8717574064865	00.00	00.00
24	520	400	1	1	4100932	8717574064872	00.00	00.00
25	320	200	1	1	4100933	8717574064889	00.00	00.00
25	520	400	1	1	4100934	8717574064896	00.00	00.00
25	720	600	1	1	4100935	8717574064902	00.00	00.00
25	920	800	1	1	4100936	8717574064919	00.00	00.00
26	320	200	1	1	4100938	8717574064926	00.00	00.00
26	520	400	1	1	4100939	8717574064933	00.00	00.00
28	320	200	1	1	4100940	8717574064940	00.00	00.00
28	520	400	1	1	4100941	8717574064957	00.00	00.00
28	720	600	1	1	4100942	8717574064964	00.00	00.00
28	920	800	1	1	4100943	8717574064971	00.00	00.00
30	320	200	1	1	4100945	8717574066197	00.00	00.00
30	520	400	1	1	4100946	8717574066203	00.00	00.00
32	320	200	1	1	4100949	8717574066210	00.00	00.00
32	520	400	1	1	4100950	8717574066227	00.00	00.00
32	720	600	1	1	4100951	8717574066234	00.00	00.00
32	920	800	1	1	4100952	8717574066241	00.00	00.00

SDS-max 4-Cutter Ø12-15 mm

- 1 One piece molded tungsten carbide head drill with unique properties
- 2 Optimal support from the drill to the tungsten carbide head
- 3 4 x 90° symmetry
- 4 Extremely tough soldered joints
- 5 Top quality steel
- 6 4-fold spiral
- 7 Centering tip



The latest generation of HiKOKI SDS-max 4-Cutter hammer drill bits are designed for very intensive users who demand ultimate performance in drilling. This dynamic design with improved characteristics results in extended life time, noticeably faster penetration and more comfortable drilling. The symmetrical 4-Cutter head ensures a smooth and fluid penetration into the material, resulting in perfectly round holes.

This results in a 50% longer lifetime compared to a conventional 2-Cutter hammer drill bit. In case the user encounters concrete reinforcement, the 4-Cutter design ensures an even contact and reduces the chance of breaking the head. The special setting of the carbide crown provides maximum support of the carbide when hitting on rebars and optimum absorption of the released forces during drilling.

The special 4-fold spiral geometry ensures:


- Proper drainage of the drill cuttings.
- Reduced unnecessary vibration.
- Extreme resistance to extreme torsional strains.
- Allows maximum power transmission from the machine onto the drill bit.
- Reduced noise emission.

SDS-max TCT Hammer Drill Bits 4-Cutter Ø12-15 mm

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
12	340	200	1	1	754363	8717574049602	00.00	00.00
12	540	400	1	1	754364	8717574049619	00.00	00.00
12	740	600	1	1	754365	8717574049626	00.00	00.00
12	940	800	1	1	754366	8717574049633	00.00	00.00
14	340	200	1	1	754367	8717574049640	00.00	00.00
14	540	400	1	1	754368	8717574049657	00.00	00.00
14	940	800	1	1	754398	8717574058925	00.00	00.00
15	340	200	1	1	754369	8717574049664	00.00	00.00
15	540	400	1	1	754370	8717574049671	00.00	00.00

SDS-max 4-Cutter Ø16-52 mm

- 1** Three-piece carbide tip with unique cutting geometry
- 2** Rebar chamfers at both ends of main cutter
- 3** 4 x 90° symmetry
- 4** Stronger primary and secondary cutter
- 5** Wear mark at both ends of main cutter
- 6** Extremely tough soldered joints
- 7** Centering tip
- 8** Short conical shaped spiral windings



HiKOKI's SDS-max 4-Cutter is a robust, professional drill bit designed for excellent performance with uncompromising quality in its detail. In this series of drills the 4-Cutter carbide head is formed by a main plate with two hard metal side plates at an angle of 90°.

secondary cutters actively support the main carbide tip during drilling. An additional feature added to the carbide tip construction is the wear marking, that functions as an indicator for evaluating the dimensional stability of anchor holes.

ensured. Moreover, the impact energy is transferred directly to the drill head, and at the same time the dust is being removed rapidly for constant progress.

All in all, this drill bit achieves the optimum between speed, durability and professional performance.

This special design prevents seizing up on hitting rebar, where the large

Due to the drills' optimized core reinforced flute, high break resistance is

SDS-max TCT Hammer Drill Bits 4-Cutter Ø16-18 mm

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
16	340	200	1	1	754301	8717574026443	00.00	00.00
16	540	400	1	1	754302	8717574026450	00.00	00.00
16	740	600	1	1	754353	8717574029178	00.00	00.00
16	940	800	1	1	754303	8717574026467	00.00	00.00
16	1320	1200	1	1	754304	8717574026474	00.00	00.00
18	340	200	1	1	754305	8717574026481	00.00	00.00
18	540	400	1	1	754306	8717574026498	00.00	00.00
18	740	600	1	1	754354	8717574029185	00.00	00.00
18	940	800	1	1	754307	8717574026504	00.00	00.00
18	1320	1200	1	1	754308	8717574026511	00.00	00.00
20	320	200	1	1	754309	8717574026528	00.00	00.00
20	520	400	1	1	754310	8717574026535	00.00	00.00
20	720	600	1	1	754355	8717574029192	00.00	00.00
20	920	800	1	1	754311	8717574026542	00.00	00.00
20	1320	1200	1	1	754312	8717574026559	00.00	00.00

SDS-max TCT Hammer Drill Bits 4-Cutter Ø20-52 mm

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
22	320	200	1	1	754313	8717574026566	00.00	00.00
22	520	400	1	1	754314	8717574026573	00.00	00.00
22	720	600	1	1	754356	8717574029208	00.00	00.00
22	920	800	1	1	754315	8717574026580	00.00	00.00
22	1320	1200	1	1	754316	8717574026597	00.00	00.00
24	320	200	1	1	754317	8717574026603	00.00	00.00
24	520	400	1	1	754318	8717574026610	00.00	00.00
25	320	200	1	1	754319	8717574026627	00.00	00.00
25	520	400	1	1	754320	8717574026634	00.00	00.00
25	720	600	1	1	754357	8717574029215	00.00	00.00
25	920	800	1	1	754321	8717574026641	00.00	00.00
25	1320	1200	1	1	754322	8717574026658	00.00	00.00
26	520	400	1	1	754323	8717574026665	00.00	00.00
28	370	250	1	1	754324	8717574026672	00.00	00.00
28	570	450	1	1	754325	8717574026689	00.00	00.00
28	670	550	1	1	754326	8717574026696	00.00	00.00
28	920	800	1	1	754327	8717574026702	00.00	00.00
28	1320	1200	1	1	754328	8717574026719	00.00	00.00
30	370	250	1	1	754329	8717574026726	00.00	00.00
30	570	450	1	1	754330	8717574026733	00.00	00.00
30	720	600	1	1	754358	8717574029222	00.00	00.00
30	920	800	1	1	754331	8717574026740	00.00	00.00
32	370	250	1	1	754332	8717574026757	00.00	00.00
32	570	450	1	1	754333	8717574026764	00.00	00.00
32	720	600	1	1	754359	8717574029239	00.00	00.00
32	920	800	1	1	754334	8717574026771	00.00	00.00
32	1320	1200	1	1	754335	8717574026788	00.00	00.00
35	370	250	1	1	754336	8717574026795	00.00	00.00
35	570	450	1	1	754337	8717574026801	00.00	00.00
35	670	550	1	1	754338	8717574026818	00.00	00.00
35	920	800	1	1	754339	8717574026825	00.00	00.00
35	1320	1200	1	1	754360	8717574029246	00.00	00.00
37	370	250	1	1	754340	8717574026832	00.00	00.00
37	570	450	1	1	754341	8717574026849	00.00	00.00
37	920	800	1	1	754342	8717574026856	00.00	00.00
38	370	250	1	1	754343	8717574026863	00.00	00.00
38	570	450	1	1	754344	8717574026870	00.00	00.00
38	720	600	1	1	754361	8717574029253	00.00	00.00
40	370	250	1	1	754345	8717574026887	00.00	00.00
40	570	450	1	1	754346	8717574026894	00.00	00.00
40	720	600	1	1	754362	8717574029260	00.00	00.00
40	920	800	1	1	754347	8717574026900	00.00	00.00
40	1320	1200	1	1	754348	8717574026917	00.00	00.00
45	570	450	1	1	754349	8717574026924	00.00	00.00
45	920	800	1	1	754350	8717574026931	00.00	00.00
50	570	450	1	1	754351	8717574026948	00.00	00.00
52	570	450	1	1	754352	8717574026955	00.00	00.00

SDS-max Mining Drill Bit

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
32	570	450	1	1	4100984	8717574070781	00.00	00.00

SDS-max 2-Cutter Ø12-15 mm

- 1 Reinforced chamfers for optimized drilling
- 2 Chisel shaped drill head
- 3 Centering tip
- 4 Large volume flutes
- 5 Core reinforced geometry



The SDS-max 2-Cutter drill bits with double spiral satisfies to the highest quality standards and it is designed for the professional end user. They are tested under extreme conditions and have proven their new standards in terms of efficiency and performance.

The 2-Cutter is formed by a central placed tungsten carbide plate of which the special design provides an easy

centring and fast drilling from the very first start. The cutting speed is about 25% higher than the standard SDS-max drill bits with an increase of life time of about 50%. Steel reinforcement no longer presents a big problem. The dynamic, chisel-shaped drill bit head penetrates rapidly into the material and simultaneously feeds the drilling dust into the multi-groove spiral. The special designed spiral quickly


removes drilling dust from the hole, saving both time and money. This special spiral also reduces vibration and transfers more impact energy from the hammer to the drilling head, thus remarkably increasing drilling speed and life expectancy. Drilling is less strenuous for the operator and for the rotary hammer.

SDS-max TCT Hammer Drill Bits 2-Cutter Ø12-15 mm

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
12	340	200	1	1	750910	8717154652246	00.00	00.00
12	540	400	1	1	750911	8717154652253	00.00	00.00
12	740	600	1	1	750912	8717154652260	00.00	00.00
12	940	800	1	1	750913	8717154652277	00.00	00.00
14	340	200	1	1	750914	8717154652284	00.00	00.00
14	540	400	1	1	750915	8717154652291	00.00	00.00
14	940	800	1	1	750916	8717154652307	00.00	00.00
15	340	200	1	1	750917	8717154652314	00.00	00.00
15	540	400	1	1	750918	8717154652321	00.00	00.00

SDS-max Semi Professional Ø14-40 mm

- 1 Robust carbide tip with 130° angle
- 2 Chisel shaped drill bit head
- 3 Large volume flutes
- 4 High flexural strength



The SDS-max Semi Professional drill bit is for use in concrete, masonry and natural stone. This drill bit is cost-effective thanks to its fast, dynamic drilling progress and robust carbide tip. A large flute enables easy drilling dust transportation. It is highly appreciated for its reasonable quality by occasional user, who prioritizes purchasing price where durability and cutting speed are less important or not relevant due to the application nature.

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
14	340	200	1	1	754371	8717574035117	00.00	00.00
16	340	200	1	1	754373	8717574035131	00.00	00.00
16	540	400	1	1	754374	8717574035148	00.00	00.00
18	540	400	1	1	754376	8717574035162	00.00	00.00
20	320	200	1	1	754377	8717574035179	00.00	00.00
20	520	400	1	1	754378	8717574035186	00.00	00.00
22	320	200	1	1	754379	8717574035193	00.00	00.00
22	520	400	1	1	754380	8717574035209	00.00	00.00
24	320	200	1	1	754381	8717574035216	00.00	00.00
24	520	400	1	1	754382	8717574035223	00.00	00.00
25	320	200	1	1	754383	8717574035230	00.00	00.00
25	520	400	1	1	754384	8717574035247	00.00	00.00
28	370	250	1	1	754385	8717574035254	00.00	00.00
28	570	450	1	1	754386	8717574035261	00.00	00.00
30	370	250	1	1	754387	8717574035278	00.00	00.00
30	570	450	1	1	754388	8717574035285	00.00	00.00
32	370	250	1	1	754389	8717574035292	00.00	00.00
32	570	450	1	1	754390	8717574035308	00.00	00.00
35	370	250	1	1	754392	8717574035322	00.00	00.00
35	570	450	1	1	754393	8717574035339	00.00	00.00
38	370	250	1	1	754394	8717574035346	00.00	00.00
38	570	450	1	1	754395	8717574035353	00.00	00.00
40	370	250	1	1	754396	8717574035360	00.00	00.00
40	570	450	1	1	754397	8717574035377	00.00	00.00

SDS-plus/SDS-max for Dust Extraction

- 1 Centering tip
- 2 Large dust extraction holes
- 3 3 piece carbide tip with unique cutting geometry
- 4 Special drill body to support in straight drilling



With the dust free drill bits from HiKOKI you will have the ultimate solution for many challenging issues in practice.

The special dust free drill bits are available with SDS-plus and SDS-max connection. Onto the standard plastic side adaptor with inner diameter Ø35 mm, you can connect any kind of vacuum cleaner adaptor to use industrial vacuum cleaners (minimum advised filter class M). Due to the extreme high level of dust extraction from the drill bit head - about 98% of dust is extracted -, the user will first experience its extreme fast drilling speed and reduced vibration when compared to a standard drill bit.

The extraction of dust with the use of professional vacuum cleaners also reduces the dust inhalation of the operator significantly since all harmful dust particles are extracted at the source. This is of great benefit for the user. Also in working environments where dust is considered as very unpleasant, like in hospitals, living environments or any other place where people continue to live or work during the drilling process, these drill bits offer a great solution. When the hole is drilled, the job is immediately finished and time-consuming cleaning-up afterwards is no longer needed.

The dust free drill bits offer not only a great solution for the operator when drilling vertical and horizontal, but even for overhead drilling.

When the hole is prepared to use plugs, no surplus of debris is left behind in the hole, which improves the fixation of the plug. The dust free drill bits offer a cost-efficient solution for the end user due to the savings in labour for cleaning the hole and the surrounding area around the hole.

All dust free drill bits are equipped with a powerful 4-Cutter innovative head design, assuring an accurate concentricity and high dimensional accuracy of the drilled holes, according to the PGM-conformity.

Due to the dust extraction, there is a continuous air flow around the drilling head which creates an active cooling of the drill bit head and increases the life time.

SDS-plus Dust Extraction Drill Bits

Icons	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	12	325	200	1	1	783401	8717574057607	79,95	
	14	360	240	1	1	783402	8717574057614	84,95	
	16	360	240	1	1	783403	8717574057621	89,95	
	18	360	240	1	1	783404	8717574057638	105,95	

SDS-max Dust Extraction Drill Bits


Icons	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	16	600	400	1	1	783411	8717574057645	00.00	00.00
	18	600	400	1	1	783412	8717574057652	00.00	00.00
	20	600	400	1	1	783413	8717574057669	00.00	00.00
	22	600	400	1	1	783414	8717574057676	00.00	00.00
	24	600	400	1	1	783415	8717574057683	00.00	00.00
	25	600	400	1	1	783416	8717574057690	00.00	00.00
	28	600	400	1	1	783417	8717574057706	00.00	00.00
	28	900	700	1	1	783418	8717574057713	00.00	00.00
	30	600	400	1	1	783419	8717574057720	00.00	00.00
	30	900	700	1	1	783420	8717574057737	00.00	00.00
	32	600	400	1	1	783421	8717574057744	00.00	00.00
	35	600	400	1	1	783423	8717574057768	00.00	00.00
	35	900	700	1	1	783424	8717574057775	00.00	00.00

Vacuum Hose Connector for Dust Extraction Drill Bits

Image	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Connector for SDS-plus drill bits	1	1	783428	8717574058208	00.00	00.00
	Connector for SDS-max drill bits	1	1	783429	8717574058215	00.00	00.00

Core Cutters SDS-max TCT

- 1 Chipping and cutting in rebar due to ring placed TCT
- 2 3-Cutter premium centering drill bit for extended lifetime when hitting rebar
- 3 3-Part outer rim - fast drilling progress even in rebar
- 4 Carbide teeth with special rebar chamfers
- 5 Slim outer diameter - for increased speed and reduced friction
- 6 Channel-shaped drill dust removal - No blockage of the drilling dust
- 7 Conical shaft for higher comfort due to less vibration experience



HiKOKI core cutters guarantee efficient handling thanks to the special one-piece tool design. The design focusses on the new generation of powerful hammer drills, and provides efficient work with high durability. An ideal tool for through holes in concrete, natural stone and masonry.

The three large-volume bore dust channels with increased incline ensure fast bore dust removal with no rebound, fast drilling progress and ensure low vibration during drilling. The result is consistently precise, professional round holes.

Break resistance is increased and low vibration drilling is made possible due to the increased spiral width and core thickness. Thanks to the short flute, the core cutter offers a reduced drill bit weight, which ensures easy work.


SDS-max TCT Core Cutters

Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
40	550	410	1	1	4100961	8717574070347	00.00	00.00
45	550	410	1	1	4100962	8717574070354	00.00	00.00
45	990	850	1	1	4100963	8717574070361	00.00	00.00
55	550	410	1	1	4100964	8717574070378	00.00	00.00
55	990	850	1	1	4100965	8717574070385	00.00	00.00
65	550	410	1	1	4100966	8717574070392	00.00	00.00
65	990	850	1	1	4100967	8717574070408	00.00	00.00
80	550	410	1	1	4100968	8717574070415	00.00	00.00
80	990	850	1	1	4100969	8717574070422	00.00	00.00
SDS-max TCT core cutters (special length in conventional design)								
40	310	170	1	1	751651	8717154657715	00.00	00.00
40	550	410	1	1	751652	8717154657722	00.00	00.00

SDS-max Accessories

SDS-max Accessories

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Extension pieces for drill bits > 32 mm						
Total length 320 mm	1	1	751675	8717472817990	00.00	00.00
Total length 750 mm	1	1	751676	8717472818003	00.00	00.00
Total length 1100 mm	1	1	751677	8717472818010	00.00	00.00
Adaptor for extension piece	1	1	751686	8717472818102	00.00	00.00







SDS-max Adaptors



Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Adaptors from SDS-max						
SDS-max to 1/2" x 20 UNF external thread	1	1	750453	8717472818744	00.00	00.00
SDS-max adaptor to SDS-plus connection	1	1	751006	8717154652772	00.00	00.00

Hexagonal 13 mm and 19 mm





Hexagonal TCT Hammer Drill Bits 4-Cutter 13 mm

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		16	550	400	1	1	750251	8717154652017	00.00	00.00
		18	550	400	1	1	750253	8717154652031	00.00	00.00
		25	550	420	1	1	750261	8717154652116	00.00	00.00
		30	400	250	1	1	750264	8717154652147	00.00	00.00
		30	550	420	1	1	750265	8717154652154	00.00	00.00
		32	280	130	1	1	750286	8717154656190	00.00	00.00
		32	400	250	1	1	750266	8717154652161	00.00	00.00
		32	550	420	1	1	750267	8717154652178	00.00	00.00
		35	400	250	1	1	750268	8717154652185	00.00	00.00
		38	550	420	1	1	750271	8717154652215	00.00	00.00
		40	550	400	1	1	750273	8717154652239	00.00	00.00

Hexagonal Adaptor 13 mm







	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Adaptor from 13 mm hexagonal to SDS-plus	1	1	750246	8717154651997	00.00	00.00

Hexagonal TCT Hammer Drill Bits 4-Cutter 19 mm



		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		16	420	250	1	1	751601	8717154657876	00.00	00.00
		16	570	380	1	1	751602	8717154657883	00.00	00.00
		18	570	380	1	1	751604	8717154657913	00.00	00.00
		20	420	250	1	1	751605	8717154657920	00.00	00.00
		20	570	380	1	1	751606	8717154657937	00.00	00.00
		22	570	400	1	1	751608	8717154657951	00.00	00.00
		24	420	250	1	1	751609	8717154657968	00.00	00.00
		25	570	400	1	1	751612	8717154657999	00.00	00.00
		25	720	550	1	1	751613	8717154658002	00.00	00.00
		28	570	400	1	1	751616	8717154658033	00.00	00.00
		40	570	400	1	1	751638	8717154658255	00.00	00.00
		44	570	400	1	1	751643	8717154658309	00.00	00.00

Spline

Spline TCT Hammer Drill Bits

		Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
2-Cutter										
		12	330	200	1	1	750201	8717154651546	00.00	00.00
		12	530	400	1	1	750202	8717154651553	00.00	00.00
		13	530	400	1	1	750204	8717154651577	00.00	00.00
4-Cutter										
		16	250	120	1	1	750207	8717154651607	00.00	00.00
		16	530	380	1	1	750209	8717154651621	00.00	00.00
		18	380	250	1	1	750210	8717154651638	00.00	00.00
		19	530	400	1	1	750214	8717154651676	00.00	00.00
		20	530	380	1	1	750216	8717154651690	00.00	00.00
		22	330	200	1	1	750217	8717154651706	00.00	00.00
		22	530	400	1	1	750218	8717154651713	00.00	00.00
		24	330	200	1	1	750219	8717154651720	00.00	00.00
		28	380	250	1	1	750226	8717154651799	00.00	00.00
		28	530	400	1	1	750227	8717154651805	00.00	00.00
		28	680	530	1	1	750228	8717154651812	00.00	00.00
		32	530	400	1	1	750232	8717154651850	00.00	00.00
		35	530	400	1	1	750234	8717154651874	00.00	00.00
		35	680	530	1	1	750235	8717154651881	00.00	00.00
		38	530	400	1	1	750237	8717154651904	00.00	00.00
		40	380	250	1	1	750238	8717154651911	00.00	00.00
		42	530	400	1	1	750241	8717154651942	00.00	00.00
45	530	400	1	1	750243	8717154651966	00.00	00.00		
50	530	400	1	1	750245	8717154651980	00.00	00.00		

Spline Adaptors

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Adaptor from Spline to SDS-plus connection	1	1	750200	8717154651539	00.00	00.00

Hollow Core Bits


Hollow Hammer Core Bits

Description	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Core bits inner cone 1 : 8								
Core bit	40	100	1	1	750960	8717472816252	00.00	00.00
Core bit	45	100	1	1	751055	8717574023534	00.00	00.00
Core bit	50	100	1	1	750961	8717472816269	00.00	00.00
Core bit	60	100	1	1	751058	8717574023541	00.00	00.00
Core bit	65	100	1	1	750962	8717472816276	00.00	00.00
Core bit	68	100	1	1	751056	8717574023558	00.00	00.00
Core bit	80	100	1	1	750963	8717472816283	00.00	00.00
Core bit	90	100	1	1	750964	8717472816290	00.00	00.00
Core bit	100	100	1	1	750965	8717472816306	00.00	00.00
Core bit	125	100	1	1	750966	8717472816313	00.00	00.00
Center drill	11	120	1	1	750967	8717472816320	00.00	00.00
Ejection pin			1	1	750974	8717472816399	00.00	00.00
Shaft SDS-plus		115	1	1	751029	8717472816405	00.00	00.00
Shaft SDS-max		180	1	1	750968	8717472816337	00.00	00.00
Shaft SDS-max		450	1	1	750969	8717472816344	00.00	00.00
Shaft spline		216	1	1	750970	8717472816351	00.00	00.00
Shaft spline		436	1	1	750971	8717472816368	00.00	00.00
Shaft hexagonal 13		450	1	1	750973	8717472816382	00.00	00.00

Varia Drilling System


Varia Drilling System

Description	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Drill bit	28	475	1	1	751051	8717574035070	00.00	00.00
Drill bit	30	475	1	1	751052	8717574035087	00.00	00.00
Drill bit	32	475	1	1	751053	8717574035094	00.00	00.00
Varia system internal thread hollow hammer core bits								
Core bit	50	100	1	1	760086	8717472816511	00.00	00.00
Core bit	68	100	1	1	760087	8717472816528	00.00	00.00
Core bit	80	100	1	1	760088	8717472816535	00.00	00.00
Core bit	90	100	1	1	760071	8717472816542	00.00	00.00
Core bit	100	100	1	1	760072	8717472816559	00.00	00.00
Core bit	125	100	1	1	760073	8717472816566	00.00	00.00
Varia system hollow hammer center drill bit								
Center drill bit	12	155	1	1	760074	8717472816573	00.00	00.00
Varia drilling system								
Core cutter	35	150	1	1	744120	8717574014266	00.00	00.00
Core cutter	40	150	1	1	744121	8717472816429	00.00	00.00
Core cutter	45	150	1	1	744122	8717472816436	00.00	00.00
Core cutter	50	150	1	1	744119	8717574014273	00.00	00.00
Core cutter	55	150	1	1	744123	8717472816443	00.00	00.00
Core cutter	68	150	1	1	744124	8717472816450	00.00	00.00
Core cutter	80	150	1	1	744125	8717472816467	00.00	00.00
Varia system threaded adaptor								
For SDS-max		195	1	1	760085	8717472816498	00.00	00.00
For 13 mm hexagonal		180	1	1	744126	8717574002072	00.00	00.00
For 19 mm hexagonal		180	1	1	744127	8717574011791	00.00	00.00
For spline		180	1	1	744128	8717472816504	00.00	00.00
Varia system threaded shank extension rod								
Extension rod	25	280	1	1	744129	8717472816474	00.00	00.00
Varia system threaded shank								
Threaded shank			1	1	744130	8717472816481	00.00	00.00



Proline Masonry Drill Bits

- 1 Chisel-shaped carbide head
- 2 S-flute with robust geometry
- 3 Large volume spiral flute



HiKOKI straight shank drill bits are designed for high performance and are equipped with a specially developed tip and flute geometry for the best drilling results in concrete and masonry.

The drills comply with the DIN 8039 ISO 5468 standard.

Straight Shank Drill Bits for concrete/masonry

Masonry	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	3	60	30	1	1	780851	8717574021707	00.00	00.00
	4	75	40	1	1	780852	8717574021714	00.00	00.00
	5	85	50	1	1	780853	8717574021721	00.00	00.00
	5	150	85	1	1	780854	8717574021738	00.00	00.00
	5,5	85	50	1	1	780855	8717574021745	00.00	00.00
	5,5	150	85	1	1	780856	8717574021752	00.00	00.00
	6	100	60	1	1	780857	8717574021769	00.00	00.00
	6	150	85	1	1	780858	8717574021776	00.00	00.00
	6	200	135	1	1	780859	8717574021783	00.00	00.00
	6	600	550	1	1	780861	8717574021806	00.00	00.00
	6,5	100	60	1	1	780862	8717574021813	00.00	00.00
	6,5	150	85	1	1	780863	8717574021820	00.00	00.00
	7	100	60	1	1	780864	8717574021837	00.00	00.00
	7	150	90	1	1	780865	8717574021844	00.00	00.00
	8	120	80	1	1	780866	8717574021851	00.00	00.00
	8	200	135	1	1	780867	8717574021868	00.00	00.00
	8	400	360	1	1	780868	8717574021875	00.00	00.00
	8	600	550	1	1	780869	8717574021882	00.00	00.00
	9	120	80	1	1	780870	8717574021899	00.00	00.00
	10	120	80	1	1	780871	8717574021905	00.00	00.00
	10	200	135	1	1	780872	8717574021912	00.00	00.00
	10	400	360	1	1	780873	8717574021929	00.00	00.00

Straight Shank Drill Bits for concrete/masonry, reduced shank 10 mm

Masonry	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	12	150	95	1	1	780875	8717574021943	00.00	00.00
	12	200	135	1	1	780876	8717574021950	00.00	00.00
	12	400	360	1	1	780877	8717574021967	00.00	00.00
	13	150	90	1	1	780879	8717574021981	00.00	00.00
	14	150	95	1	1	780880	8717574021998	00.00	00.00
	14	200	150	1	1	780881	8717574022001	00.00	00.00
	14	400	360	1	1	780882	8717574022018	00.00	00.00
	14	600	550	1	1	780883	8717574022025	00.00	00.00
	16	150	95	1	1	780885	8717574022049	00.00	00.00
	16	400	360	1	1	780886	8717574022056	00.00	00.00
	16	600	550	1	1	780887	8717574022063	00.00	00.00
	18	400	350	1	1	780889	8717574022087	00.00	00.00

Straight Shank Drill Bits for concrete/masonry, reduced shank 13 mm

Masonry	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	20	160	100	1	1	780891	8717574022094	00.00	00.00
	20	400	350	1	1	780892	8717574022100	00.00	00.00
	20	600	550	1	1	780893	8717574022117	00.00	00.00
	22	400	350	1	1	780894	8717574022124	00.00	00.00

Straight Shank Drill Bits for concrete/masonry - sets

Masonry	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	<p>5-pcs Ø4 x 85 mm Ø5 x 85 mm Ø6 x 100 mm Ø8 x 120 mm Ø10 x 120 mm</p>	5	1	780898	8717574022131	00.00	00.00
	<p>8-pcs Ø3 x 70 mm Ø4 x 85 mm Ø5 x 85 mm Ø6 x 100 mm Ø7 x 100 mm Ø8 x 120 mm Ø9 x 120 mm Ø10 x 120 mm</p>	8	1	780899	8717574022148	00.00	00.00

Proline Metal Drill Bits



Processing metal

HiKOKI metal drill bits offer high quality and a long lifetime to the professional user. In order to achieve this, only the best raw material for the drill bits are used in a continuous controlled and certified production process. Also, the geometry of the drill bit is optimized to get the highest results in quality of finishing of the drilled hole, drilling speed and service life.

During the production process of HiKOKI metal drill bits, the highest quality standards are met. The production environment and processes comply with ISO 9001:2000, the ISO14000 environmental standards and the high HiKOKI standards when it comes to responsibility. HiKOKI drill bits are regularly tested under the most severe conditions to ensure quality and functionality. These measurements ensure that HiKOKI metal drill bits are among the most efficient in the market, even under the toughest conditions. All HiKOKI metal drill bits have endured a special hardening process through which the shaft has obtained a lower hardness, improving the adoption in the jaws of the drill chuck.

HSS-R

Metal drill bit for general and incidental usage on hand held power tools.

Properties

This high capacity, rolled twist drill bit made of high-performance high-speed steel offers increased resistance to fracture due to the rolled production process which strengthens the material.

Applications

For steel, cast steel, alloyed and non-alloyed (up to 900 N/mm² strength), grey, tempered, nodular and die castings, sintered-powdered iron, nickel silver, graphite, short chipping aluminum alloys, brass and bronze.

HSS-G

Top quality all-round metal drill bits for usage on hand-held drilling machines as well as drill stands in professional environments.

Properties

This high capacity, completely ground twist drill bit made of high performance high speed steel has increased true running accuracy.

Applications

Suitable for alloyed and unalloyed steel up to a tensile strength of 900 N/mm², cast steel, cast iron, sintered iron, malleable cast iron, non-ferrous metals and hard plastics.

HSS-G Co 5%

Especially suitable for hard materials like inox. The HiKOKI Cobalt drill bits contain 5% Cobalt. The HSS-Co drill bits are particularly suitable for heavy users who require an extra-long lifetime and have to work with harder materials than usual.

Properties

Like HSS-G plus cobalt alloy. The cobalt content provides higher heat hardness strength.

Applications

Suitable for alloyed and unalloyed steel up to a tensile strength of 1,000 N/mm², inox V2A/V4A, cast iron, cast steel, acid- and heat-treated steels.

	HSS-R DIN 338	HSS-G DIN 338	HSS-Co DIN 338
DIN	338	338	338
Top angle	118°	135°	135°
Drill tip	Chisel edge	Split point DIN 1412	Split point DIN 1412
Flute angle	22°-28°	30°	30°
Surface	Black, steam treated	Bare metal	Gold brown
Material	22°-28°	30°	30°
ØRange: 1,0 - 13,0 mm	Each 0,5 mm	Each 0,1 mm, incl. 0,25 mm	Each 0,1 mm, incl. 0,25 mm
ØRange: 13,5 - 20,0 mm	Each 0,5 mm	Each 0,5 mm	n.a.
Shaft size	≤ 10 mm same as diameter 10 - 13 mm reduced 10 mm ≥ 13,5 mm reduced 13 mm	≤ 13 mm same as diameter 10 - 13 mm reduced 10 mm ≥ 13,5 mm reduced 13 mm 1/4" hexagonal	≤ 13 mm same as diameter
Machine type	Hand held	Hand held	Drill stand

Metal Drill Bits HSS-Co DIN 338 - benefit packages

Metal	5x	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
HSS-Co DIN 338		9,0	125	81	5	1	780647	8717574008463	00.00	00.00
		9,1	125	81	5	1	780648	8717574008470	00.00	00.00
		9,2	125	81	5	1	780649	8717574008487	00.00	00.00
		9,25	125	81	5	1	780650	8717574008494	00.00	00.00
		9,3	125	81	5	1	780651	8717574008500	00.00	00.00
		9,4	125	81	5	1	780652	8717574008517	00.00	00.00
		9,5	125	81	5	1	780653	8717574008524	00.00	00.00
		9,6	133	87	5	1	780654	8717574008531	00.00	00.00
		9,7	133	87	5	1	780655	8717574008548	00.00	00.00
		9,75	133	87	5	1	780656	8717574008555	00.00	00.00
		9,8	133	87	5	1	780657	8717574008562	00.00	00.00
		9,9	133	87	5	1	780658	8717574008579	00.00	00.00
		10,0	133	87	5	1	780659	8717574008586	00.00	00.00
		10,1	133	87	5	1	780660	8717574008593	00.00	00.00
		10,2	133	87	5	1	780661	8717574008609	00.00	00.00
		10,25	133	87	5	1	780662	8717574008616	00.00	00.00
		10,3	133	87	5	1	780663	8717574008623	00.00	00.00
		10,4	133	87	5	1	780664	8717574008630	00.00	00.00
		10,5	133	87	5	1	780665	8717574008647	00.00	00.00
		10,6	133	87	5	1	780666	8717574008654	00.00	00.00
		10,7	142	94	5	1	780667	8717574008661	00.00	00.00
		10,75	142	94	5	1	780668	8717574008678	00.00	00.00
		10,8	142	94	5	1	780669	8717574008685	00.00	00.00
		10,9	142	94	5	1	780670	8717574008692	00.00	00.00
		11,0	142	94	5	1	780671	8717574008708	00.00	00.00
		11,1	142	94	5	1	780672	8717574008715	00.00	00.00
		11,2	142	94	5	1	780673	8717574008722	00.00	00.00
		11,25	142	94	5	1	780674	8717574008739	00.00	00.00
		11,3	142	94	5	1	780675	8717574008746	00.00	00.00
		11,4	142	94	5	1	780676	8717574008753	00.00	00.00
		11,5	142	94	5	1	780677	8717574008760	00.00	00.00
		11,6	142	94	5	1	780678	8717574008777	00.00	00.00
		11,75	142	94	5	1	780680	8717574008791	00.00	00.00
		11,8	142	94	5	1	780681	8717574008807	00.00	00.00
		11,9	142	94	5	1	780682	8717574008814	00.00	00.00
		12,0	151	101	5	1	780683	8717574008821	00.00	00.00
		12,1	151	101	5	1	780684	8717574008838	00.00	00.00
		12,2	151	101	5	1	780685	8717574008845	00.00	00.00
		12,25	151	101	5	1	780686	8717574008852	00.00	00.00
		12,3	151	101	5	1	780687	8717574008869	00.00	00.00
		12,4	151	101	5	1	780688	8717574008876	00.00	00.00
		12,5	151	101	5	1	780689	8717574008883	00.00	00.00
		12,6	151	101	5	1	780690	8717574008890	00.00	00.00
		12,7	151	101	5	1	780691	8717574008906	00.00	00.00
		12,75	151	101	5	1	780692	8717574008913	00.00	00.00
		12,8	151	101	5	1	780693	8717574008920	00.00	00.00
		12,9	151	101	5	1	780694	8717574008937	00.00	00.00
		13,0	151	101	5	1	780695	8717574008944	00.00	00.00



Metal Drill Bits HSS-Co DIN 338 - sets

Metal	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
HSS-Co DIN 338	 19-pcs 1 - 10 mm x 0,5 mm	19	1	780698	871757408951	00.00	00.00
HSS-Co DIN 338	 25-pcs 1 - 13 mm x 0,5 mm	25	1	780699	871757408968	00.00	00.00



Proline Sheet Metal Drill Bits

- 1 Split point
- 2 Edge breaker
- 3 Helicoidal flute
- 4 Laser marked Ø scale
- 5 3 Flat shank



Step drill bits

The HiKOKI step drill bits are specially designed for quick drilling of holes with larger diameters in thin sheet material or tubes. Very suitable for drilling in various materials such as plastic, polyester, steel and stainless steel. All step drills come lasered with diameters in the spiral. The 3-Flat shank ensures excellent

torque transmission and avoid slippage in the drill chuck. The TiAlN coated step drill bits are strongly recommended for difficult materials such as stainless steels and if drilling without coolants. The coating reduces the temperature and thus extends the service life of the tool.

Spiral fluted:

- No sticking in the material.
- Low cutting forces.
- Less burrs on the work piece.
- Longer service life.
- Smooth cutting behavior.
- Self-starting tip eliminates skidding and the need for center punching.

HSS TiAlN coated, helicoidal flute

Stainless steel	Ø (mm)	Shank (Ømm)	Step height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	4-12	6	5	1	1	780101	8717574055573	00.00	00.00
	4-20	8	4	1	1	780102	8717574055580	00.00	00.00
	6-30	10	4	1	1	780103	8717574055597	00.00	00.00
	4-12	6	5	3	1	780104	8717574055603	00.00	00.00
	4-20	8	4						
	6-30	10	4						

HSS

Metal	Ø (mm)	Shank (Ømm)	Step height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
HSS, helicoidal flute									
	4-12	6	5	1	1	780106	8717574055610	00.00	00.00
	4-20	8	4	1	1	780107	8717574055627	00.00	00.00
	6-30	10	4	1	1	780108	8717574055634	00.00	00.00
	4-12	6	5	3	1	780109	8717574055641	00.00	00.00
	4-20	8	4						
	6-30	10	4						
HSS, straight flute									
	4-12	6	5	1	1	780111	8717574055818	00.00	00.00
	4-20	8	4	1	1	780112	8717574055825	00.00	00.00
	6-30	10	4	1	1	780113	8717574055832	00.00	00.00
	4-12	6	5	3	1	780114	8717574055849	00.00	00.00
	4-20	8	4						
	6-30	10	4						

HSS Ground, DIN 13 H6

Metal	Ø (mm)	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
	6,3	M3	1	1	780121	8717574055658	00.00	00.00	
	8,3	M4	1	1	780122	8717574055665	00.00	00.00	
	10,4	M5	1	1	780123	8717574055672	00.00	00.00	
	12,4	M6	1	1	780124	8717574055689	00.00	00.00	
	16,5	M8	1	1	780125	8717574055696	00.00	00.00	
	20,5	M10	1	1	780126	8717574055702	00.00	00.00	
	12,4/16,5/20,5	Non magnetic bitholder handgrip	M6/M8/M10	5	1	780128	8717574055719	00.00	00.00
	6,3/8,3/10,4/12,4/16,5/20,5	Non magnetic bitholder handgrip	M3/M4/M5/M6/M8/M10	8	1	780129	8717574055726	00.00	00.00

The HiKOKI Countersinks are designed and produced with 100% defined cutting geometry: the combined axial/radial relief, professional cutting angle at the cutting edge could only be produced by our 5-Axis Grinding Technology! This ensures a chatter and score free countersink with optimized tool life. Big grooves with smooth flute ground profile guarantees flawless chip removal even with long chip materials. Excellent performance in steel, aluminium, plastics and wood.

Proline Combi Drill Bit

- 1 Drill
- 2 Thread
- 3 Torsion zone
- 4 Countersink
- 5 Hex 1/4 C6.3



The patented Proline Combi Drill bits are designed to drill - thread - sink in one single procedure. The tool is very suitable to be used with cordless power tools, especially due to the 1/4" hex connection. An induction heat treated torsion zone increases the bending strength and therefore increases the lifetime.

The combi drill bits are very user friendly. However, please make sure that after drilling, tapping and sinking the power tool comes to a complete stop. Reverse the machine to a counter clockwise motion and run it very slowly to ensure the drill comes out of the workpiece without damaging the thread.

Metal	Ø (mm)	Useful length (mm)	VE	MBH	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	M3	6,5	1	1	780131	8717574055733	00.00	00.00
	M4	9	1	1	780132	8717574055740	00.00	00.00
	M5	10	1	1	780133	8717574055757	00.00	00.00
	M6	12	1	1	780134	8717574055764	00.00	00.00
	M8	15	1	1	780135	8717574055771	00.00	00.00
	M10	18	1	1	780136	8717574055788	00.00	00.00
	M12	18	1	1	780137	8717574055795	00.00	00.00
	M3/M4/M5/M6/M8/M10	Non magnetic bit holder	7	1	780139	8717574055801	00.00	00.00

Thread Trimmer

Metal	Description	Thread size	VE	MBH	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	For cleaning the stud after cutting it with a special stud cutter. Insert the stud on the hole in the grip and rotate the trimmer. When the stud is cut with a disc grinder, the flange may be too large.	M6	1	1	780141	8717574057980	00.00	00.00
		M8	1	1	780142	8717574057997	00.00	00.00
		M10	1	1	780143	8717574058000	00.00	00.00

Suitable to be used in combination with Stud Cutters: HiKOKI CL10D(2), CL10SA, CL14DSL, CL18DSL.

Proline Metal Core Cutters

- 1 Center pin available
- 2 Conical polished inner wall
- 3 Faster, because each tooth cuts
- 4 Sophisticated geometry to produce reamed-quality burr-free holes
- 5 Ground on hightech CNC machinery
- 6 HSS steel of superior quality
- 7 Ø19 mm of Ø32 mm weldon with perfect reground clamping faces
- 8 Accurate fit for the use of a center pin



HSS Core Cutters for metal

Drilling holes using HiKOKI core cutters is an efficient way of making holes from 12 to 100 mm. The major benefits of using HiKOKI core cutters are:

1. A twist drill bit removes all the material, where a core cutter only removes the outline.
2. Because a core cutter has more cutting edges than a twist drill bit, a core cutter will drill holes 3 times faster.
3. When using a core cutter, pre-drilling is not required.
4. As a core cutter removes less material, less power is required so the machine to be used can be of a lighter type.
5. With core cutters it is also possible and with the greatest convenience to drill half holes and holes in pipes.

To gain the maximum advantage from your magnetic core cutter, you can rely on the HiKOKI core cutters. The cutters are worldwide appreciated for their optimum performance, durability, longer functional lifetime and they also offer the shortest drilling time.

At HiKOKI, quality and safety have the highest priority for many years. This is especially true when it concerns the production of core cutters. With a basis of HSS steel of superior quality and by high tech CNC machinery HiKOKI core cutters are manufactured. The very strong alloy of raw materials ensures a reduced risk of breakage.



A comprehensive quality control system at every stage of production ensures that there is finally a product for you that meets the highest standards and quality.

HiKOKI offers you a wide range of core cutters in two lengths, made of HSS steel for use in alloyed and unalloyed steel. They are widely used in construction, oil and shipping industries, as well as in various other industries.



Features:

- Optimized cutting edge geometry for increased cutting performances and reduced cutting forces.
- The effective cutting angles are designed for universal use in various sorts of steel, such as T-brackets, pipes, large sheets, cast iron, non-ferrous and light metals.
- High manufacturing precision and competence.
- Use of high-speed steel for long service life.



Core Cutters, long

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 	12	85	55	1	1	754501	8717574031799	00.00	00.00
	13	85	55	1	1	754502	8717574031805	00.00	00.00
	14	85	55	1	1	754503	8717574031812	00.00	00.00
	15	85	55	1	1	754504	8717574031829	00.00	00.00
	16	85	55	1	1	754505	8717574031836	00.00	00.00
	17	85	55	1	1	754506	8717574031843	00.00	00.00
	18	85	55	1	1	754507	8717574031850	00.00	00.00
	19	85	55	1	1	754508	8717574031867	00.00	00.00
	20	85	55	1	1	754509	8717574031874	00.00	00.00
	21	85	55	1	1	754510	8717574031881	00.00	00.00
	22	85	55	1	1	754511	8717574031898	00.00	00.00
	23	85	55	1	1	754512	8717574031904	00.00	00.00
	24	85	55	1	1	754513	8717574031911	00.00	00.00
	25	85	55	1	1	754514	8717574031928	00.00	00.00
	26	85	55	1	1	754515	8717574031935	00.00	00.00
	27	85	55	1	1	754516	8717574031942	00.00	00.00
	28	85	55	1	1	754517	8717574031959	00.00	00.00
	29	85	55	1	1	754518	8717574031966	00.00	00.00
	30	85	55	1	1	754519	8717574031973	00.00	00.00
	31	85	55	1	1	754520	8717574031980	00.00	00.00
	32	85	55	1	1	754521	8717574031997	00.00	00.00
	33	85	55	1	1	754522	8717574032000	00.00	00.00
	34	85	55	1	1	754523	8717574032017	00.00	00.00
	35	85	55	1	1	754524	8717574032024	00.00	00.00
	36	85	55	1	1	754525	8717574032031	00.00	00.00
	37	85	55	1	1	754526	8717574032048	00.00	00.00
	38	85	55	1	1	754527	8717574032055	00.00	00.00
	39	85	55	1	1	754528	8717574032062	00.00	00.00
	40	85	55	1	1	754529	8717574032079	00.00	00.00
	41	85	55	1	1	754530	8717574032086	00.00	00.00
	42	85	55	1	1	754531	8717574032093	00.00	00.00
	43	85	55	1	1	754532	8717574032109	00.00	00.00
	44	85	55	1	1	754533	8717574032116	00.00	00.00
	45	85	55	1	1	754534	8717574032123	00.00	00.00
	46	85	55	1	1	754535	8717574032130	00.00	00.00
	47	85	55	1	1	754536	8717574032147	00.00	00.00
	48	85	55	1	1	754537	8717574032154	00.00	00.00
	49	85	55	1	1	754538	8717574032161	00.00	00.00
	50	85	55	1	1	754539	8717574032178	00.00	00.00

Core Cutters, long

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 	51	85	55	1	1	754540	8717574032185	00.00	00.00
	52	85	55	1	1	754541	8717574032192	00.00	00.00
	53	85	55	1	1	754542	8717574032208	00.00	00.00
	54	85	55	1	1	754543	8717574032215	00.00	00.00
	55	85	55	1	1	754544	8717574032222	00.00	00.00
	56	85	55	1	1	754545	8717574032239	00.00	00.00
	57	85	55	1	1	754546	8717574032246	00.00	00.00
	58	85	55	1	1	754547	8717574032253	00.00	00.00
	59	85	55	1	1	754548	8717574032260	00.00	00.00
	60	85	55	1	1	754549	8717574032277	00.00	00.00

Core Cutters, long

	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 	61	85	55	1	1	754550	8717574032284	00.00	00.00
	62	85	55	1	1	754551	8717574032291	00.00	00.00
	63	85	55	1	1	754552	8717574032307	00.00	00.00
	64	85	55	1	1	754553	8717574032314	00.00	00.00
	65	85	55	1	1	754554	8717574032321	00.00	00.00
	66	85	55	1	1	754555	8717574032338	00.00	00.00
	67	85	55	1	1	754556	8717574032345	00.00	00.00
	68	85	55	1	1	754557	8717574032352	00.00	00.00
	69	85	55	1	1	754558	8717574032369	00.00	00.00
	70	85	55	1	1	754559	8717574032376	00.00	00.00
	71	85	55	1	1	754560	8717574032383	00.00	00.00
	72	85	55	1	1	754561	8717574032390	00.00	00.00
	73	85	55	1	1	754562	8717574032406	00.00	00.00
	74	85	55	1	1	754563	8717574032413	00.00	00.00
	75	85	55	1	1	754564	8717574032420	00.00	00.00
	76	85	55	1	1	754565	8717574032437	00.00	00.00
	77	85	55	1	1	754566	8717574032444	00.00	00.00
	78	85	55	1	1	754567	8717574032451	00.00	00.00
	79	85	55	1	1	754568	8717574032468	00.00	00.00
	80	85	55	1	1	754569	8717574032475	00.00	00.00
	81	85	55	1	1	754570	8717574032482	00.00	00.00
	82	85	55	1	1	754571	8717574032499	00.00	00.00
	83	85	55	1	1	754572	8717574032505	00.00	00.00
	84	85	55	1	1	754573	8717574032512	00.00	00.00
	85	85	55	1	1	754574	8717574032529	00.00	00.00
	86	85	55	1	1	754575	8717574032536	00.00	00.00
	87	85	55	1	1	754576	8717574032543	00.00	00.00
	88	85	55	1	1	754577	8717574032550	00.00	00.00
	89	85	55	1	1	754578	8717574032567	00.00	00.00
	90	85	55	1	1	754579	8717574032574	00.00	00.00
	91	85	55	1	1	754580	8717574032581	00.00	00.00
	92	85	55	1	1	754581	8717574032598	00.00	00.00
	93	85	55	1	1	754582	8717574032604	00.00	00.00
	94	85	55	1	1	754583	8717574032611	00.00	00.00
	95	85	55	1	1	754584	8717574032628	00.00	00.00
	96	85	55	1	1	754585	8717574032635	00.00	00.00
	97	85	55	1	1	754586	8717574032642	00.00	00.00
	98	85	55	1	1	754587	8717574032659	00.00	00.00
	99	85	55	1	1	754588	8717574032666	00.00	00.00
	100	85	55	1	1	754589	8717574032673	00.00	00.00

Diameters ≤ 50 mm are available from stock. Diameters > 50 mm are available on demand.

Proline Metal Core Cutters

Function of the center pin

Positioning:

Position the center pin exactly to the center punch mark. Switch the magnet on and the machine and tool are in the drilling position.




Oiling:

By means of the automatic internal lubrication, cutting oil is supplied via the center pin to the bit in just the right quantity.






Ejecting:

In the final stage, the center pin, pre-stressed by means of a spring, pushes the core out of the drill hole.

Core Cutter Accessories

Metal	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 Center pin short 6,35 x 79 mm	1	1	754495	8717574032772	00.00	00.00
	 Center pin long 6,35 x 102 mm	1	1	754594	8717574032789	00.00	00.00

Core Cutters - sets

Metal	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 7-pcs 2x 14 x 30 mm 2x 18 x 30 mm 2x 22 x 30 mm Center pin L = 79 mm	7	1	754496	8717574032796	00.00	00.00
	 8-delig 14 x 30 mm 14 x 55 mm 18 x 30 mm 18 x 55 mm 22 x 30 mm 22 x 55 mm Center pin L = 79 mm Center pin L = 102 mm	8	1	754497	8717574033861	00.00	00.00
	 7-delig 12 x 30 mm 14 x 30 mm 16 x 30 mm 18 x 30 mm 22 x 30 mm 26 x 30 mm Center pin L = 79 mm	7	1	754498	8717574033878	00.00	00.00
	 7-delig 12 x 55 mm 14 x 55 mm 16 x 55 mm 18 x 55 mm 22 x 55 mm 26 x 55 mm Center pin L = 102 mm	7	1	754499	8717574033885	00.00	00.00

Proline Wood Drill Bits



Proline Wood CV Drill Bits

All HiKOKI CV-wood drills are manufactured according to the strict HiKOKI standards from high quality alloy steel.

The Wood drills have a drill head with three points. Thanks to the extremely sharp middle centering point the drill is easy to position for precise positioning of the drill hole. The two outer points ensure the breaking of the chips and

thus provide a better finished hole and end result. HiKOKI wood drills are of professional quality and should not be missed in the range of tools of each all-round professional.

Besides a standard assortment HiKOKI also offers a range of CV-wood drills with 1/4" hexagonal connection according to ISO 1173 E6.3. Ideal for use on machines with bit connection for

faster changing of drills and for having better grip in an ordinary drill chuck. These special drills are manufactured by precision grinding from solid hardened material

HiKOKI also offers interesting sets with a variety of diameters so that the most common sizes are readily available.

Wood CV Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	3	61	32	1	1	781901	8717574029697	00.00	00.00
	4	75	45	1	1	781902	8717574029703	00.00	00.00
	5	86	50	1	1	781903	8717574029710	00.00	00.00
	6	92	55	1	1	781904	8717574029727	00.00	00.00
	7	109	75	1	1	781905	8717574029734	00.00	00.00
	8	117	75	1	1	781906	8717574029741	00.00	00.00
	9	125	80	1	1	781907	8717574029758	00.00	00.00
	10	133	85	1	1	781908	8717574029765	00.00	00.00

Wood CV Drill Bits, reduced shank 10 mm

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	11	142	95	1	1	781909	8717574029772	00.00	00.00
	12	150	95	1	1	781910	8717574029789	00.00	00.00
	13	150	95	1	1	781911	8717574029796	00.00	00.00
	14	150	100	1	1	781912	8717574029802	00.00	00.00
	15	160	105	1	1	781913	8717574029819	00.00	00.00
	16	160	105	1	1	781914	8717574029826	00.00	00.00
	18	180	120	1	1	781915	8717574029833	00.00	00.00
	20	180	120	1	1	781916	8717574029840	00.00	00.00

Wood CV drill bits, reduced shank 13 mm

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	22	180	120	1	1	781917	8717574029857	00.00	00.00
	24	200	140	1	1	781918	8717574029864	00.00	00.00
	25	200	140	1	1	781919	8717574029871	00.00	00.00
	26	200	140	1	1	781920	8717574029888	00.00	00.00
	28	200	140	1	1	781921	8717574029895	00.00	00.00
	30	200	140	1	1	781922	8717574029901	00.00	00.00

Wood CV Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	250	140	1	1	781931	8717574029918	00.00	00.00
	8	250	140	1	1	781932	8717574029925	00.00	00.00
	10	250	140	1	1	781933	8717574029932	00.00	00.00
CBV-spiraalboren met gereduceerde opname 10 mm									
	12	250	140	1	1	781934	8717574029949	00.00	00.00
	14	250	140	1	1	781935	8717574029956	00.00	00.00
	16	250	140	1	1	781936	8717574029963	00.00	00.00
	18	250	140	1	1	781937	8717574029970	00.00	00.00
	20	250	140	1	1	781938	8717574029987	00.00	00.00

Wood CV Drill Bits, 1/4" hexagonal

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	2	55	20	1	1	781941	8717574029994	00.00	00.00
	3	65	35	1	1	781942	8717574030006	00.00	00.00
	4	75	40	1	1	781943	8717574030013	00.00	00.00
	5	85	50	1	1	781944	8717574030020	00.00	00.00
	6	90	55	1	1	781945	8717574030037	00.00	00.00
	7	90	55	1	1	781946	8717574030044	00.00	00.00
	8	90	55	1	1	781947	8717574030051	00.00	00.00
	9	100	60	1	1	781948	8717574030068	00.00	00.00
	10	100	60	1	1	781949	8717574030075	00.00	00.00
	11	100	60	1	1	781950	8717574030082	00.00	00.00
	12	110	65	1	1	781951	8717574030099	00.00	00.00
	13	110	65	1	1	781952	8717574030105	00.00	00.00
	14	120	70	1	1	781953	8717574030112	00.00	00.00
	15	120	70	1	1	781954	8717574030129	00.00	00.00

Wood CV Drill Bits - sets

Wood	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5-pcs 4, 5, 6, 8, 10 mm	5	1	781981	8717574030136	00.00	00.00
	8-pcs 3, 4, 5, 6, 7, 8, 9, 10 mm	8	1	781982	8717574030143	00.00	00.00

Wood CV drill bits, 1/4" hexagonal - sets

Wood	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5-pcs 4, 5, 6, 8, 10 mm	5	1	781983	8717574030150	00.00	00.00

Proline Wood Auger Drill Bits

The HiKOKI non-axis auger drill is a universal wood drill suitable for almost all types of wood.

The non-axis design of the spiral coil which creates an open flow capacity of the drill will benefit and ultimately ensures a longer life.

The solid drill head is provided with a self-tapping screw thread so that the drill bit pulls itself into the timber during the entire drilling and facilitates the drill point and the starting position of the drill.

On one side the head is provided with a chip breaker in order to achieve an

excellent finished end result. The drills are free-running in the longitudinal direction so that the friction is reduced during the drilling.

Because of this it encounters less resistance during the drilling, which is beneficial for the drilling speed, the required drilling pressure and it increases the life of the machine.

This drill is about professionalism and quality you may expect from HiKOKI! It is suitable for both hard and soft wood and even good to use in wet wood.

The HiKOKI range comprises a wide variety of diameters and the drills are

available in lengths of 230, 320, 460 and 620 mm. HiKOKI also offers interesting sets with a variety of diameters so that the most common sizes are readily available.

All auger drill bits have a hexagonal shank for strong adaption in the drill chuck. The size of the hexagonal is as follows:

Drill diameter (mm)	Drill chuck (mm)
6-8	6
9-11	10
12-36	13

Wood Auger Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	230	150	1	1	781801	8717574027785	00.00	00.00
	7	230	150	1	1	781802	8717574027792	00.00	00.00
	8	230	150	1	1	781803	8717574027808	00.00	00.00
	9	230	150	1	1	781804	8717574027815	00.00	00.00
	10	230	150	1	1	781805	8717574027822	00.00	00.00
	11	230	150	1	1	781806	8717574027839	00.00	00.00
	12	230	150	1	1	781807	8717574027846	00.00	00.00
	13	230	150	1	1	781808	8717574027853	00.00	00.00
	14	230	150	1	1	781809	8717574027860	00.00	00.00
	15	230	150	1	1	781810	8717574027877	00.00	00.00
	16	230	150	1	1	781811	8717574027884	00.00	00.00
	17	230	150	1	1	781812	8717574027891	00.00	00.00
	18	230	150	1	1	781813	8717574027907	00.00	00.00
	19	230	150	1	1	781814	8717574027914	00.00	00.00
	20	230	150	1	1	781815	8717574027921	00.00	00.00
	21	230	150	1	1	781816	8717574027938	00.00	00.00
	22	230	150	1	1	781817	8717574027945	00.00	00.00
	23	230	150	1	1	781818	8717574027952	00.00	00.00
	24	230	150	1	1	781819	8717574027969	00.00	00.00
	25	230	150	1	1	781820	8717574027976	00.00	00.00
	26	230	150	1	1	781821	8717574027983	00.00	00.00
	28	230	150	1	1	781822	8717574027990	00.00	00.00
	30	230	150	1	1	781823	8717574028003	00.00	00.00
	32	230	150	1	1	781824	8717574028010	00.00	00.00
	34	230	150	1	1	781825	8717574028027	00.00	00.00
	35	230	150	1	1	781826	8717574028034	00.00	00.00
	36	230	150	1	1	781827	8717574028041	00.00	00.00



















Wood Auger Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	320	240	1	1	781831	8717574028058	00.00	00.00
	8	320	240	1	1	781832	8717574028065	00.00	00.00
	10	320	240	1	1	781833	8717574028072	00.00	00.00
	11	320	240	1	1	781834	8717574028089	00.00	00.00
	12	320	240	1	1	781835	8717574028096	00.00	00.00
	13	320	240	1	1	781836	8717574028102	00.00	00.00
	14	320	240	1	1	781837	8717574028119	00.00	00.00
	15	320	240	1	1	781838	8717574028126	00.00	00.00
	16	320	240	1	1	781839	8717574028133	00.00	00.00
	18	320	240	1	1	781840	8717574028140	00.00	00.00
	20	320	240	1	1	781841	8717574028157	00.00	00.00
	22	320	240	1	1	781842	8717574028164	00.00	00.00
	24	320	240	1	1	781843	8717574028171	00.00	00.00
	26	320	240	1	1	781844	8717574028188	00.00	00.00
	28	320	240	1	1	781845	8717574028195	00.00	00.00
	30	320	240	1	1	781846	8717574028201	00.00	00.00
	32	320	240	1	1	781847	8717574028218	00.00	00.00
	36	320	240	1	1	781848	8717574028225	00.00	00.00







Wood Auger Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	460	380	1	1	781851	8717574028232	00.00	00.00
	7	460	380	1	1	781852	8717574028249	00.00	00.00
	8	460	380	1	1	781853	8717574028256	00.00	00.00
	9	460	380	1	1	781854	8717574028263	00.00	00.00
	10	460	380	1	1	781855	8717574028270	00.00	00.00
	11	460	380	1	1	781856	8717574028287	00.00	00.00
	12	460	380	1	1	781857	8717574028294	00.00	00.00
	13	460	380	1	1	781858	8717574028300	00.00	00.00
	14	460	380	1	1	781859	8717574028317	00.00	00.00
	15	460	380	1	1	781860	8717574028324	00.00	00.00
	16	460	380	1	1	781861	8717574028331	00.00	00.00
	17	460	380	1	1	781862	8717574028348	00.00	00.00
	18	460	380	1	1	781863	8717574028355	00.00	00.00
	19	460	380	1	1	781864	8717574028362	00.00	00.00
	20	460	380	1	1	781865	8717574028379	00.00	00.00
	21	460	380	1	1	781866	8717574028386	00.00	00.00
	22	460	380	1	1	781867	8717574028393	00.00	00.00
	23	460	380	1	1	781868	8717574028409	00.00	00.00
	24	460	380	1	1	781869	8717574028416	00.00	00.00
	25	460	380	1	1	781870	8717574028423	00.00	00.00
	26	460	380	1	1	781871	8717574028430	00.00	00.00
	28	460	380	1	1	781872	8717574028447	00.00	00.00
	30	460	380	1	1	781873	8717574028454	00.00	00.00
	32	460	380	1	1	781874	8717574028461	00.00	00.00
	34	460	380	1	1	781875	8717574028478	00.00	00.00
	35	460	380	1	1	781876	8717574028485	00.00	00.00
	36	460	380	1	1	781877	8717574028492	00.00	00.00

Wood Auger Drill Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	620	540	1	1	781881	8717574029451	00.00	00.00
	8	620	540	1	1	781882	8717574029468	00.00	00.00
	10	620	540	1	1	781883	8717574029475	00.00	00.00
	11	620	540	1	1	781884	8717574029482	00.00	00.00
	12	620	540	1	1	781885	8717574029499	00.00	00.00
	13	620	540	1	1	781886	8717574029505	00.00	00.00
	14	620	540	1	1	781887	8717574029512	00.00	00.00
	15	620	540	1	1	781888	8717574029529	00.00	00.00
	16	620	540	1	1	781889	8717574029536	00.00	00.00
	18	620	540	1	1	781890	8717574029543	00.00	00.00
	20	620	540	1	1	781891	8717574029550	00.00	00.00
	22	620	540	1	1	781892	8717574029567	00.00	00.00
	24	620	540	1	1	781893	8717574029574	00.00	00.00
	26	620	540	1	1	781894	8717574029581	00.00	00.00
	28	620	540	1	1	781895	8717574029598	00.00	00.00
	30	620	540	1	1	781896	8717574029604	00.00	00.00
	32	620	540	1	1	781897	8717574029611	00.00	00.00
	36	620	540	1	1	781898	8717574029628	00.00	00.00

Wood Auger Drill Bits - sets

Wood	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6-pcs 6, 8, 10, 12, 14, 16 mm L = 230 mm	6	1	781991	8717574029635	00.00	00.00
	6-pcs 10, 12, 14, 16, 18, 20 mm L = 230 mm	6	1	781992	8717574029642	00.00	00.00
	8-pcs 10, 12, 14, 16, 18, 20, 22, 24 mm L = 230 mm	8	1	781993	8717574029659	00.00	00.00
	6-pcs 6, 8, 10, 12, 14, 16 mm L = 460 mm	6	1	781994	8717574029666	00.00	00.00
	6-pcs 10, 12, 14, 16, 18, 20 mm L = 460 mm	6	1	781995	8717574029673	00.00	00.00
	8-pcs 10, 12, 14, 16, 18, 20, 22, 24 mm L = 460 mm	8	1	781996	8717574029680	00.00	00.00

Proline Flat Wood Drill Bits

All HiKOKI Flat Wood drill bits are manufactured in accordance with the strict HiKOKI standards from a high-quality carbon steel with which a high hardness is achieved. Thanks to the extra high-quality steel and hardness the HiKOKI flat wood drill can be used in all types of wood.

The head of the drill is equipped with three points, the center ensures precise
























alignment while the outer points make the chip breaking and thus ensure an excellent finished end result. All HiKOKI flat wood drills are equipped with a 1/4" hexagonal connection according to ISO 1173 E6.3. Ideal for use on machines with bit connection for faster changing of drills and for having better grip in an ordinary drill chuck.

HiKOKI also offers interesting sets with a variety of diameters so that the most common sizes are readily available.

The range includes flat wood drills with a length of 152 mm and 400 mm. In addition, an extension piece with a length of 300 mm is available.

For heavy users there is also a 10-piece benefit package available.

Flat Wood Drill Bits, 1/4" hexagonal shank

Wood	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6	150	1	1	781701	8717574027006	00.00	00.00
	8	150	1	1	781702	8717574027013	00.00	00.00
	10	150	1	1	781703	8717574027020	00.00	00.00
	12	150	1	1	781704	8717574027037	00.00	00.00
	13	150	1	1	781705	8717574027044	00.00	00.00
	14	150	1	1	781706	8717574027051	00.00	00.00
	15	150	1	1	781707	8717574027068	00.00	00.00
	16	150	1	1	781708	8717574027075	00.00	00.00
	17	150	1	1	781709	8717574027082	00.00	00.00
	18	150	1	1	781710	8717574027099	00.00	00.00
	19	150	1	1	781711	8717574027105	00.00	00.00
	20	150	1	1	781712	8717574027112	00.00	00.00
	22	150	1	1	781713	8717574027129	00.00	00.00
	24	150	1	1	781714	8717574027136	00.00	00.00
	25	150	1	1	781715	8717574027143	00.00	00.00
	26	150	1	1	781716	8717574027150	00.00	00.00
	28	150	1	1	781717	8717574027167	00.00	00.00
	30	150	1	1	781718	8717574027174	00.00	00.00
	32	150	1	1	781719	8717574027181	00.00	00.00
	34	150	1	1	781720	8717574027198	00.00	00.00
	35	150	1	1	781721	8717574027204	00.00	00.00
	36	150	1	1	781722	8717574027211	00.00	00.00
	38	150	1	1	781723	8717574027228	00.00	00.00
	40	150	1	1	781724	8717574027235	00.00	00.00

Flat Wood Drill Bits, 1/4" hexagonal shank

Wood	1/4"	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		6	400	1	1	781731	8717574027242	00.00	00.00
		8	400	1	1	781732	8717574027259	00.00	00.00
		10	400	1	1	781733	8717574027266	00.00	00.00
		12	400	1	1	781734	8717574027273	00.00	00.00
		13	400	1	1	781735	8717574027280	00.00	00.00
		14	400	1	1	781736	8717574027297	00.00	00.00
		15	400	1	1	781737	8717574027303	00.00	00.00
		16	400	1	1	781738	8717574027310	00.00	00.00
		17	400	1	1	781739	8717574027327	00.00	00.00
		18	400	1	1	781740	8717574027334	00.00	00.00
		19	400	1	1	781741	8717574027341	00.00	00.00
		20	400	1	1	781742	8717574027358	00.00	00.00
		22	400	1	1	781743	8717574027365	00.00	00.00
		24	400	1	1	781744	8717574027372	00.00	00.00
		25	400	1	1	781745	8717574027389	00.00	00.00
		26	400	1	1	781746	8717574027396	00.00	00.00
		28	400	1	1	781747	8717574027402	00.00	00.00
		30	400	1	1	781748	8717574027419	00.00	00.00
		32	400	1	1	781749	8717574027426	00.00	00.00
		34	400	1	1	781750	8717574027433	00.00	00.00
		35	400	1	1	781751	8717574027440	00.00	00.00
		36	400	1	1	781752	8717574027457	00.00	00.00
		38	400	1	1	781753	8717574027464	00.00	00.00
		40	400	1	1	781754	8717574027471	00.00	00.00

Flat Wood Drill Bits, 1/4" hexagonal shank - benefit packages

Wood	1/4"	10x	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			6	150	10	1	781761	8717574027488	00.00	00.00
			8	150	10	1	781762	8717574027495	00.00	00.00
			10	150	10	1	781763	8717574027501	00.00	00.00
			12	150	10	1	781764	8717574027518	00.00	00.00
			13	150	10	1	781765	8717574027525	00.00	00.00
			14	150	10	1	781766	8717574027532	00.00	00.00
			15	150	10	1	781767	8717574027549	00.00	00.00
			16	150	10	1	781768	8717574027556	00.00	00.00
			17	150	10	1	781769	8717574027563	00.00	00.00
			18	150	10	1	781770	8717574027570	00.00	00.00
			19	150	10	1	781771	8717574027587	00.00	00.00
			20	150	10	1	781772	8717574027594	00.00	00.00
			22	150	10	1	781773	8717574027600	00.00	00.00
			24	150	10	1	781774	8717574027617	00.00	00.00
			25	150	10	1	781775	8717574027624	00.00	00.00
			26	150	10	1	781776	8717574027631	00.00	00.00
			28	150	10	1	781777	8717574027648	00.00	00.00
			30	150	10	1	781778	8717574027655	00.00	00.00
			32	150	10	1	781779	8717574027662	00.00	00.00
			34	150	10	1	781780	8717574027679	00.00	00.00
			35	150	10	1	781781	8717574027686	00.00	00.00
			36	150	10	1	781782	8717574027693	00.00	00.00
			38	150	10	1	781783	8717574027709	00.00	00.00
			40	150	10	1	781784	8717574027716	00.00	00.00

Accessories For Flat Wood Drill Bits, 1/4" hexagonal shank

Wood	1/4"	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		Extension rod for flat drill bits for wood with 1/4" hexagonal shank L = 300 mm To be used with flat wood drill bits > Ø16 mm	1	1	781790	8717574027723	00.00	00.00


Flat Wood Drill Bits, 1/4" hexagonal shank - sets

Wood	1/4"	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		6-pcs 12, 14, 16, 18, 20, 22 mm L = 150 mm	6	1	781791	8717574027730	00.00	00.00
		6-pcs 13, 16, 19, 20, 22, 25 mm L = 150 mm	6	1	781792	8717574027747	00.00	00.00
		6-pcs 14, 16, 18, 20, 22, 24 mm L = 150 mm	6	1	781793	8717574027754	00.00	00.00
		13-pcs 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 22, 25 mm L = 150 mm	13	1	781794	8717574027754	00.00	00.00
		13-pcs 6, 8, 10, 12, 13, 14, 16, 17, 18, 19, 20, 22, 25 mm L = 150 mm	13	1	781795	8717574027778	00.00	00.00

Proline Formwork and Installation Bits

- 1 Optimized top angle for easy penetration
- 2 Wide flute for optimized chip transportation
- 3 Open spiral-end for good chip removal
- 4 Unique connection between drill and shaft for high durability



 Only for use in rotary drilling applications, so without percussion. Deactivate impact.

For drilling holes in unreachable places, the HiKOKI formwork and installation drill bits are indispensable at every construction site. The drills meet the safety requirements of the Professional Trade Association for wood registered in DIN 7490.

The drill bits, made from High Quality Chrome-Vanadium Steel, enable optimum drilling results in wood, plasterboard as well as boards made from plaster and lightweight materials.

The shafts with the SDS-plus connection are fully hardened for extended lifetime of the tool.



The top angle of 118° ensures a fast and easy penetration into the material and the big open and tapered flute provide a good chip removal, preventing the drill from getting jammed, even in damp wood.

Recommended applications
Wide range of applications, both for



the building trade (formwork) and for interior fitting work, plumbing, heating and electrical installation. Formwork, boards, planks, beams, plasterboard, light building materials and insulations.

User instructions
For use in all drills with 13 mm drill chuck.




Formwork and Installation Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 	8	400	350	1	1	4100741	8717574064025	00.00	00.00
	10	400	350	1	1	4100742	8717574064032	00.00	00.00
	12	400	350	1	1	4100743	8717574064049	00.00	00.00
	14	400	350	1	1	4100744	8717574064056	00.00	00.00
	16	400	350	1	1	4100745	8717574064063	00.00	00.00
	18	400	350	1	1	4100746	8717574064070	00.00	00.00
	20	400	350	1	1	4100747	8717574064087	00.00	00.00
	22	400	350	1	1	4100748	8717574064094	00.00	00.00
	24	400	350	1	1	4100749	8717574064100	00.00	00.00




Formwork and Installation Bits

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 	8	600	550	1	1	4100751	8717574064117	00.00	00.00
	10	600	550	1	1	4100752	8717574064124	00.00	00.00
	12	600	550	1	1	4100753	8717574064131	00.00	00.00
	14	600	550	1	1	4100754	8717574064148	00.00	00.00
	16	600	550	1	1	4100755	8717574064155	00.00	00.00
	18	600	550	1	1	4100756	8717574064162	00.00	00.00
	20	600	550	1	1	4100757	8717574064179	00.00	00.00
	22	600	550	1	1	4100758	8717574064186	00.00	00.00
	24	600	550	1	1	4100759	8717574064193	00.00	00.00
	26	600	550	1	1	4100760	8717574064209	00.00	00.00
	28	600	550	1	1	4100761	8717574064216	00.00	00.00
	30	600	550	1	1	4100762	8717574064223	00.00	00.00

Formwork and Installation Bits SDS-plus

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
  	10	400	350	1	1	4100771	8717574064230	00.00	00.00
	12	400	350	1	1	4100772	8717574064247	00.00	00.00
	14	400	350	1	1	4100773	8717574064254	00.00	00.00
	16	400	350	1	1	4100774	8717574064261	00.00	00.00
	18	400	350	1	1	4100775	8717574064278	00.00	00.00
	20	400	350	1	1	4100776	8717574064285	00.00	00.00
	22	400	350	1	1	4100777	8717574064292	00.00	00.00

Formwork and Installation Bits SDS-plus

Wood	Ø (mm)	Total length (mm)	Useful length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
  	10	600	550	1	1	4100781	8717574064308	00.00	00.00
	12	600	550	1	1	4100782	8717574064315	00.00	00.00
	14	600	550	1	1	4100783	8717574064322	00.00	00.00
	16	600	550	1	1	4100784	8717574064339	00.00	00.00
	18	600	550	1	1	4100785	8717574064346	00.00	00.00
	20	600	550	1	1	4100786	8717574064353	00.00	00.00
	22	600	550	1	1	4100787	8717574064360	00.00	00.00
	24	600	550	1	1	4100788	8717574064377	00.00	00.00
	26	600	550	1	1	4100789	8717574064384	00.00	00.00
	28	600	550	1	1	4100790	8717574064391	00.00	00.00
	30	600	550	1	1	4100791	8717574064407	00.00	00.00

Proline Forstner Bits

The professional quality HiKOKI forstner drill bits are designed for exact results; the ideal choice, especially when drilling blind holes in solid wood and wood materials. Serrated peripheral cutting edges (25 - 50 mm) and two main cutters guarantee burr free holes, even near edges. A precision ground centering tip enables exact positioning.


The low friction design reduces the chance of burn marks, enhances lifetime of the drill and enables fast drilling.

For drilling splinter-free, true to size blind holes, for edge drillings and slant drillings in softwood and hardwood. Meets high requirements with regard to cutting quality in hard and soft wood,


veneered wood and laminated wooden panels. Easy and effortless cutting due to ideal cutting geometries.

The Forstner drills have a 9,5 mm round shank, suitable for 10 mm drill chucks.

Forstner Bits

Wood	Ø (mm)	Total length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	10	90	1	1	4100701	8717574062151	00.00	00.00
	12	90	1	1	4100702	8717574062168	00.00	00.00
	14	90	1	1	4100703	8717574062175	00.00	00.00
	15	90	1	1	4100704	8717574062182	00.00	00.00
	16	90	1	1	4100705	8717574062199	00.00	00.00
	18	90	1	1	4100706	8717574062205	00.00	00.00
	20	90	1	1	4100707	8717574062212	00.00	00.00
	22	90	1	1	4100708	8717574062229	00.00	00.00
	24	90	1	1	4100709	8717574062236	00.00	00.00
	25	90	1	1	4100710	8717574062243	00.00	00.00
	26	90	1	1	4100711	8717574062250	00.00	00.00
	28	90	1	1	4100712	8717574062267	00.00	00.00
	30	90	1	1	4100713	8717574062274	00.00	00.00
	32	90	1	1	4100714	8717574062281	00.00	00.00
	34	90	1	1	4100715	8717574062298	00.00	00.00
	35	90	1	1	4100716	8717574062304	00.00	00.00
	36	90	1	1	4100717	8717574062311	00.00	00.00
	38	90	1	1	4100718	8717574062328	00.00	00.00
	40	90	1	1	4100719	8717574062335	00.00	00.00
	45	90	1	1	4100720	8717574062342	00.00	00.00
	50	90	1	1	4100721	8717574062359	00.00	00.00

Forstner Bits - sets

Wood	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5-pcs 15, 20, 25, 30, 35 mm	5	1	4100729	8717574062366	00.00	00.00

Proline Hole Saws



Bi-Metal Hole Saws

HiKOKI hole saws for a faster cut

All HiKOKI Bi-Metal hole saws have variable pitched teeth (4/6 TPI), which gives a better and faster cut in all types of material: inox, cast iron, aluminium, copper, wood, plaster board and plastics. Multifunctional in use and made from HSS Bi-Metal. The teeth are heat resistant, wear-resistant, created from high alloy tool steel and welded using lasers. The result is a range of hole saws that are extremely strong and have a long service life. The material to be sawn is cut rather than splintered, giving a clean cut. The bottom plate is extra thick. This benefits the stability of the saw and reinforcing accessories are not required. The hole saws are available in all imaginable diameters and each saw includes a table in the packaging that states what speed should be used for various materials. This ensures you always achieve the best result.

Specially for you: HiKOKI sets

Everything at hand. That is why HiKOKI has developed special sets for special uses: the plumbers' set, the electricians' set, the mechanics' set and the combi-set. All current hole saws in a handy carrying case together with two mounting spindles and reducing nipples. Complete sets in a handy plastic case. You have every size of hole saw you will need in hand. And for extra fast changing of hole saws you have the specially designed HiKOKI Quick Power Lock system.



Bi-Metal hole saws	
Material:	HSS alloy
Teeth:	Laser welded Bi-Metal
Teeth set:	Variable pitched teeth (4/6 tpi)
Shank:	6/8,5/11 mm Hexagonal, SDS-plus
Application:	Inox
	Cast iron
	Aluminium
	Copper
	Wood
	Plaster board
Extras:	HiKOKI Quick Power Lock system 13 mm Hexagonal
Accessories:	Extension pieces and reducing nipples

Bi-Metal Hole Saws

Ø (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
14	1	1	752101	8717154656282	00.00	00.00
16	1	1	752102	8717154656299	00.00	00.00
17	1	1	752103	8717154656305	00.00	00.00
19	1	1	752104	8717154656312	00.00	00.00
20	1	1	752105	8717154656329	00.00	00.00
21	1	1	752106	8717154656336	00.00	00.00
22	1	1	752107	8717154656343	00.00	00.00
24	1	1	752108	8717154656350	00.00	00.00
25	1	1	752109	8717154656367	00.00	00.00
27	1	1	752110	8717154656374	00.00	00.00
28	1	1	752111	8717154656381	00.00	00.00
29	1	1	752112	8717154656398	00.00	00.00
30	1	1	752113	8717154656404	00.00	00.00



Actual cutting depth of hole saws: 38 mm

Bi-Metal Hole Saws




Ø (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
32	1	1	752114	8717154656411		
33	1	1	752115	8717154656428		
35	1	1	752116	8717154656435		
37	1	1	752117	8717154656442		
38	1	1	752118	8717154656459		
40	1	1	752119	8717154656466		
41	1	1	752120	8717154656473		
43	1	1	752121	8717154656480		
44	1	1	752122	8717154656497		
46	1	1	752123	8717154656503		
48	1	1	752124	8717154656510		
51	1	1	752125	8717154656527		
52	1	1	752126	8717154656534		
54	1	1	752127	8717154656541		
55	1	1	752128	8717154656558		
57	1	1	752129	8717154656565		
59	1	1	752130	8717154656572		
60	1	1	752131	8717154656589		
64	1	1	752132	8717154656596		
65	1	1	752133	8717154656602		
67	1	1	752134	8717154656619		
68	1	1	752135	8717154656626		
70	1	1	752136	8717154656633		
73	1	1	752137	8717154656640		
76	1	1	752138	8717154656657		
79	1	1	752139	8717154656664		
83	1	1	752140	8717154656671		
86	1	1	752141	8717154656688		
89	1	1	752142	8717154656695		
92	1	1	752143	8717154656701		
95	1	1	752144	8717154656718		
98	1	1	752145	8717154656725		
102	1	1	752146	8717154656732		
105	1	1	752147	8717154656749		
108	1	1	752148	8717154656756		
111	1	1	752149	8717154656763		
114	1	1	752150	8717154656770		
121	1	1	752151	8717154656787		
127	1	1	752152	8717154656794		
133	1	1	752153	8717154656800		
140	1	1	752154	8717154656817		
146	1	1	752155	8717154656824		
152	1	1	752156	8717154656831		
160	1	1	752157	8717154656848		
165	1	1	752158	8717154656855		
168	1	1	752159	8717154656862		
178	1	1	752160	8717154656879		
200	1	1	752161	8717154656886		
210	1	1	752162	8717154656893		









Actual cutting depth of hole saws: 38 mm

Arbors for Bi-Metal Hole Saws

As well as the HiKOKI Quick Power Lock system an extensive range of standard arbors is available, fitting various hole saw dimensions and drill connection types.

	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6 mm round	1	1	752181	8717154656947	00.00	00.00
	8,5 mm hexagonal	1	1	752182	8717154656954	00.00	00.00
	11 mm hexagonal	1	1	752183	8717154656961	00.00	00.00
	SDS-plus	1	1	752184	8717154656978	00.00	00.00
	11 mm hexagonal	1	1	752185	8717154656985	00.00	00.00
	8,5 mm hexagonal	1	1	752186	8717154656992	00.00	00.00
	11 mm hexagonal	1	1	752187	8717154657005	00.00	00.00
	16 mm hexagonal	1	1	752188	8717154657012	00.00	00.00
	SDS-plus	1	1	752189	8717154657029	00.00	00.00

Accessories for Bi-Metal Hole Saws

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Extension piece 300 mm, 11 mm hexagonal	1	1	752190	8717154657036	00.00	00.00
	Adaptor nipple for the shaft of large hole saws to 30 mm	1	1	752191	8717154657043	00.00	00.00
	Center drill 80 mm long	1	1	752192	8717154657050	00.00	00.00
	Center drill 105 mm long for arbor 752181	1	1	752193	8717154657067	00.00	00.00
	Securing bolt for assembly shaft (5 pcs)	5	1	752194	8717154657074	00.00	00.00
	Ejection spring	1	1	752195	8717154657081	00.00	00.00

Bi-Metal Hole Saws - sets

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 Plumber's set consisting of: Ø19, 22, 29, 38, 44, 57 mm 2x arbor and adaptor nipple	9	1	752171	8717154656909	00.00	00.00
	Electrician's set consisting of: Ø22, 29, 35, 44, 51, 64 mm 2x arbor and adaptor nipple	9	1	752172	8717154656916	00.00	00.00
	Electrician's set No. 2 consisting of: Ø22, 29, 35, 44, 68, 82 mm 2x arbor and adaptor nipple.	9	1	752175	8717574000719	00.00	00.00
	Mechanic's set consisting of: Ø19, 22, 29, 35, 38, 44, 51, 57, 64 mm 2x arbor and adaptor nipple and extra center drill.	13	1	752173	8717154656923	00.00	00.00
	Mechanic's set No. 2 consisting of: Ø19, 22, 29, 35, 38, 44, 51, 57, 68 mm 2x arbor and adaptor nipple and extra center drill.	13	1	752176	8717574000726	00.00	00.00
	Combi-set consisting of: Ø19, 20, 22, 25, 29, 32, 35, 38, 44, 51, 57, 67, 76 mm 2x arbor and adaptor nipple	16	1	752174	8717154656930	00.00	00.00
	Combi-set No. 2 consisting of: Ø19, 20, 22, 25, 29, 32, 35, 38, 44, 51, 57, 68, 82 mm 2x arbor and adaptor nipple	16	1	752177	8717574000733	00.00	00.00
	Combi-set No. 3 consisting of: Ø19, 25, 32, 38, 44, 57, 68 2x arbor	9	1*	40030032	4250155823986	00.00	00.00

*When ordered in multiple of 4 pieces, items will be delivered in a counter display.


Carbide Tipped Hole Saws

Also for construction

Carbide Tipped HiKOKI hole saws are specifically suitable to be applied on construction materials. These include plywood, MDF and chipboard. But also tiles up to hardness factor 6, aerated concrete, and polymer plastics. The carbide tipped hole saws contain sizeable chip rooms providing an optimal chip drain. Specific design in teeth geometry makes for drill-holes to be well finished, enables a high cutting speed, and creates an optimal service life.

Carbide tipped hole saws	
Material:	HSS alloy
Teeth:	Carbide
Shank:	8,5/11 mm Hexagonal
Application:	Wood
	Plastics
	Tiles up to hardness factor 6
	Aerated concrete
Extras:	HiKOKI Quick Power Lock system 11 mm hexagonal
Accessories:	Extension piece



Carbide Tipped Hole Saws

	Ø (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	16	1	1	754201	8717574002706	00.00	00.00
	19	1	1	754202	8717574002713	00.00	00.00
	20	1	1	754203	8717574002720	00.00	00.00
	22	1	1	754204	8717574002737	00.00	00.00
	25	1	1	754205	8717574002744	00.00	00.00
	27	1	1	754206	8717574002751	00.00	00.00
	29	1	1	754207	8717574002768	00.00	00.00
	32	1	1	754208	8717574002775	00.00	00.00
	35	1	1	754209	8717574002782	00.00	00.00
	38	1	1	754210	8717574002799	00.00	00.00
	40	1	1	754211	8717574002805	00.00	00.00
	44	1	1	754212	8717574002812	00.00	00.00
	50	1	1	754213	8717574002829	00.00	00.00
	51	1	1	754214	8717574002836	00.00	00.00
	54	1	1	754215	8717574002843	00.00	00.00
	57	1	1	754216	8717574002850	00.00	00.00
	60	1	1	754217	8717574002867	00.00	00.00
	63	1	1	754218	8717574002874	00.00	00.00
	64	1	1	754219	8717574002881	00.00	00.00
	65	1	1	754220	8717574002898	00.00	00.00
67	1	1	754221	8717574002904	00.00	00.00	
68	1	1	754222	8717574002911	00.00	00.00	
71	1	1	754223	8717574002928	00.00	00.00	
73	1	1	754224	8717574002935	00.00	00.00	
76	1	1	754225	8717574002942	00.00	00.00	
79	1	1	754226	8717574002959	00.00	00.00	
80	1	1	754227	8717574002966	00.00	00.00	
82	1	1	754228	8717574002973	00.00	00.00	
92	1	1	754229	8717574002980	00.00	00.00	
102	1	1	754230	8717574002997	00.00	00.00	
105	1	1	754231	8717574003000	00.00	00.00	
111	1	1	754232	8717574003017	00.00	00.00	
125	1	1	754233	8717574003024	00.00	00.00	
133	1	1	754234	8717574003031	00.00	00.00	
152	1	1	754235	8717574003048	00.00	00.00	



Actual cutting depth of hole saws: 65 mm

Arbors for Carbide Tipped Hole Saws

As well as the HiKOKI Quick Power Lock system an extensive range of standard arbors is offered, fitting various hole saw dimensions and drill connection types.

	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	8,5 mm hexagonal	1	1	754241	8717574003055	00.00	00.00
	11 mm hexagonal	1	1	754243	8717574003079	00.00	00.00
	8,5 mm hexagonal	1	1	754242	8717574003062	00.00	00.00
	11 mm hexagonal	1	1	754244	8717574003086	00.00	00.00

Accessories for Carbide Tipped Hole Saws

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Center Drill HSS-S extra long: L = 90 mm	1	1	754245	8717574003093	00.00	00.00
	Extension piece 300 mm, 11 mm hexagonal	1	1	752190	871754657036	00.00	00.00

TCT Hole Saws - sets

Wood	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 Plumber's set consisting of: Ø19, 22, 29, 38, 44, 51, 57 mm 2x arbor	9	1	754251	8717574003109	00.00	00.00
	 Electrician's set consisting of: Ø19, 22, 29, 35, 38, 44, 51, 65, 76 mm 2x arbor	11	1	754252	8717574003116	00.00	00.00
	 Interior's set consisting of: Ø40, 44, 54, 60, 65, 76, 82 mm 1x arbor	8	1	754253	8717574003123	00.00	00.00
	 All-round set consisting of: Ø16, 20, 25, 29, 32, 35, 51, 60, 65, 76 mm 2x arbor	12	1	754254	8717574003130	00.00	00.00
	 Combi-set consisting of: Ø19, 20, 22, 25, 29, 35, 38, 44, 51, 54, 60, 65, 76, 82 mm 2x arbor	16	1	754255	8717574003147	00.00	00.00

Diamond Hole Saws for grinders

- 1 Offset holes for core removal and cooling turbulence
- 2 Diamond grit
- 3 M14 connection for angle grinders
- 4 Ø5-10 mm with wax for lubrication / cooling
- 5 Size
- 6 Superior brazing technology



HiKOKI offers a best in class range of angle grinder hole saws. The unique and superior design technology controls the delivery of wax (Ø5-10 mm) to the life expectancy of the product.

The hole saws are suitable for dry cutting of porcelain tile, ceramic tiles, granite, marble and slate.

The range is available from 5 mm to 35 mm and all hole saws have an M14 inner thread to mount to angle grinders.

The sizes 5 to 10 mm contain a wax lubricant/coolant for optimized use and life-time. Diameters 12 to 35 mm can be used completely dry and without wax.

User instructions


- At full rpm, start drilling at an angle of approximately 5° to 30°. This will create a semi-circular groove in the tile surface.
- Once the groove has been established, raise the hole saw to 90° and apply light pressure.
- Gently oscillate the angle grinder as the hole is being cut, continuing to apply light pressure only.
- To optimize life and speed of cut, lift the hole saw out of the hole every 5 seconds and allow it to rotate in air to cool slightly before continuing with the cut.
- Recommended rpm: 10,000 - 12,000.

Diamond Hole Saws

	Ø (mm)	Cutting depth (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5	30	M14	1	1	4100521	8717574060249	00.00	00.00
	6	30	M14	1	1	4100522	8717574060256	00.00	00.00
	7	30	M14	1	1	4100523	8717574060263	00.00	00.00
	8	30	M14	1	1	4100524	8717574060270	00.00	00.00
	10	30	M14	1	1	4100525	8717574060287	00.00	00.00
	12	30	M14	1	1	4100526	8717574060294	00.00	00.00
	14	30	M14	1	1	4100527	8717574060300	00.00	00.00
	16	30	M14	1	1	4100528	8717574060317	00.00	00.00
	20	30	M14	1	1	4100529	8717574060324	00.00	00.00
	25	30	M14	1	1	4100530	8717574060331	00.00	00.00
	30	30	M14	1	1	4100531	8717574061505	00.00	00.00
32	30	M14	1	1	4100532	8717574061512	00.00	00.00	
35	30	M14	1	1	4100533	8717574061529	00.00	00.00	

Diamond Hole Saws for drilling machines

- 1 Ejection slot for cores to auto eject
- 2 Diamond grit
- 3 Round shaft 10 mm with three flat sides
- 4 Size
- 5 Improved brazing technology



The 2nd-gen HiKOKI diamond hole saws feature cutting-edge diamond grit and superior brazing technology. They eliminate the need for complex water delivery systems, providing a cleaner cutting solution. The shank's design prevents slipping in the drill chuck, making them suitable for drilling porcelain tiles, ceramic tiles, granite, marble, slate, and glass.

User instructions

A continuous flow of water is not required for the hole saw when cutting hard tile, stone or glass materials.

- Before drilling, dip the hole saw into water past the ejection slot
- At full rpm, start drilling at a 45° angle. This will create a semi-circular groove in the tile surface.
- Once the groove has been established, raise the drill to 90° and apply light pressure.
- Gently oscillate the drill as the hole is being cut, continuing to apply light pressure only. For best results, dip the hole saw into water every 5 seconds.
- Do not use with hammer or impact action.
- Please take your precautions when using water close to electric power tools.
- Recommended rpm: 1,500 - 2,000.


Diamond Hole Saws

	Ø (mm)	Cutting depth (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5	25	Tri-flat 10 mm round shank	1	1	4100501	8717574060119	00.00	00.00
	6	28		1	1	4100502	8717574060126	00.00	00.00
	7	28		1	1	4100503	8717574060133	00.00	00.00
	8	28		1	1	4100504	8717574060140	00.00	00.00
	10	28		1	1	4100505	8717574060157	00.00	00.00
	12	28		1	1	4100506	8717574060164	00.00	00.00
	14	28		1	1	4100507	8717574060171	00.00	00.00
	16	28		1	1	4100508	8717574060188	00.00	00.00
	20	28		1	1	4100509	8717574060195	00.00	00.00
	25	28		1	1	4100510	8717574060201	00.00	00.00
	30	28		1	1	4100511	8717574060218	00.00	00.00
	32	28		1	1	4100512	8717574060225	00.00	00.00
	35	28		1	1	4100513	8717574060232	00.00	00.00

Diamond Hole Saws - set


	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	4-pcs Consisting off: Ø5, 6, 8, 10 mm	4	1	4100519	8717574061857	00.00	00.00

Proline Mixing Paddles



Proline Mixing Paddles

- 1 Extreme high concentricity for good balance
- 2 Continuous guard ring
- 3 Strong welded joints
- 4 Wings formed out of 1 piece
- 5 Powder coated surface
- 6 Precise milled mounting surface with right angle



Made to mix

The increasing range of different material mixtures and characteristics demands an ongoing development of tools. HiKOKI offers a wide range of mixing tools, that allow the professional end user to mix every material. All have their own optimal design, bringing specific features and benefits. The range exists of paddles with M14 / M27 male connection to use in a dedicated mixing tool, as well as hexagonal connectors for use in a standard 10- or 13mm drill chuck.

The manufacturing process is in accordance with the highest industrial standards, and Made-in-Germany. Stable welding and milled M14 connectors ensure optimal fitting to the power tools, and with that constant straight motion. Sharp edges, created by cold forming of the steel, don't occur because of the powder coated finishing.

Whether you need to mix big or small quantities, with high or low viscosity, HiKOKI offers the right tool for a perfect result.


Features

- Extremely strong welded joints in combination with tough materials mean that HiKOKI mixing tools are made to last.
- A continuous guard ring guarantees the mixing tool rotates smoothly and safely, and protects the mixing tub.
- Precise milled mounting surface with right angle, for straight swing-free paddle motion.

Dust Collection

While emptying the bag, filling the tub with powdered material or during the mixing process, it is simply impossible to avoid generating potentially harmful amounts of dust. This can negatively affect workers' health and lead to contamination of the workplace. Especially whilst working indoors, this is a potential risk. The HiKOKI dust collector is simply clamped to the edge of the bucket by the clamping spring, which enables attachment to a wide variety of buckets. Connect a professional vacuum cleaner, switch it on and a dust-free work environment is created.

Dust Collector

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Dust collector to be placed on a tub Hose connection Ø38 mm Reduces dust in the air when emptying the bag and mixing the material	1	1	754750	8717574050448	00.00	00.00

Mixing Paddles for small volumes of tile adhesive, ready mixed mortar and pointing mortar

	Mixture (kg)	Fitting	Size (mm)	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5-10	Hex 8	85 x 400	PG085HB	1	1	754701	8717574034936	00.00	00.00

Mixing Paddles for liquid and thin materials such as paints, lacquers and water based covering

	Mixture (kg)	Fitting	Size (mm)	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	0-5	Hex 8	60 x 400	PP060HA	1	1	754711	8717574034943	00.00	00.00
	5-10	Hex 8	80 x 400	PP080HB	1	1	754712	8717574034950	00.00	00.00
	10-25	Hex 10	100 x 590	PP100HC	1	1	754713	8717574034967	00.00	00.00

Mixing Paddles for sticky materials such as tile cement, screed and filler mortar

	Mixture (kg)	Fitting	Size (mm)	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	0-7	Hex 8	70 x 400	PU070HA	1	1	754721	8717574034974	00.00	00.00
	5-10	Hex 8	90 x 400	PU090HB	1	1	754722	8717574034981	00.00	00.00
	10-25	Hex 10	120 x 590	PU120HC	1	1	754723	8717574035766	00.00	00.00
M14 connection										
	10-25	M14	120 x 590	PU120MC	1	1	754726	8717574034998	00.00	00.00
	25-35	M14	135 x 590	PU135MD	1	1	754727	8717574035001	00.00	00.00

Mixing Paddles for heavy materials like concrete, screed, plaster and epoxy mortar

	Mixture (kg)	Fitting	Size (mm)	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	20-40	M14	135 x 590	PM135MD	1	1	754733	8717574035025	00.00	00.00
	30-60	M14	160 x 590	PM160ME	1	1	754734	8717574035032	00.00	00.00

Mixing Paddles for heavy materials like concrete, screed, plaster and epoxy mortar

	Mixture (kg)	Fitting	Size (mm)	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	40 - 90	M27	135 x 600	PM135DF	2	1	375615	4549115217959	00.00	00.00

Suitable for for HIKOKI UM22VYST mixer.

Adaptors

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Adaptor SDS-plus to 1/2" x 20 UNF	1	1	744088	8717154659184	00.00	00.00
	Adaptor SDS-max to 1/2" x 20 UNF	1	1	750453	8717472818744	00.00	00.00
	Adaptor 1/2" x 20 UNF to M14	1	1	754740	8717574035773	00.00	00.00
	Extension bar 180 mm M14 to M14	1	1	754745	8717574035889	00.00	00.00

Proline Drill Chucks



Range

In close cooperation with well-known manufacturer Röhm, HiKOKI has selected a core collection from their extensive range of drill chucks which can be used with the majority of available corded and cordless drills.

Making your choice

In order to determine which drill chuck you need, you need to take the following criteria into account:

1. The connection on the anvil of the machine. In the following product range, we identify the following connections: 1/2"x20UNF, 3/8"x24UNF, 1/4" Hexagonal or SDS-plus.
2. The required jaw width of the drill chuck. This also depends on the machine's capacity.
3. Does the drill chuck need to be secured with a screw? This is important in case your machine can rotate both clockwise and anti-clockwise.
4. Is the drill chuck going to be used on a percussion or hammer drill? The drill chuck requires a radial locking function.

Quality of jaws

The drill chucks for hammer drills with a power of less than 800 Watts require jaws constructed from high-quality steel. For hammer drills with a power of more than 800 Watts it is recommended to choose a drill chuck with carbide inserts in the clamping jaws.

Packaging

Key-type drill chucks are supplied with a chuck key. The screw for securing the drill chuck is not included.

Special product characteristics	
	Key-type drill chuck with jaw width of 1 to 10 mm
	Key-type drill chuck with jaw width of 1,5 to 13 mm
	Keyless drill chuck with jaw width of 1 to 10 mm
	Keyless drill chuck with jaw width of 1,5 to 13 mm
	Specification of key: davel Ø6 mm; 12 teeth
	Impact resistant
	Suitable for hammer drills with a power of less than 800 Watts
	Drill chuck with carbide inserts in the clamping jaws, suitable for hammer drills with a power of more than 800 Watts

Drill Chucks








3/8"x24 UNF	Drilled through	Jaw width	Features	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	✓	1-10 mm	Impact resistant, 6mm key, 12 teeth	1	1	752072	8717472814012	00.00	00.00
	✓	1-10 mm	Impact resistant	1	1	752079	8717472814050	00.00	00.00

Drill Chucks











1/2"x20 UNF	Drilled through	Jaw width	Features	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	-	1-10 mm	Impact resistant, 6mm key, 12 teeth	1	1	752056	8717472813824	00.00	00.00
	✓	1-10 mm	Impact resistant, 6mm key, 12 teeth	1	1	752057	8717472813831	00.00	00.00
	✓	1-10 mm	Impact resistant, 6mm key, 12 teeth	1	1	752058	8717472813848	00.00	00.00
	✓	1-10 mm	Impact resistant, < 800 W	1	1	752066	8717472813923	00.00	00.00
	✓	1-10 mm	Impact resistant, < 800 W	1	1	752064	8717472813909	00.00	00.00
	✓	1-10 mm	Impact resistant, < 800 W	1	1	752065	8717472813916	00.00	00.00
	✓	1-10 mm	Impact resistant, HMT/C	1	1	752067	8717472813930	00.00	00.00
	-	1-10 mm	Impact resistant	1	1	752068	8717472813947	00.00	00.00

Proline Drill Chucks





Drill Chucks

	Jaw width	Features	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 		1	1	752082	8717472814074	00.00	00.00
			1	1	752083	8717472814029	00.00	00.00



Drill Chucks

	Jaw width	Features	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	 	 	1	1	752097	8717472814081	00.00	00.00
		 	1	1	752099	8717472818645	00.00	00.00


Quick Change Adapters for DS18DDQ

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Quick-Change Drill Chuck	1	1	379245	4549115271388	00.00	00.00
	Bit Holder	1	1	379246	4549115271395	00.00	00.00
	Angle Attachment	1	1	379247	4549115271401	00.00	00.00
	Offset Attachment	1	1	379248	4549115271418	00.00	00.00

Drill Chuck Keys

	Dimensions (mm)	Suitable for drill chucks (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	6 x 80	10	1	1	752053	8717574051247	00.00	00.00
	7 x 110	10 and 13	1	1	752054	8717574051254	00.00	00.00

Securing Screw

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Securing screw with left thread M6 x 25	1	1	744087	8717574004540	00.00	00.00

Proline Chisels



In its continuous search for better performance, HiKOKI introduces significant product enhancements in its programs of SDS-plus, SDS-max, and 28 mm and 30 mm hexagon chisels.



SDS-plus Cold Chisels

The renewed professional cold chisel is characterized by a sharp edge on the outside of the chisel and the addition of two breakers on the top surface of the cold chisel. This gives the chisel an improved breaking capacity for penetration of the material, which increases the working speed.



SDS-plus and SDS-max Self-sharpening Wide Chisels

Due to a change in the cross-sectional profile of the wide chisel HiKOKI succeeded to improve the performance of the tool greatly. Because the inner face of the chisel is hollowed out, the contact surface with the material is smaller and penetrates more easily in the material. In addition, the strength per cm² is larger than in the conventional chisel, resulting in a more rapid material removal. With the long hollow inner surface, the cross-section of the tool remains during a longer working time in the same shape and therefore longer sharp, even after heavy use and wear. This is the self-sharpening effect of the tool.



SDS-plus and SDS-max Self-sharpening Tile Chisels

The new design of the tile chisels is characterized by a much longer blade with a constant thickness. The thin elongated blade provides the following benefits:

- A longer service life of the chisel.
- The possibility to stab the chisel also in narrow joints and to make removal of the tiles much easier.
- It improves the ability to use the chisel under the tile thus increasing the number of unbroken tiles which can be removed.
- The same cross-section over a long length ensures that the tool remains sharp even after heavy use.



SDS-plus, SDS-max, and 28 and 30 mm Self-sharpening Hexagon Bull Point Chisels


Thanks to the unique design of the SDS-plus and SDS-max bull point chisels with twisted star-shaped chisel point, the performance of the tool is significantly improved. The star-shaped cross section, ensures longer sharpness, even after intensive use and wear. The chisel surface remains virtually unchanged, whereas a conventional chisel is blunter still. Due to the twist of the chisel, the fixed shape of the chisel minimizes jamming. This speeds up the work and prevents much annoyance to the user. Due to the bulge in the of the SDS-max shaft, vibration is maximized at the tool tip, with an increased material removal as a result.

At the bit with 28 and 30 mm hexagon socket only the star-shaped chisel point is used so the self-sharpening effect is guaranteed. With this chisel, suitable for heavier hammers, jamming is prevented.




SDS-plus and SDS-max Self-sharpening Cold Chisels

The SDS-plus and SDS-max cold chisels are now available with a corrugated surface. This special geometry of the chisel provides a combination of a reduced surface and thus a higher impact force per cm², the self-sharpening effect and longer lifetime. The peaks of the ribs cause a high peak load in the material, which improves the removal of material and the penetration into the material is accelerating. Due to the bulge in the SDS-max shaft vibration is maximum at the tool, with an increased material removal as a result.




SDS-plus Chisels

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	250	1	1	751590	8717472815330	00.00	00.00
	Bull point self sharpening with twisted point	250	1	1	751587	8717574056082	00.00	00.00
	Cold chisel	20 x 250	1	1	751591	8717472815347	00.00	00.00
	Cold chisel self sharpening with side breakers	20 x 250	1	1	751588	8717574056099	00.00	00.00
	Cold chisel with extended blade length	20 x 250	1	1	751132	8717574057799	00.00	00.00
	Wide chisel	40 x 250	1	1	751592	8717472815354	00.00	00.00
	Wide chisel self-sharpening	40 x 250 60 x 250	1 1	1 1	751597 751598	8717574022995 8717574023008	00.00 00.00	00.00 00.00
	Tile chisel	40 x 250	1	1	751595	8717472815385	00.00	00.00
	Tile chisel with extended blade length self-sharpening	40 x 260	1	1	751599	8717574023510	00.00	00.00
	Tile chisel (wide)	65 x 175	1	1	4100971	8717574069204	00.00	00.00
	Chasing gouge	22 x 250	1	1	751594	8717472815378	00.00	00.00
	Chasing gouge with glides	22 x 250	1	1	751133	8717574058260	00.00	00.00
	Mortar chisel toothed 10 mm	32 x 200	1	1	751134	8717574058277	00.00	00.00
	Floor scraper for removing linoleum, vinyl tiles and coatings	100 x 250	1	1	751135	8717574058284	00.00	00.00
	Spare parts for floor scraper		8	1	751136	8717574058291	00.00	00.00
	Chisel set 3-pcs (bull point, cold chisel and cutter)	250	3	1	751589	8717472817433	00.00	00.00



















SDS-max Chisels

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	280	1	1	750990	8717154653120	00.00	00.00
		400	1	1	750991	8717154653144	00.00	00.00
		400	10	1	751050	8717574042832	00.00	00.00
		600	1	1	750992	8717154653168	00.00	00.00
	Bull point self-sharpening with twisted point	400	1	1	751032	8717574023527	00.00	00.00
	Cold chisel	27 x 280	1	1	750993	8717154653137	00.00	00.00
		27 x 400	1	1	750994	8717154653151	00.00	00.00
		27 x 400	10	1	751054	8717574042849	00.00	00.00
		27 x 600	1	1	750995	8717154653175	00.00	00.00
	Cold chisel self-sharpening	27 x 400	1	1	751033	8717574023565	00.00	00.00
	Cold chisel with extended blade length	25 x 400	1	1	751222	8717574057812	00.00	00.00
	Wide chisel	50 x 300	1	1	751028	8717154653182	00.00	00.00
		50 x 400	1	1	750997	8717154653199	00.00	00.00
		80 x 300	1	1	751034	8717574023572	00.00	00.00
		115 x 350	1	1	750999	8717154653212	00.00	00.00
	Wide chisel self-sharpening	50 x 350	1	1	751038	8717574023589	00.00	00.00
	Tile chisel 20° angled	50 x 300	1	1	751005	8717154652765	00.00	00.00
		80 x 300	1	1	751037	8717472818232	00.00	00.00
	Long tile chisel 20° angled	50 x 300	1	1	751039	8717574023596	00.00	00.00
	Chisel set 3-pcs (bull point, cold chisel and cutter)	400	3	1	751035	8717472817600	00.00	00.00










SDS-max Chisels

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Chasing gouge	26 x 300	1	1	750996	8717154653229	00.00	00.00
		32 x 300	1	1	751036	8717472818225	00.00	00.00
	Chasing gouge for brick	32 x 300	1	1	751000	8717154653236	00.00	00.00
	Chasing gouge with glides	35 x 380	1	1	751003	8717154653250	00.00	00.00
	Brick raking chisel	8 x 300	1	1	751048	8717574023602	00.00	00.00
	Mortar toothed chisel 7 mm	8 x 300	1	1	751001	8717154653243	00.00	00.00
	Mortar chisel TC tipped	38 x 300	1	1	751004	8717154652758	00.00	00.00
	Floor scraper for removing linoleum, vinyl tiles and coatings	152 x 653	1	1	4100991	8717574069099	00.00	00.00
	Spare parts for floor scraper		8	1	4100992	8717574069105	00.00	00.00
	Asphalt cutter	90 x 400	1	1	751009	8717154652796	00.00	00.00
	Digger	110 x 400	1	1	751008	8717154652789	00.00	00.00
		13 x 260	1	1	751011	8717154652819	00.00	00.00
		16,5 x 260	1	1	751010	8717154652802	00.00	00.00
	Ground rod driver	19 x 260			4100993	8717574069273	00.00	00.00
The following accessories have a connection of cone 22 mm to 26 mm								
	Shank for tamping pad	220	1	1	751012	8717154652826	00.00	00.00
	Bushing head 5 x 5	60 x 60	1	1	751013	8717154652833	00.00	00.00
		60 x 60	1	1	751014	8717154652840	00.00	00.00
	Tamping pad	120 x 120	1	1	751015	8717154652857	00.00	00.00
		150 x 150	1	1	751016	8717154652864	00.00	00.00










13 mm round, 17 mm hexagonal

13	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	450	1	1	751501	8717154653465	00.00	00.00
	Cold chisel	20 x 450	1	1	751503	8717154653502	00.00	00.00
	Wide chisel	50 x 280	1	1	751504	8717154653519	00.00	00.00
		75 x 400	1	1	751509	8717154653533	00.00	00.00
	Curved Tile chisel	50 x 280	1	1	751510	8717472817594	00.00	00.00
	Mortar chisel TC tipped patented	38 x 200	1	1	751125	8717574023817	00.00	00.00
		38 x 280	1	1	751126	8717574023824	00.00	00.00












19 mm round, 21 mm hexagonal

19	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	380	1	1	751532	8717472818324	00.00	00.00
	Cold chisel	450	1	1	751533	8717472818331	00.00	00.00
		30 x 380	1	1	751535	8717472818355	00.00	00.00
	Cold chisel	30 x 450	1	1	751536	8717472818362	00.00	00.00
		50 x 380	1	1	751537	8717472818379	00.00	00.00
	Wide chisel	75 x 380	1	1	751538	8717472818386	00.00	00.00
		Asphalt cutter	75-110 x 440	1	1	751539	8717472818393	00.00








13 mm round, 17 mm hexagonal with collar

13	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	450	1	1	751552	8717472818423	00.00	00.00
	Cold chisel	25 x 450	1	1	751554	8717472818447	00.00	00.00
	Wide chisel	50 x 280	1	1	751555	8717472818454	00.00	00.00
		50 x 280	1	1	751555	8717472818454	00.00	00.00
	Chasing gouge	22 x 270	1	1	751557	8717472818478	00.00	00.00
		30 x 280	1	1	751558	8717472818485	00.00	00.00
	Mortar chisel TC tipped patented	38 x 200	1	1	751125	8717574023817	00.00	00.00
		38 x 280	1	1	751126	8717574023824	00.00	00.00
	Digger	110 x 400	1	1	751559	8717472818492	00.00	00.00










Spline


Spline	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	400	1	1	751562	8717472818256	00.00	00.00
	Cold chisel	25 x 300	1	1	751563	8717472818263	00.00	00.00
		25 x 400	1	1	751564	8717472818270	00.00	00.00
	Wide chisel	50 x 300	1	1	751565	8717472818287	00.00	00.00
	Asphalt cutter	100 x 400	1	1	751567	8717472818300	00.00	00.00








Hexagonal 28 mm (1 1/8")

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	400	1	1	751520	8717154653687	00.00	00.00
		520	1	1	751521	8717154653694	00.00	00.00
	Bull point self-sharpening	400	1	1	751519	8717574044195	00.00	00.00
	Cold chisel	36 x 400	1	1	751522	8717154653700	00.00	00.00
		36 x 520	1	1	751523	8717154653717	00.00	00.00
	Spade chisel	80 x 400	1	1	751524	8717154653724	00.00	00.00
	Asphalt cutter	125 x 500	1	1	751525	8717154653731	00.00	00.00
	Rounded spade chisel	130 x 400	1	1	751526	8717154653748	00.00	00.00
	Ground rod driver	27 x 400	1	1	751529	8717154653779	00.00	00.00
The following accessories have a connection of cone 38 mm to 44 mm								
	Shank for tamping pad	400	1	1	751527	8717574023619	00.00	00.00
	Tamping pad	Ø178	1	1	751530	8717574023619	00.00	00.00


Suitable for HIKOKI and Hitachi heavy hammers H65SD, H65SD2, H65SD3, H70SD, H90SE, H90SG and other brands like Bosch, Hilti or Makita.















Hexagonal 28 mm with collar (1 1/8")

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	550	1	1	751571	8717472818539	00.00	00.00
	Cold chisel	36 x 550	1	1	751572	8717472818546	00.00	00.00
	Wide chisel	76 x 500	1	1	751573	8717472818553	00.00	00.00
	Digger	125 x 480	1	1	751574	8717472818560	00.00	00.00



Suitable for HIKOKI and Hitachi heavy hammers H65SD, H65SD2, H65SD3, H70SD, H80, H90SE, H90SG and other brands like AEG, Bosch, DeWalt, Makita or Metabo.







Hexagonal 30 mm

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	410	1	1	751543	8717472818508	00.00	00.00
	Bull point self-sharpening	410	1	1	751548	8717574030877	00.00	00.00
	Cold chisel	35 x 410	1	1	751544	8717472818515	00.00	00.00
	Spade chisel	75 x 410	1	1	751545	8717472818522	00.00	00.00
	Digger (H70SA)	135 x 450	1	1	751541	8717154653663	00.00	00.00
	Digger (H65SB) 90° turned	135 x 450	1	1	751542	8717154653670	00.00	00.00
The following accessories have a connection of cone 22 mm to 26 mm								
	Shank for tamping pad	400	1	1	751546	8717574002430	00.00	00.00
	Bushing head 5 x 5	60 x 60	1	1	751013	8717154652833	00.00	00.00
	Bushing head 7 x 7	60 x 60	1	1	751014	8717154652840	00.00	00.00
	Tamping pad	120 x 120	1	1	751015	8717154652857	00.00	00.00
		150 x 150	1	1	751016	8717154652864	00.00	00.00
The following accessories have a connection of cone 38 mm to 44 mm								
	Shank for tamping pad	400	1	1	751547	8717574023626	00.00	00.00
	Tamping pad	Ø178	1	1	751530	8717574023619	00.00	00.00


Suitable for HIKOKI and Hitachi heavy hammers H65SB, H65SB2, H65SB3, H65SC, H70SA and other brands like Makita or Ryobi.



Hexagonal 32 mm with collar (1 1/4")

	Description	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Bull point	550	1	1	751582	8717472818584	00.00	00.00
	Cold chisel	36 x 550	1	1	751583	8717472818591	00.00	00.00
	Wide chisel	76 x 550	1	1	751584	8717472818607	00.00	00.00

Suitable for HIKOKI and Hitachi heavy hammers H90SA, H90SC and other brands like AEG, Bosch, DeWalt, Makita or Metabo.



Trolley

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Trolley for heavy hammers Suitable for H90SA, H90SC, H90SG	1	1	712690	8717574026016	00.00	00.00

Proline Impact Bits

1 Grinded bit point for perfect fitting

2 Special length to secure short total length of machine with bit

3 Individual torsion zone per drive

4 Top quality spring steel

5 Quick connection 1/4"



Impact bits next generation

The ongoing development of high-end impact screwdriver machines has led to an increasing high-torque fastening power. This enforces a demand of higher quality bits, which has led HiKOKI to develop the next generation of impact bits.

The short peak torque of high-impact machines are high above the usual transmittable torques of bits and screws. A screw has to withstand this load only once to be fastened. The bit must withstand this peak torque repeatedly.

To facilitate this, HiKOKI has improved a number of technical parameters to increase the durability:

- A special spring steel is used to achieve a significantly better elasticity (resilience) against low-alloy steels, which are usually used for bits.
- To obtain the spring action, the hardening process has been specially adapted to the steel.

- The suspension can only protect the bit when the cross section of the torsion area (spring area) is adapted to allow the maximum torsional deformation of the shaft, and transfer the necessary torque for tightening the screw. Therefore, this area has been calculated and tested separately for each bit profile.

These bits have been especially designed for applications where impact drivers generate the highest torque (Nm) currently reachable. Compared to the standard impact bits, these bits are extremely shatter proof, and have a 10 times longer lifetime.

The narrow recessed waist section reliably absorbs sudden and exceeded peaks in torque overload. This waist section functions like a buffer, absorbing the energy in the shock zone. Like a spring, the shock zone is activated as soon as the torque reaches high levels. Where other bits slip, strip or break, the HiKOKI Next Generation impact bits will last and prove to be extremely durable.

Features

- The selection of the steel is focused on providing the longest lifetime for each application.
- Unique heat treatment is used for hardening. A soft bit will bend, a hard bit will break. HiKOKI bits have a hardness that exactly fits the maximum load and application.
- Special design provides a long lifetime product.
- "Clever length"; the bits are only 38mm long, the minimal length that you need to use directly in impact drivers, without the need of using an additional bit holder. This also respects the ultimate short design of HiKOKI impact driver machines, which gives optimal control of the machine as well as to use in confined spaces.

Impact Bits

1/4"	Type	Size	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	PH	1	38	3	1	751171	8717574034523	00.00	00.00
		2	38	3	1	751172	8717574034530	00.00	00.00
		3	38	3	1	751173	8717574034547	00.00	00.00
	PZ	1	38	3	1	751176	8717574034554	00.00	00.00
		2	38	3	1	751177	8717574034561	00.00	00.00
		3	38	3	1	751178	8717574034578	00.00	00.00
	Torx	15	38	3	1	751181	8717574034585	00.00	00.00
		20	38	3	1	751182	8717574034592	00.00	00.00
		25	38	3	1	751183	8717574034608	00.00	00.00
		30	38	3	1	751184	8717574034615	00.00	00.00
		40	38	3	1	751185	8717574034622	00.00	00.00

Impact Bits - sets

1/4"	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	21-pcs assortments impact bit set consisting of: 1x PH1 2x PH2, PH3 1x PZ1, 2x PZ2, PZ3 2x T15, T20, T25, T30, T40 Magnetic bit holder quick change	38	21	1	751190	8717574034639	00.00	00.00

Impact Bits - sets

1/4"	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	23-pcs assortment impact bit set with color ring consisting of: 1x PH2, L= 50 mm 1x PZ2, L= 50 mm 1x T20, T30 L= 50 mm 3x PH2 1x PH3 3x PZ2 1x PZ3 2x TX20, TX25, TX30 1x TX40 Hex 4, 5, 6 Magnetic bitholder 60 mm Magnetic bit holder quick change	50	23	1*	40030021	4250155823870	00.00	00.00

*When ordered in multiple of 16 pieces, items will be delivered in a counter display.

Impact Bits

5/16"	Type	Size	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Torx	45	50	1	1	4100308	8717574062861	00.00	00.00
		50	50	1	1	4100309	8717574062878	00.00	00.00

Proline Bits and Bit Sets

HiKOKI: a full range of bits

HiKOKI bits are designed to provide both a maximum level of power transmission and a long product life. In order to warrant this, the bits must meet the following production standards:

1. The best types of steels are selected.
2. The correct heat treatment is used for each type of bit.
3. A production process of the highest standards that guarantees the tolerances required

The range includes many types of bits. Various sets are available, including economy packs for the most frequently used bits to keep the range as economical as possible.

An extra hard surface

HiKOKI uses two different production processes depending on the type of bit and its use:

1. Forming the basic shape followed by forging to the final shape.
2. Machining the entire bit.

After production, the bit is hardened and tempered. The tempering ensures not only that the bit has an extra hard surface but, more importantly, that it has the correct toughness. If the bit is too hard it will splinter during heavy use, but if it is too soft it will distort.

Special product features

	Special bit for powerful impact screwdrivers
	Bit coated with Titanium Nitride for extra durability
	Magnetic version
	Non-magnetic version










Bits

	Type	Size	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Phillips	0	25	3	1	752251	8717472810007	00.00	00.00
		1	25	3	1	752252	8717472810014	00.00	00.00
		1	25	25	1	752256	8717472810052	00.00	00.00
		2	25	3	1	752253	8717472810021	00.00	00.00
		2	25	25	1	752257	8717472810069	00.00	00.00
		3	25	3	1	752254	8717472810038	00.00	00.00
		3	25	25	1	752258	8717472810076	00.00	00.00
		4	32	1	1	752255	8717472810045	00.00	00.00
		1	50	3	1	752263	8717472810120	00.00	00.00
		2	50	3	1	752264	8717472810137	00.00	00.00
		3	50	3	1	752265	8717472810144	00.00	00.00
		2	109	2	1	752266	8717472810151	00.00	00.00
		2	136,4	2	1	752376	8717574001204	00.00	00.00
		2	152	2	1	752267	8717472810168	00.00	00.00
	Phillips	1	25	3	1	752260	8717472810090	00.00	00.00
		2	25	3	1	752261	8717472810106	00.00	00.00
		3	25	3	1	752262	8717472810113	00.00	00.00




Bits

	Type	Size	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)		
	Pozidrive	0	25	3	1	752271	8717472810182	00.00	00.00		
		1	25	3	1	752272	8717472810199	00.00	00.00		
		1	25	25	1	752276	8717472810236	00.00	00.00		
		2	25	3	1	752273	8717472810205	00.00	00.00		
		2	25	25	1	752277	8717472810243	00.00	00.00		
		3	25	3	1	752274	8717472810212	00.00	00.00		
		3	25	25	1	752278	8717472810250	00.00	00.00		
		4	32	1	1	752275	8717472810229	00.00	00.00		
		1	50	3	1	752285	8717472810328	00.00	00.00		
		2	50	3	1	752286	8717472810335	00.00	00.00		
		3	50	3	1	752287	8717472810342	00.00	00.00		
		2	109	2	1	752288	8717472810359	00.00	00.00		
		2	136,4	2	1	752379	8717574001211	00.00	00.00		
		2	152	2	1	752289	8717472810366	00.00	00.00		
	Pozidrive	1	25	3	1	752280	8717472810274	00.00	00.00		
		2	25	3	1	752281	8717472810281	00.00	00.00		
		3	25	3	1	752282	8717472810298	00.00	00.00		
	Slotted	4.0/5.5/6.5	25	3	1	4100301	8717574060966	00.00	00.00		
		Torx	T4/T5/T6	25	3	1	4100302	8717574060973	00.00	00.00	
			T7/T8/T9	25	3	1	4100303	8717574060980	00.00	00.00	
			T10	25	3	1	752307	8717472810496	00.00	00.00	
			T15	25	3	1	752308	8717472810502	00.00	00.00	
			T20	25	3	1	752309	8717472810519	00.00	00.00	
			T20	25	25	1	752243	8717574000481	00.00	00.00	
			T25	25	3	1	752310	8717472810526	00.00	00.00	
			T25	25	25	1	752244	8717574000498	00.00	00.00	
			T27	25	3	1	752311	8717472810533	00.00	00.00	
T30	25		3	1	752312	8717472810540	00.00	00.00			
T30	25	25	1	752241	8717574050073	00.00	00.00				
T40	25	3	1	752313	8717472810557	00.00	00.00				
T40	25	25	1	752242	8717574050080	00.00	00.00				
	Torx	T10	50	3	1	752318	8717472810601	00.00	00.00		
		T15	50	3	1	752319	8717472810618	00.00	00.00		
		T20	50	3	1	752320	8717472810625	00.00	00.00		
		T25	50	3	1	752321	8717472810632	00.00	00.00		
		T30	50	3	1	752323	8717472810656	00.00	00.00		
		T40	50	3	1	752324	8717472810663	00.00	00.00		
			Torx with hole	25		3	1	4100304	8717574060997	00.00	00.00
				TX25/30/40	25	3	1	4100305	8717574061000	00.00	00.00
	Hexagonal	1.5/2/2.5	25	3	1	4100306	8717574061017	00.00	00.00		
		2.5	25	3	1	752343	8717472810779	00.00	00.00		
		3	25	3	1	752344	8717472810786	00.00	00.00		
		4	25	3	1	752345	8717472810793	00.00	00.00		
		5	25	3	1	752346	8717472810809	00.00	00.00		
		6	25	3	1	752347	8717472810816	00.00	00.00		







Bits

	★ ★	Type	Size	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		Socket	5.5	45	1	1	752351	8717472810823	00.00	00.00
			6	45	1	1	752352	8717472810830	00.00	00.00
			7	45	1	1	752353	8717472810847	00.00	00.00
			8	45	1	1	752354	8717472810854	00.00	00.00
			9	45	1	1	752355	8717472810861	00.00	00.00
			10	45	1	1	752356	8717472810878	00.00	00.00
			11	45	1	1	752357	8717472810885	00.00	00.00
			12	45	1	1	752358	8717472810892	00.00	00.00
			13	45	1	1	752359	8717472810908	00.00	00.00
			17	50	1	1	752360	8717472810915	00.00	00.00
			1/4"	45	1	1	752362	8717472810939	00.00	00.00
			3/8"	45	1	1	752363	8717472810946	00.00	00.00
			5/16"	45	1	1	752364	8717472810953	00.00	00.00
		Socket	8	45	1	1	750555	8717472817471	00.00	00.00
			10	45	1	1	750557	8717472817495	00.00	00.00
		Robertson	1	25	3	1	752366	8717472810960	00.00	00.00
			2	25	3	1	752367	8717472810977	00.00	00.00
			3	25	3	1	752368	8717472810984	00.00	00.00
		Double-sided Phillips-Pozidrive	1/2/3	60	3	1	4100307	8717574061024	00.00	00.00
			2	150	2	1	752386	8717472811080	00.00	00.00



Bit Sets

	★ ★	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		7-pcs nut setter set consisting of: 7, 8, 10, 12 and 13 mm 1/4" and 3/8"	50	7	1	752239	8717574057591	00.00	00.00
		8-pcs assortments bit set consisting of: PH1, PH2 PZ1, PZ2 Slotted 4.0, 5.5, 6.5 Magnetic bit holder	25	8	1	752397	8717472811165	00.00	00.00
		31-pcs assortments bit set consisting of: 3x PH1, PH2, PH3 3x PZ1, PZ2, PZ3 3x T20, T25, T30, T40 Magnetic bit holder quick change	25	31	1	752248	8717574033014	00.00	00.00





Bit Holders

	Description	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Unique HiKOKI Magnetic bit holder with extra strong magnet in the head for a much greater force of attraction	60	1	1	750345	8717574043716	00.00	00.00
	Magnetic bit holder with depth gauge	60	1	1	752390	8717574009996	00.00	00.00
	Magnetic bit holder	60	1	1	752394	8717472811134	00.00	00.00
	Magnetic bit holder with ring	75	1	1	752391	8717472811103	00.00	00.00
		150	1	1	752392	8717472811110	00.00	00.00
200	1	1	752393	8717472811127	00.00	00.00		
	Bit holder quick change	300	1	1	781790	8717574027723	00.00	00.00
	Magnetic bit holder quick change	60	1	1	752396	8717472811158	00.00	00.00
		41	1	1	752398	8717472814098	00.00	00.00
	Magnetic bit holder with PZ2 bit. Specifically suited for HiKOKI and Hitachi screwdrivers.	75	1	1	752388	8717574017397	00.00	00.00
		75	1	1	752389	8717574017403	00.00	00.00





Mini Ratchet

	Description	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	- Fine ratchet mechanism with 60 teeth - Easy to operate L / R switch - Suitable for 1/4" hex bits - Additional 8 mm hex wrench	95	1	1	752240	8717574049916	00.00	00.00




Bit Sets

 	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	18-pcs assortments bit set consisting of: PH1, PH2, PH3 PZ1, PZ2, PZ3 Slotted 4.5, 6.5 Hex 3, 4, 5 T10, T15, T20, T25, T27, T30, T40	75	18	1*	750361	8717574033359	00.00	00.00
	60-pcs assortments bit set consisting of: 3x PH1, PH2, PH3 3x PZ1, PZ2, PZ3 Slotted 3.5, 6.5 2x Slotted 4.5, 5.5 2x Hex 4, 5, 6, 8 3x T10, T15, T20, T25, T30, T40 2x T27 TX10, TX15, TX20, TX25, TX30, TX40 Magnetic bit holder Magnetic bit holder quick change	25	60	1*	750364	8717574033380	00.00	00.00

*When ordered in multiple of 6 pieces, items will be delivered in a counter display.

 	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	24-pcs bit/socket set consisting of: PH1, PH2, PH3 PZ1, PZ2, PZ3 Socket 6, 7, 8, 10, 11, 13 Hex 3, 4, 5 T10, T15, T20, T25, T30, T40 Magnetic bit holder Adaptor hex 1/4" to square 1/4" Ratchet wrench	25	24	1*	750362	8717574033366	00.00	00.00
	32-pcs assortments bit set consisting of: PH1, PH3 2x PH2 PZ1, PZ3 2x PZ2 Slotted 3.5, 4.5, 5.5, 6.5 Hex 3, 4, 5, 6 T10, T15, T20, T25, T27, T30, T40 TX10, TX15, TX20, TX25, TX27, TX30, TX40 Magnetic bit holder quick change Adaptor hex 1/4" to square 1/4"	25	32	1*	750363	8717574033373	00.00	00.00

*When ordered in multiple of 12 pieces, items will be delivered in a counter display.

 	Contents	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	50-pcs bit/drill set consisting of: 2x PH1, PH2, PH3 2x PZ1, PZ2, PZ3 Slotted 3.5, 4.5, 5.5, 6.5 mm Hex 3, 4, 5, 6, 8 2x T10, T15, T20, T25, T27 2x T30, T40 TX10, TX15, TX20, TX25, TX30, TX40 1/4" Wood drill D. 3, 4, 5, 6 mm 1/4" Metal drill D. 2, 3, 4, 5 mm 1/4" Counter sink drill D. 12.4 mm Magnetic bit holder quick change	25	50	1*	750365	8717574042306	00.00	00.00

*When ordered in multiple of 8 pieces, items will be delivered in a counter display.

Bit Sets

 	Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	11-pcs assortments bit set consisting of: PH1, PH2, PH3 PZ1, PZ2, PZ3 T20, T25, T30 Robertson 2 Magnetic bit holder	11	1	4100311	8717574061420	00.00	00.00
	31-pcs assortments bit set consisting of: PH1, PH3 2x PH2 PZ1, PZ3 2x PZ2 T10, T15, T20, T25, T27, T30, T40 TX10, TX15, TX20, TX25, TX27, TX30 Hex 3, 4, 5, 6 Slotted 3, 4, 5, 6	31	1	753000	8717154650761	00.00	00.00
	61-pcs assortments bit set consisting of: PH1 3x PH2 2x PH3 2x PZ0 7x PZ1 12x PZ2 7x PZ3 T10, T27, T30, T40 2x T15, T20, T25 Hex 2, 2.5, 3, 4, 5, 5.5, 6, 7, 8 Slotted 4, 4.5, 5, 6, 7, 8 Adaptor hex 1/4" to square 1/4" Magnetic bit holder	61	1	715000	8717154650846	00.00	00.00
	100-pcs assortments bit set consisting of: 7x PH1, PH2, PH3 7x PZ1, PZ2, PZ3 2x T10, T15, T20, T25, T27, T30, T40 1x TX10, TX15, TX20, TX25, TX27, TX30, TX40 7x Hex 4, 5, 6 7x Slotted 4, 6 Magnetic bit holder Magnetic bit holder quick change	100	1	754000	8717154650778	00.00	00.00
	112-pcs bit/drill set consisting of: PH0, PH1, PH2, PH3 PZ1, PZ2, PZ3 T10, T15, T20, T25, T27, T30, T40 Hex 2, 3, 4, 5, 6, 7 Slotted 3, 4, 5, 7, 8 2x Slotted 6 Robertson 1, 2, 3 PH1, PH3, L = 50 mm 2x PH2, L = 50 mm T10, T15, T20, L = 50 mm Hex 2, 3, 4, 5, 6, L = 50 mm Slotted 6, 10, L = 50 mm 2x Slotted 8 Robertson 1, 2, 3, L = 50 mm Magnetic bit holder Bit holder quick change 1/4" Flexible shaft L = 280 mm 1/4" Bit holder screwdriver 4x Screw holder 1/4" Countersink drill Metal: 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm Wood: 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8 mm Masonry: 3, 4, 5, 6, 8, 10 mm Speed drills: 10, 12, 20 mm 1/4" Socket 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"	112	1	705315M	8717154650815	00.00	00.00

Build your own toolset.

A professional deals with all kinds of different jobs, but what all jobs have in common is preparation. And that requires more than a wide variety of power tools. Preparation comes along with organizing every single detail. Only then you are able to fully focus on the job. That's why HiKOKI offers a well-organized and complete package of bitboxes. Just slide, stack, and you're set.





Bitbox I

Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 32-pcs bit set sandblasted with color ring, L= 25 mm: PH1, PH3, 2x PH2, PZ1, PZ3, 2x PZ2 T10, T15, T20, T25, T27, T30, T40 TX10, TX15, TX20, TX25, TX27, TX30, TX40 SL3, SL4, SL5, SL6, Hex 3, 4, 5, 6 Adaptor hex 1/4" to square 1/4" Magnetic bitholder quick change black cap 60 mm	32	1*	40030019	4250155823856	00.00	00.00
 24-pcs bit set sandblasted with color ring: PH1, PH3, 2x PH2 T10, T15, T20, T25, T30, T40 TX10, TX15, TX20, TX25, TX27, TX30, TX40 Hex 4, 5, 6, Socket 6, 7, 8, 10, 11, 13 Adaptor hex 1/4" to square 1/4" Magnetic bitholder 60 mm Ratchet	24	1*	40030020	4250155823863	00.00	00.00
 23-pcs assortment impact bit set with color ring: 1x PH2, L=50mm 1x PZ2, L=50mm 1x T20, 30 L=50mm 3x PH2, 1x PH3 3x PZ2, 1x PZ3 2x TX20, TX25, TX30, 1x TX40 Hex 4, 5, 6 Magnetic bitholder 60 mm Magnetic bitholder quick change black cap 60 mm	23	1*	40030021	4250155823870	00.00	00.00




*When ordered in multiple of 16 pieces, items will be delivered in a counter display.

Bitbox II

Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 18-pcs bit set sandblasted with color ring, L= 75 mm: PH1, PH2, PH3, PZ1, PZ2, PZ3 T10, T15, T20, T25, T27, T30, T40 SL4, SL6 Hex 3, 4, 5	18	1*	40030022	4250155823887	00.00	00.00
 31-pcs bit set sandblasted with color ring: PH1, PH2, PH3, TX6, TX7, TX8, TX9 SL3, SL4, SL5, SL6 Hex with hole 2, 2.5, 3, 4, 5 Rob 0, 1, 2 Tri 1, 2, 3 L=50 Torq-set 6, 8, 10 L=50 Sp 4, 6, 8 L=50 TX10, TX15, TX20, TX25, TX27, TX30 L=50 Hand grip	31	1*	40030023	4250155823894	00.00	00.00





*When ordered in multiple of 8 pieces, items will be delivered in a counter display.

Bitbox II

Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>60-pcs bit set sandblasted with color ring: 3x PH1, PH2, PH3, 3x PZ1, PZ2, PZ3 3x T10, T15, T20, T25, T30, T40 2x T27 TX10, TX15, TX20, TX25, TX30, TX40 SL 3.5, 6.5 mm 2x SL 4.5, 5.5 Magnetic bitholder 60 mm Magnetic bitholder quick change black cap 60 mm</p>	60	1*	40030024	4250155823900	00.00	00.00
 <p>11-pcs impact socket set 1/4" Cr.Mo: Hex 13, 17, 19, 21, 24 Adaptor hex 1/4" to square 1/2" Adaptor square internal 1/2" to hex internal 1/4" Small pin and ring Big pin and ring</p>	11	1*	40030025	4250155823917	00.00	00.00
 <p>4-pcs wheel nut set: 17, 19, 21, 22 mm</p>	45	1*	40030039	8717154654158	00.00	00.00

*When ordered in multiple of 8 pieces, items will be delivered in a counter display.

Bitbox III

Contents	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>10-pcs SDS-plus bit set: 110 mm: 5, 6, 8 mm 160 mm: 6, 8, 10, 12 mm 210 mm: 6, 8, 10 mm</p>	10	1*	40030030	4250155823962	00.00	00.00
 <p>29-pcs HSS Drill bit and countersink-set: 5-pcs countersink bits 3 x 50 mm, 8,3 x 50 mm, 10,4 x 50 mm, 12,4 x 56 mm, 16,5 x 60mm 17-pcs metal drill bits DIN 338 1 x 34 mm, 1,5 x 40 mm, 2 x 49 mm, 2,5 x 57 mm, 3 x 61 mm, 3,5 x 70 mm, 4 x 75 mm, 4,5 x 80 mm, 5 x 86 mm, 5,5 x 93 mm, 6 x 93 mm, 6,5 x 101 mm, 7 x 109 mm, 8 x 117 mm, 9 x 125 mm, 10 x 133 mm 8-pcs wood drill bits 3 x 60 mm, 4 x 75 mm, 5 x 85 mm, 6 x 97 mm, 7 x 104 mm, 8 x 117 mm, 9 x 120 mm, 10 x 133 mm</p>	29	1*	40030031	4250155823979	00.00	00.00
 <p>Combi-set no. 3: 19, 25, 32, 38, 44, 57, 68 mm 2 x arbor</p>	9	1*	40030032	4250155823986	00.00	00.00
 <p>13-pcs Go through socket set 1/2" Cr-V: Hex 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm Ratchet Extension bar 75 mm</p>	13	1*	40030033	4250155823993	00.00	00.00

*When ordered in multiple of 4 pieces, items will be delivered in a counter display.

Proline Impact Sockets



- 1 Manufactured of CR-MO for extra durability
- 2 Special shape for optimal impact force
- 3 Conical front face simplifies positioning onto the bolt
- 4 Clear size description by laser
- 5 Complies to DIN 3129 and DIN 3121 standards
- 6 O-ring and pin separately available
- 7 Suitable for pin and ring connection as well as machines with ball-connection
- 8 The special shape of machine-connection simplifies the exchange of sockets and reduces the wear on the machine anvil



We focus on the details - even for the heaviest job

The specially shaped machine side of HiKOKI impact sockets makes the changing of the socket much easier. The sockets are suitable for use with pin and ring locks, ball connection and for fixing in a chuck.

The foundation of the range is the high quality of the steel used and the optimal production process. HiKOKI impact and wrench sockets are produced in accordance with DIN 3121 and DIN 3129. Special notches in the head of the socket ensures optimal fitting on the bolt or nut. This prevents loss of power and excessive wear. Even the noise and vibration levels are reduced, which makes working with HiKOKI sockets more pleasant.

A complete range

The HiKOKI range contains a wide range of accessories such as torsion bars, adaptors and knee joints. Also available is a 14 pcs basic set with sockets from 14 to 24 mm. In a handy steel case – the correct socket always just where you need it.

New angle sockets make anything possible









All difficult to access points can now be easily reached with the new flexible angle sockets without the need for major modifications. Ideal for working on engines or in corners on uprights and beams. The angle sockets are supplied with long 1/4" hexagonal shafts and in the sizes 8 to 22 mm. The shaft can be used at an angle up to 15° or fixed for straight use.

HiKOKI impact and socket wrench	
Material:	CR-MO.
Connections:	1/2" square internal
	3/4" square internal
	1" square internal
	1/4" hexagonal
O-ring en pin:	Can be ordered separately
Sizes:	8-50 mm
Accessories:	Adaptors, torsion bar, cardan joints and complete sets
Use:	For making screwed joints

Angle socket for hard to access jobs







Impact Sockets, 1/2" square internal

1/2"	Dimensions	Length (mm)	To be used o-ring + pin	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Impact sockets for external hexagonal bolts									
	8	38	Type 1	1	1	751801	8717154654516	00.00	00.00
	10	38	Type 1	1	1	751802	8717154654523	00.00	00.00
	11	38	Type 1	1	1	751803	8717154654530	00.00	00.00
	12	38	Type 1	1	1	751804	8717154654547	00.00	00.00
	13	38	Type 1	1	1	751805	8717154654554	00.00	00.00
	14	38	Type 2	1	1	751806	8717154654561	00.00	00.00
	15	38	Type 2	1	1	751807	8717154654578	00.00	00.00
	16	38	Type 2	1	1	751808	8717154654585	00.00	00.00
	17	38	Type 2	1	1	751809	8717154654592	00.00	00.00
	18	38	Type 2	1	1	751810	8717154654608	00.00	00.00
	19	38	Type 2	1	1	751811	8717154654615	00.00	00.00
	20	38	Type 2	1	1	751812	8717154654622	00.00	00.00
	21	38	Type 2	1	1	751813	8717154654639	00.00	00.00
	22	38	Type 2	1	1	751814	8717154654646	00.00	00.00
	23	38	Type 2	1	1	751815	8717154654653	00.00	00.00
	24	38	Type 2	1	1	751816	8717154654660	00.00	00.00
	25	38	Type 2	1	1	751817	8717154654677	00.00	00.00
	26	38	Type 2	1	1	751818	8717154654684	00.00	00.00
	27	38	Type 2	1	1	751819	8717154654691	00.00	00.00
	28	38	Type 2	1	1	751820	8717154654707	00.00	00.00
	29	38	Type 2	1	1	751821	8717154654714	00.00	00.00
	30	38	Type 2	1	1	751822	8717154654721	00.00	00.00
	32	38	Type 1	1	1	751823	8717154654738	00.00	00.00
Impact sockets for external hexagonal bolts, extra long									
	8	85	Type 1	1	1	751825	8717154655261	00.00	00.00
	10	85	Type 1	1	1	751826	8717154655278	00.00	00.00
	11	85	Type 1	1	1	751827	8717154655285	00.00	00.00
	12	85	Type 1	1	1	751828	8717154655292	00.00	00.00
	13	85	Type 1	1	1	751829	8717154655308	00.00	00.00
	14	85	Type 2	1	1	751830	8717154655315	00.00	00.00
	15	85	Type 2	1	1	751831	8717154655322	00.00	00.00
	16	85	Type 2	1	1	751832	8717154655339	00.00	00.00
	17	85	Type 2	1	1	751833	8717154655346	00.00	00.00
	18	85	Type 2	1	1	751834	8717154655353	00.00	00.00
	19	85	Type 2	1	1	751835	8717154655360	00.00	00.00
	20	85	Type 2	1	1	751836	8717154655377	00.00	00.00
	21	85	Type 2	1	1	751837	8717154655384	00.00	00.00
	22	85	Type 2	1	1	751838	8717154655391	00.00	00.00
	23	85	Type 2	1	1	751839	8717154655407	00.00	00.00
	24	85	Type 2	1	1	751840	8717154655414	00.00	00.00
	26	85	Type 2	1	1	751842	8717154655438	00.00	00.00
	27	85	Type 2	1	1	751843	8717154655445	00.00	00.00
	30	85	Type 2	1	1	751846	8717154655476	00.00	00.00
	32	85	Type 2	1	1	751847	8717154655483	00.00	00.00
Impact sockets for external hexagonal bolts, extra long, condensed width									
	10	78	Type 1	1	1	751881	8717154655070	00.00	00.00
	13	78	Type 1	1	1	751884	8717154655100	00.00	00.00

Impact Sockets, 1/2" square internal

1/2"	Dimensions	Length (mm)	To be used o-ring + pin	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Impact sockets for external torx bolts									
	T 10	38	Type 1	1	1	751849	8717154654752	00.00	00.00
	T 12	38	Type 1	1	1	751850	8717154654769	00.00	00.00
	T 14	38	Type 1	1	1	751851	8717154654776	00.00	00.00
Impact sockets for internal torx bolts									
	T 30	78	Type 1	1	1	751856	8717154654820	00.00	00.00
	T 40	78	Type 1	1	1	751857	8717154654837	00.00	00.00
	T 50	78	Type 1	1	1	751858	8717154654844	00.00	00.00
	T 55	78	Type 1	1	1	751859	8717154654851	00.00	00.00
	T 60	78	Type 1	1	1	751860	8717154654868	00.00	00.00
Impact sockets for internal hex bolts									
	H 4	78	Type 1	1	1	751861	8717154654875	00.00	00.00
	H 5	78	Type 1	1	1	751862	8717154654882	00.00	00.00
	H 6	78	Type 1	1	1	751863	8717154654899	00.00	00.00
	H 8	78	Type 1	1	1	751864	8717154654905	00.00	00.00
	H 10	78	Type 1	1	1	751865	8717154654912	00.00	00.00
	H 12	78	Type 1	1	1	751866	8717154654929	00.00	00.00
	H 14	78	Type 1	1	1	751867	8717154654936	00.00	00.00
	H 17	78	Type 1	1	1	751868	8717154654943	00.00	00.00
Extension rod for impact sockets									
		50	Type 1	1	1	751869	8717154654950	00.00	00.00
		125	Type 1	1	1	751870	8717154654967	00.00	00.00
		250	Type 1	1	1	751871	8717154654974	00.00	00.00
Adaptor for hand sockets									
	1/2"	50	Type 1	1	1	751872	8717154654981	00.00	00.00
Cardan joint									
	1/2"	65	Type 1	1	1	751873	8717154654998	00.00	00.00
Bit adaptor to 1/4" hexagon									
	With ball	38	Type 1	1	1	751874	8717154655001	00.00	00.00
	With magnet	38	Type 1	1	1	751875	8717154655018	00.00	00.00
Adaptor									
	3/8"	36	Type 1	1	1	751878	8717154655049	00.00	00.00

Impact Sockets, 1/2" square internal - sets


1/2"	Dimensions	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Cassettes							
	14-pcs impact socket 1/2" set, in cassette Containing: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24 Including 1x ring + pin, type 1 and type 2	14	1	751879	8717154655056	00.00	00.00
	45-pcs Impact bit/socket set consisting of: PH1, PH2, PH3 PZ1, PZ2, PZ3 T10, T15, T20, T25, T27, T30, T40 TX10, TX15, TX20, TX25, TX27, TX30, TX40 Hex 3, 4, 5, 6 Slotted 3, 4, 5, 6 Magnetic bit holder quick change Impact socket 8, 10, 11, 12, 13, 14, 17, 19, 21, 22 mm Adaptor hex 1/4" to square 1/2" Adaptor square internal 1/2" to hex internal 1/4"	45	1	752500	8717154654158	00.00	00.00
	11-pcs impact socket set 1/4" Cr.Mo: Hex 13, 17, 19, 21, 24 Adaptor hex 1/4" to square 1/2" Adaptor square internal 1/2" to hex internal 1/4" Small pin and ring Big pin and ring	11	1*	40030025	4250155823917	00.00	00.00
	4-pcs wheel nut set 17, 19, 21, 22mm	45	1*	40030039	8717154654158	00.00	00.00

*When ordered in multiple of 8 pieces, items will be delivered in a counter display.





Proline Impact Sockets



Set of 3 pins and 3 rings

	Model	Dimensions	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Type 1	Ring Ø19 mm; pin 3 x 20 mm	6	1	751876	8717154655025	00.00	00.00
	Type 2	Ring Ø24 mm; pin 3 x 25 mm	6	1	751877	8717154655032	00.00	00.00
	Type 3	Ring Ø 36 mm; pin 4 x 35 mm	6	1	751948	8717154655971	00.00	00.00
	Type 4	Ring Ø43 mm; pin 5 x 43 mm	6	1	751474	8717574049237	00.00	00.00
	Type 5	Ring Ø46 mm; pin 5 x 46 mm	6	1	751475	8717574049244	00.00	00.00

Flexible Tilting Sockets

	Dimensions	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Free internal length is 62 mm</p>	8	112	1	1	750331	8717574029284	00.00	00.00
	10	112	1	1	750332	8717574029291	00.00	00.00
	13	112	1	1	750334	8717574029314	00.00	00.00
	17	112	1	1	750338	8717574029352	00.00	00.00
	19	112	1	1	750340	8717574029376	00.00	00.00
	20	112	1	1	751986	8717154659061	00.00	00.00
	21	112	1	1	751987	8717154659078	00.00	00.00
	22	112	1	1	751988	8717154659085	00.00	00.00

Adaptors

	Machine connection	To connection	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	SDS-plus	1/2" square	125	1	1	750455	8717574023862	00.00	00.00
	1/4" hexagonal	1/4" square	65	1	1	751971	8717154656008	00.00	00.00
	1/4" hexagonal	3/8" square	65	1	1	751972	8717154656015	00.00	00.00
	1/4" hexagonal	1/2" square	75	1	1	751973	8717154656022	00.00	00.00
	3-pcs adaptor set consisting of: 1/4" hexagonal to 1/4" square 1/4" hexagonal to 3/8" square 1/4" hexagonal to 1/2" square			3	1	751970	8717154655995	00.00	00.00

Proline Diamond Saw Blades



Diamond Saw Blades

- 1 Colour coding
- 2 Dimensions
- 3 Applications
- 4 Quality level
- 5 Direction of usage
- 6 Item number
- 7 Barcode
- 8 Safety recommendations
- 9 European standards
- 10 Maximum rpm
- 11 Maximum peripheral velocity



Range
With integration of world-famous Sankyo Diamond Tools, HiKOKI has composed a select product range of the finest and best diamond saw blades. Sankyo, a full member of the HiKOKI group, is well known for its high quality, technology, extensive

experience and ongoing innovation when it comes to diamond tools. From this extraordinary product range, HiKOKI has constructed a core business assortment, ideal for the building and construction industries.

Applications

To make it easy to distinguish the application for which the diamond wheel is designed, even after intensive use, and to make it possible to make a quick and easy choice from the range of products, HiKOKI diamond wheels are colour-coded as follows:

Green	Suitable for general use in a variety of materials
Blue	Suitable for hard materials such as concrete, hard bricks, granite etc.
Red	Suitable for soft materials such as sand stone, soft bricks, limestone, asphalt etc.
White	Suitable for ceramic and natural tiles
Grey	Suitable for coatings, adhesives, sealants and epoxy

Application	Hard materials (Turbo)	Hard materials Wave-Shape	Universal	Soft materials Laser	Tiles
••	Ideally suitable				
•	Suitable				
o	Limited use				
-	Not suitable				
Aerated	o	o	o	••	-
Asphalt	-	-	-	••	-
Basalt	••	•	o	-	-
Bluestone	•	o	o	-	•
Coating (sand/cement)	o	o	o	••	-
Concrete (reinforced)	••	•	•	-	-
Concrete brick	o	o	o	••	-
Fire brick	•	o	o	-	-
Glass	-	-	-	-	•
Granite	••	o	o	-	-
Green concrete	o	o	o	••	-
Hand moulded brick	•	•	•	••	-
Hard Brick	••	•	•	•	-
Limestone	o	o	o	••	-
Marble	o	o	o	-	•
Medium-hard brick	••	•	•	•	-
Pebble tiles	••	•	•	-	-
Pumice concrete	o	o	o	••	-
Quartzite	••	o	o	-	•
Rooftiles	o	o	o	••	-
Slate	••	o	o	-	•
Tiles (ceramic)	•	o	o	-	••
Wall tiles	o	o	o	-	••

Quality

In developing the product range an optimal balance has been created between HiKOKI users, high quality demands and a competitive price. This has resulted in indexing products in three quality levels, indicated by the number of diamonds:






All HiKOKI selected diamond saw blades are manufactured to meet DIN EN 13236:2010 quality standards.

Highest quality		Suitable for those users who demand a long life cycle and high cutting speed. While bearing a higher purchasing price, costs per cut are lower.
Poly Crystalline Diamond (PCD)		The HiKOKI Poly Crystalline Diamond (PCD) diamond cup wheels consists of a steel body on which hard metal elements are soldered on which a diamond coating is sintered. The result is a tooth that is three times harder than tungsten carbide.
High quality		Suitable for the intermediate user, wanting to use the diamond wheel on a variety of materials.
Medium quality		Suitable for the occasional user, prioritizing purchasing price, where durability and cutting speed are less important or not relevant due to application nature.

Diamond Saw Blades suitable for electric Angle Grinders, for general use in a variety of materials








Segment type	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	115	22,2	10	1	1	752811	8717574001587	00.00	00.00
	125	22,2	10	1	1	752812	8717574001594	00.00	00.00
	150	22,2	10	1	1	752813	8717574001600	00.00	00.00
	180	22,2	10	1	1	752814	8717574001617	00.00	00.00
	230	22,2	10	1	1	752815	8717574001624	00.00	00.00
	300	22,2	10	1	1	752817	8717574001631	00.00	00.00

Diamond Saw Blades suitable for electric angle grinders, for general use in a variety of materials









  	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Segment type										
	115	22,2	10	1	1*	773070	4549115083097	00.00	00.00	
	125	22,2	10	1	1*	773071	4549115083103	00.00	00.00	
	230	22,2	10	1	1*	773073	4549115083127	00.00	00.00	

*When ordered in multiple of 10 pieces, items will be delivered in a counter display.

Diamond Saw Blades suitable for electric angle grinders, for hard materials such as concrete, hard bricks, granite etc.






   	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Segment type										
  	115	22,2	10	1	1	752851	8717574001808	00.00	00.00	
	125	22,2	10	1	1	752852	8717574001815	00.00	00.00	
	150	22,2	10	1	1	752853	8717574001822	00.00	00.00	
	180	22,2	10	1	1	752854	8717574001839	00.00	00.00	
	230	22,2	10	1	1	752855	8717574001846	00.00	00.00	
	300	22,2	10	1	1	752857	8717574001853	00.00	00.00	
Turbo										
	125	22,2	6	1	1	752842	8717574001761	00.00	00.00	
	230	22,2	6	1	1	752845	8717574001792	00.00	00.00	
Wave shape type										
	115	22,2	6	1	1	752821	8717574001648	00.00	00.00	
	125	22,2	6	1	1	752822	8717574001655	00.00	00.00	
	150	22,2	6	1	1	752823	8717574001662	00.00	00.00	
	180	22,2	6	1	1	752824	8717574001679	00.00	00.00	
	230	22,2	6	1	1	752825	8717574001686	00.00	00.00	

Diamond Saw Blades suitable for electric angle grinders, for soft materials such as sand stone, soft bricks, lime stone, asphalt etc.




   	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Segment type										
  	115	22,2	10	1	1	752861	8717574001860	00.00	00.00	
	125	22,2	10	1	1	752862	8717574001877	00.00	00.00	
	150	22,2	10	1	1	752863	8717574001884	00.00	00.00	
	300	22,2	10	1	1	752867	8717574001914	00.00	00.00	

From Ø150 mm up, the blades are enriched with protection segments.

Diamond Saw Blades suitable for electric angle grinders, for (ceramic and natural) tiles

  	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Rim type										
	110	22,2	5	1	1	752886	8717574001990	00.00	00.00	
	125	22,2	5	1	1	752887	8717574002003	00.00	00.00	

Diamond Saw Blades suitable for wall chaser, for general use in a variety of materials

	Ø (mm)	Arbor hole (mm)	Height (mm)	Width (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Rim type										
	125	22,2	7	18	1	1	4100298	8717574067927	00.00	00.00
	125	22,2	7	28,5	1	1	4100299	8717574067934	00.00	00.00

Diamond Saw Blades suitable for fuel engine driven cut-off machines, for general use in a variety of materials

	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Waved segment type									
	300	25,4	11.5	1	1	773001	4549115056275	00.00	00.00
	350	20,0	11.5	1	1	773002	4549115056282	00.00	00.00
	350	25,4	11.5	1	1	773003	4549115056299	00.00	00.00
Segment type									
	300	20,0	15	1	1	773004	4549115056305	00.00	00.00
	300	25,4	15	1	1	773005	4549115056312	00.00	00.00
	350	20,0	15	1	1	773006	4549115056329	00.00	00.00
	350	25,4	15	1	1	773007	4549115056336	00.00	00.00

Diamond Saw Blades suitable for fuel engine driven cut-off machines, for hard materials such as concrete, hard bricks, granite etc.

	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Waved segment type									
	300	25,4	10	1	1	773009	4549115056350	00.00	00.00
	350	20,0	10	1	1	773010	4549115056367	00.00	00.00
	350	25,4	10	1	1	773011	4549115056374	00.00	00.00
Segment type									
	300	20,0	10	1	1	773012	4549115056381	00.00	00.00
	300	25,4	10	1	1	773013	4549115056398	00.00	00.00
	350	20,0	10	1	1	773014	4549115056404	00.00	00.00
	350	25,4	10	1	1	773015	4549115056411	00.00	00.00

Diamond Saw Blades suitable for fuel engine driven cut-off machines, for soft materials such as sand stone, soft bricks, lime stone, asphalt etc.

	Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Segment type									
	300	20,0	10	1	1	773018	4549115056442	00.00	00.00
	300	25,4	10	1	1	773019	4549115056459	00.00	00.00
	350	20,0	10	1	1	773020	4549115056466	00.00	00.00
	350	25,4	10	1	1	773021	4549115056473	00.00	00.00




















The above diamond wheels have inclined segments to protect the core against undercutting.

Water Pressure Tank

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
<p>Water pressure tank WPT10 Filling contents: 10 l Total contents: 12,5 l Operating pressure: 3 bar (44 psi) Funnel cover to prevent dirt entering the tank Integrated dirt filter Including 4 m transparent hose complete with 1/2" plug-in coupling with water stop</p>	1	1	712630	8717574043600	00.00	00.00

Diamond Cup Wheels

Diamond Cup Wheels suitable for electric angle grinders, for hard materials

			Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Turbo rim type												
				100	22,2	4,5	1	1	752871	8717574001921	00.00	00.00
				125	22,2	4,5	1	1	752872	8717574001938	00.00	00.00
Segmented with holes for dust extraction												
				125	22,2	5	1	1	4100291	8717574067880	00.00	00.00
Double row segmented with holes for dust extraction												
				115	22,2	5	1	1	752876	8717574001945	00.00	00.00
				125	22,2	5	1	1	752877	8717574001952	00.00	00.00
				175	22,2	5	1	1	752878	8717574001969	00.00	00.00
Double row segmented with holes for dust extraction												
				125	22,2	5	1	1	4100295	8717574067910	00.00	00.00

Diamond Cup Wheels suitable for electric angle grinders with dust extraction for soft materials such as sand stone, soft bricks, lime stone, asphalt etc.

				Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Segmented with holes for dust extraction													
					125	22,2	5	1	1	4100292	8717574067897	00.00	00.00

Diamond Cup Wheels suitable for electric angle grinders with dust extraction for coatings, adhesives, sealants and epoxy

			Ø (mm)	Arbor hole (mm)	Segment height (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
Segmented with holes for dust extraction												
				125	22,2	5	1	1	4100293	8717574067903	00.00	00.00

Abrasive Cutting and Grinding Discs

- 1 Type and dimensions
- 2 Item number
- 3 Quality level
- 4 Areas of use
- 5 Color code
- 6 Safety recommendations
- 7 Restrictions on use
- 8 Maximum peripheral velocity / RPM
- 9 Iron, sulphur and chlorine content < 0,1%
- 10 European standards



Cut's all

HiKOKI Proline Abrasive wheels are selected to offer maximum performance, lifetime, clean cutting areas, the lowest burr formation and low thermal load on the work piece. Cut-off wheels in standard widths offer not only the most economical solution, but also ultimate safety due to the maximum lifetime and stability. The wheels are specifically designed for cutting solid materials, pipes, and profiles made from steel and stainless steel, including cast iron.

2-in-1 wheels

Both perfectly well designed for use in Stainless steel as well as in Steel. The wheel composition content of Iron (Fe), Sulfur (S), and Chlorine (Cl) is below 0,1% and therefore safe to use on delicate work pieces such as Inox. The unique composition also guarantees a long life-time whilst cutting in metal, where usual wheels for Inox wear-out too fast. Important note; after having cut with this type of wheels in Metal, you can't go back cutting Inox because of contamination.

Quality levels

Selecting the right disc and power tool

for the material to be cut is crucial. To help selecting the right product, HiKOKI offers 3 quality levels in 115/125 mm. The professional that frequently cuts with the stronger range of angle grinders will benefit most from the Premium*** wheels. The harder grains and strong bond provide a long life-time and fast burr free cutting. When cutting occasionally or with angle grinders in the lower wattage range, choose for the Basic* range. The economic price/ quality ratio makes this a universal product that can be used in a wide range of applications.

Super Thin Wheels

The innovative and economic advantages of our super thin cut-off wheels can be seen especially when cutting sheet metal and thin-walled profiles. Extra thin cutting discs have a smaller friction surface. This allows a fast and cool cut and avoids blueing of the work piece.

The HiKOKI wheels convince through outstandingly smooth running resulting in optimum handling. Its exceptional

precise, clean and almost burr-free cut reduces reworking to almost zero. Its narrow cut also means that hardly any contact pressure is needed, making for noticeably easier work.

oSa

oSa stands for "Organization for the Safety of Abrasives". Tools with the oSa trademark symbol have been manufactured according to the worldwide strict guidelines of the oSa. All HiKOKI cutting and grinding discs bear the oSa trademark and thus meet the highest safety standards.

Types of grinding discs

HiKOKI grinding discs are colour-coded to easily identify the correct disc for an application.

Colour code		
	Gold	Inox
	Blue	Metal
	Red	Stone

Cutting Discs suitable for electric angle grinders, for use in inox and metal

Stainless steel	Stainless steel	METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A60U-BF41											
★★			115	1,0	22,23	1	25	782301	8717574043068	00.00	00.00
			125	1,0	22,23	1	25	782302	8717574043075	00.00	00.00
Tin can promo pack with 10 discs											
			125	1,0	22,23	10	1	782304	8717574043082	00.00	00.00
Type A46T-BF41											
★★			115	1,0	22,23	1	25	752501	8717472814111	00.00	00.00
			125	1,0	22,23	1	25	752502	8717472814135	00.00	00.00
Type A60R-BF41											
★			115	1,0	22,23	1	25	782306	8717574043099	00.00	00.00
			125	1,0	22,23	1	25	782307	8717574043105	00.00	00.00
Tin can promo pack with 10 discs											
			115	1,0	22,23	10	1	782308	8717574050202	00.00	00.00
			125	1,0	22,23	10	1	782309	8717574055146	00.00	00.00

Cutting Discs suitable for electric angle grinders, for use in inox and metal

Stainless steel	Stainless steel	METAL	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A46U-BF41											
★★			115	1,6	22,23	1	25	782311	8717574043112	00.00	00.00
			125	1,6	22,23	1	25	782312	8717574043129	00.00	00.00
			150	1,6	22,23	1	25	782313	8717574043136	00.00	00.00
			178	1,6	22,23	1	25	782314	8717574043143	00.00	00.00
			230	1,9	22,23	1	25	782315	8717574043150	00.00	00.00
Type A46R-BF41											
★			115	1,6	22,23	1	25	782316	8717574043167	00.00	00.00
			125	1,6	22,23	1	25	782317	8717574043174	00.00	00.00
			230	1,9	22,23	1	25	782319	8717574050196	00.00	00.00

Cutting Discs suitable for electric angle grinders, for use in metal

Metal	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A24R -BF41									
	115	2,5	22,23	1	25	752511	8717472814234	00.00	00.00
	125	2,5	22,23	1	25	752512	8717472814258	00.00	00.00
	180	3,0	22,23	1	25	752514	8717472814296	00.00	00.00
	230	3,0	22,23	1	25	752515	8717472814319	00.00	00.00
TYPE A24R -BF41									
	115	2,5	22,23	1	25	752521	8717472814395	00.00	00.00
	125	2,5	22,23	1	25	752522	8717472814418	00.00	00.00
	230	3,0	22,23	1	25	752525	8717472814470	00.00	00.00
Type A24R -BF41									
	115	2,5	22,23	1	25	4100201	8717574060355	00.00	00.00
	125	2,5	22,23	1	25	4100202	8717574060362	00.00	00.00
	150	2,5	22,23	1	25	4100203	8717574060379	00.00	00.00
	180	3,0	22,23	1	25	4100204	8717574060386	00.00	00.00
	230	3,0	22,23	1	25	4100205	8717574060393	00.00	00.00
TYPE A24R -BF42									
	115	2,5	22,23	1	25	4100206	8717574060409	00.00	00.00
	125	2,5	22,23	1	25	4100207	8717574060416	00.00	00.00
	180	3,0	22,23	1	25	4100208	8717574060423	00.00	00.00
	230	3,0	22,23	1	25	4100209	8717574060430	00.00	00.00

Cutting Discs suitable for fuel engine driven cut-off machines, for use in metal

Metal	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A36S-BF41									
	300	3,5	20,0	1	10	4100246	8717574060621	00.00	00.00
	350	4,0	20,0	1	10	4100248	8717574060638	00.00	00.00

Grinding Discs suitable for electric angle grinders, for use in inox and metal

Stainless steel	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A24R-BF27									
	115	6,0	22,2	1	10	4100221	8717574060492	00.00	00.00
	125	6,0	22,2	1	10	4100222	8717574060508	00.00	00.00
	150	6,0	22,2	1	10	4100223	8717574060515	00.00	00.00
	180	6,0	22,2	1	10	4100224	8717574060522	00.00	00.00
	230	6,0	22,2	1	10	4100225	8717574060539	00.00	00.00

Cutting Discs suitable for electric angle grinders, for use in stone

Stone	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type C30S-BF42									
	115	2,5	22,2	1	25	4100211	8717574060447	00.00	00.00
	125	2,5	22,2	1	25	4100212	8717574060454	00.00	00.00
	180	3,0	22,2	1	25	4100214	8717574060461	00.00	00.00
	230	3,0	22,2	1	25	4100215	8717574060478	00.00	00.00
TYPE C30S-BF41									
	230	3,0	22,2	1	25	4100219	8717574060485	00.00	00.00

Grinding Discs suitable for electric angle grinders, for use in metal

Metal	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A24R-BF27									
	115	6,0	22,2	1	10	4100231	8717574060546	00.00	00.00
	125	6,0	22,2	1	10	4100232	8717574060553	00.00	00.00
	150	6,0	22,2	1	10	4100233	8717574060560	00.00	00.00
	180	6,0	22,2	1	10	4100234	8717574060577	00.00	00.00
	230	6,0	22,2	1	10	4100235	8717574060584	00.00	00.00

Cutting Discs suitable for chop saws, for use in metal

Metal	Ø (mm)	Thickness (mm)	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type A36S-BF41									
	300	2,8	25,4	1	10	4100241	8717574060591	00.00	00.00
	350	2,8	25,4	1	10	4100242	8717574060607	00.00	00.00
	400	3,0	25,4	1	10	4100243	8717574060614	00.00	00.00

Flap/Fibre Discs

HiKOKI flap discs are synonymous with excellent abrasion of material. You will achieve your goal faster as a result and the disc will remain easy cutting and abrasive over its entire lifetime. The flap disc is the perfect tool for demanding grinding and surface treatment jobs, such as edge chamfering, light stock

removal, deburring, rust removal and weld blending. The professional quality is suitable for rough and intermediate grinding in all fields of metalworking including stainless steel, steel, cast iron, and sheet steel. A high lamellar lining on fibre glass pad for excellent life-time and

uniform grinding capacity. Cool and low vibration grinding for an optimal result and low noise level for comfortable grinding.

As an entry class we offer you the powerful HiKOKI HSP series with optimized price quality ratio.

Flap Discs for use with angle grinders, for use in inox and metal

Metal	Stainless steel	ISO 15636	Ø (mm)	Grit	Arbor hole (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Type ZK											
★ ★			115	40	22,23	1	10	4100111	8717574059960	00.00	00.00
			115	60	22,23	1	10	4100112	8717574059977	00.00	00.00
			115	80	22,23	1	10	4100113	8717574059984	00.00	00.00
			115	120	22,23	1	10	4100114	8717574059991	00.00	00.00
			125	40	22,23	1	10	4100116	8717574060003	00.00	00.00
			125	60	22,23	1	10	4100117	8717574060010	00.00	00.00
			125	80	22,23	1	10	4100118	8717574060027	00.00	00.00
			125	120	22,23	1	10	4100119	8717574060034	00.00	00.00
			178	40	22,23	1	10	4100121	8717574060041	00.00	00.00
			178	60	22,23	1	10	4100122	8717574060058	00.00	00.00
			178	80	22,23	1	10	4100123	8717574060065	00.00	00.00
			178	120	22,23	1	10	4100124	8717574060072	00.00	00.00
Type ZK											
★			115	40	22,23	1	10	4100101	8717574059885	00.00	00.00
			115	60	22,23	1	10	4100102	8717574059892	00.00	00.00
			115	80	22,23	1	10	4100103	8717574059908	00.00	00.00
			115	120	22,23	1	10	4100104	8717574059915	00.00	00.00
			125	40	22,23	1	10	4100106	8717574059922	00.00	00.00
			125	60	22,23	1	10	4100107	8717574059939	00.00	00.00
			125	80	22,23	1	10	4100108	8717574059946	00.00	00.00
			125	120	22,23	1	10	4100109	8717574059953	00.00	00.00

Fibre Discs for use with angle grinders

Stainless steel	Ø (mm)	Grit	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	115	24	1	25	753502	8717574002201	00.00	00.00
	115	36	1	25	753503	8717574002218	00.00	00.00
	115	60	1	25	753506	8717574002225	00.00	00.00
	115	80	1	25	753507	8717574002232	00.00	00.00
	115	120	1	25	753509	8717574002249	00.00	00.00
	125	24	1	25	753512	8717574002256	00.00	00.00
	125	36	1	25	753513	8717574002263	00.00	00.00
	125	60	1	25	753516	8717574002270	00.00	00.00
	125	80	1	25	753517	8717574002287	00.00	00.00
	125	120	1	25	753519	8717574002294	00.00	00.00
	180	24	1	25	753522	8717574002300	00.00	00.00
	180	36	1	25	753523	8717574002317	00.00	00.00
	180	60	1	25	753526	8717574002324	00.00	00.00
	180	80	1	25	753527	8717574002331	00.00	00.00
	180	120	1	25	753529	8717574002348	00.00	00.00

Fibre Discs for use with angle grinders



Metal	Ø (mm)	Grit	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	115	24	1	25	753172	8717472812674	00.00	00.00
	115	36	1	25	753173	8717472812681	00.00	00.00
	115	60	1	25	753176	8717472812698	00.00	00.00
	115	80	1	25	753177	8717472812704	00.00	00.00
	115	120	1	25	753179	8717472812711	00.00	00.00
	125	24	1	25	753182	8717472812728	00.00	00.00
	125	36	1	25	753183	8717472812735	00.00	00.00
	125	60	1	25	753186	8717472812742	00.00	00.00
	125	80	1	25	753187	8717472812759	00.00	00.00
	125	100	1	25	753188	8717574058727	00.00	00.00
	125	120	1	25	753189	8717472812766	00.00	00.00
	180	24	1	25	753192	8717472812773	00.00	00.00
	180	36	1	25	753193	8717472812780	00.00	00.00
	180	60	1	25	753196	8717472812797	00.00	00.00
	180	80	1	25	753197	8717472812803	00.00	00.00
	180	120	1	25	753199	8717472812810	00.00	00.00

Backing Pads for use with fibre discs on angle grinders

ISO 15636	Ø (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Medium-hard backing pad, including nut								
	115	M14	1	1	753801	8717574002355	00.00	00.00
	125	M14	1	1	753802	8717574002362	00.00	00.00
	180	M14	1	1	753804	8717574002386	00.00	00.00
Soft rubber backing pad for more flexibility, including nut								
	115	M14	1	1	753806	8717574002393	00.00	00.00
	125	M14	1	1	753807	8717574002409	00.00	00.00
	180	M14	1	1	753809	8717574002416	00.00	00.00

Angle Grinder Accessories


Pin Spanner

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Pin spanner Length 145 mm Pin diameter 4,85 mm Pitch pins 35 mm Suitable for grinders ≤ 125 mm</p>	1	1	711271	8717574050431	00.00	00.00
 <p>Pin spanner Length 228 mm Pin diameter 5,5 mm Pitch pins 35 mm Suitable for grinders ≥ 150 mm</p>	1	1	711272	8717574050448	00.00	00.00

Vibration Absorbing Side Handle




Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Vibration absorbing side handle M10 thread for angle grinders up till 150 mm</p>	1	1	711281	8717574052381	00.00	00.00
<p>Vibration absorbing side handle M14 thread for angle grinders from 180 mm and bigger</p>	1	1	711282	8717574052398	00.00	00.00

Side Handle


Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Side handle M10 thread for angle grinders up till 150 mm</p>	1	1	711283	8717574053555	00.00	00.00
<p>Side handle M14 thread for angle grinders from 180 mm and bigger</p>	1	1	711284	8717574053562	00.00	00.00

Dust Filter for angle grinders

Detachable dust filter against coarse particles or chips to extend the life time of the machine. Prevents small particles from entering the machine. Filter can be cleaned easily and fast thanks to smooth exterior metal grid. Filter can be assembled and disassembled tool-free.

Description	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Dust filter for angle grinders</p>	G13BA/G13BY/G13YG	1	1	750449	8717574058710	00.00	00.00
 <p>Dust filter for angle grinders</p>	G12SA4/G13SB4/ G12SE4/G13SE4/ G12SW/G13SW	1	1	750465	8717574067958	00.00	00.00
 <p>Dust filter for angle grinders</p>	G12BYEQ/G13BYEQ/ G12VE/G13VE	1	1	750466	8717574068122	00.00	00.00

Cord

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Cord 5 meter 1,0 mm2 H07RN-F</p>	1	1	714500	8717154654196	00.00	00.00
<p>Cord 5 meter 1,5 mm2 H07RN-F</p>	1	1	714520	8717154654202	00.00	00.00




Quick Clamping Nut

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Quick Clamping Nut</p>	1	1*	711273	8717574051094	00.00	00.00

*When ordered in multiple of 10, the quick wheel nut will be delivered in a counter display.



Dust Extraction Accessories

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Dust Extraction guard with immersion function for low-dust cutting indoors and outdoors.</p>	1	1	377085	4549115244146	00.00	00.00
 <p>Dust extraction hood with immersion function and optimized flow channel for particularly low-dust cutting indoors and outdoors. Sheet metal table with guide rollers for easy, precise feed. Protects sensitive surfaces from scratches. Allows the use of a HIKOKI guide rail for cuts of the highest precision.</p>	1	1	377086	4549115244160	00.00	00.00
 <p>Extraction hood with brush ring and optimized flow channel for particularly low-dust grinding (with cup wheels) indoors and outdoors.</p>	1	1	377087	4549115244184	00.00	00.00

Suitable for G12/13SW2, G12/13VE2, G12/13BYEQ2, G1813DVE, G1812/13DE, G1813DVF, G1812/13DF, G3612/13DVE, G3613DE, G3612/13DVF, G3613DF, G12/13SE3, G13SB4, G12SA4

Proline Carbide Burrs

- 1 Top quality TC
- 2 Diamond precision ground flutes
- 3 Strong brazed connection
- 4 Plug depth required for safe use
- 5 Brand name
- 6 Item number
- 7 Shank size 6 or 8 mm





High performance

HiKOKI Tungsten Carbide Burrs are produced in an ISO certified facility, in compliance with the highest quality standards. This ensures outstanding quality, long service life, reliability and efficient stock removal. HiKOKI burrs are designed to handle complex work piece configurations and deliver accuracy required for tight tolerance applications. The tools are precision ground on multi axis CNC grinding machines offering high performance meeting the demands of challenging materials such as aluminium, metal alloys, stainless steels etc.

Burr selection







First identify the most suitable burr shape to suit the application. Secondly choose the applicable size, keeping in mind that no more than 50% of the burr surface should be in contact with the work piece. Next step is to identify the correct type of cut to suit requirements and material. A Cut 3 is a fast mill cut for rapid stock removal of softer, non-ferrous materials and plastics. The Cut 6 double cut is suited for general purpose use in materials such as brass, copper, (un)hardened steels, cast iron, titanium etc. Finally, ensure that the selected burr is operated within the recommended speed range. Failure to comply may cause a safety hazard and may reduce performance of the burr.











Carbide Burrs

Metal	Stainless steel	METAL	SPAINISH	D (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Shape DIN 8033 "ZYA" / ISO "A"														
				6	6	18	50	-	1	1	780726	8717574054583	00.00	00.00
				6	8	19	64	-	1	1	780727	8717574054590	00.00	00.00
				6	9,6	19	64	-	1	1	780728	8717574054606	00.00	00.00
				6	12,7	25	70	-	1	1	780729	8717574054613	00.00	00.00
				6	16	25	70	-	1	1	780730	8717574054620	00.00	00.00
Shape DIN 8033 "ZYA-S" / ISO "B"														
				6	6	18	50	-	1	1	780732	8717574044676	00.00	00.00
				6	8	19	64	-	1	1	780733	8717574044683	00.00	00.00
				6	9,6	19	64	-	1	1	780734	8717574044690	00.00	00.00
				6	12,7	25	70	-	1	1	780736	8717574044713	00.00	00.00
Shape DIN 8033 "WRC" / ISO "C"														
				6	6	18	50	-	1	1	780739	8717574044720	00.00	00.00
				6	8	19	64	-	1	1	780740	8717574044737	00.00	00.00
				6	9,6	19	64	-	1	1	780741	8717574044744	00.00	00.00
				6	12,7	25	70	-	1	1	780743	8717574044768	00.00	00.00
				8	8	19	64	-	1	1	780791	8717574049923	00.00	00.00
Shape DIN 8033 "KUD" / ISO "D"														
				6	6	4,7	50	-	1	1	780746	8717574044775	00.00	00.00
				6	8	6	52	-	1	1	780747	8717574044782	00.00	00.00
				6	9,6	8	54	-	1	1	780748	8717574044799	00.00	00.00
				6	12,7	11	56	-	1	1	780750	8717574044812	00.00	00.00
Shape DIN 8033 "TRE" / ISO "E"														
				6	6	10	50	-	1	1	780753	8717574044829	00.00	00.00
				6	8	15	60	-	1	1	780754	8717574044836	00.00	00.00
				6	9,6	16	60	-	1	1	780755	8717574044843	00.00	00.00
				6	12,7	22	67	-	1	1	780756	8717574044850	00.00	00.00

Carbide Burrs

Metal	Stainless steel	METAL	STAINLESS STEEL	D (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Shape DIN 8033 "RBF" / ISO "F"														
		6	6	18	50	-	1	1	780759	8717574044867	00.00	00.00		
		6	8	20	65	-	1	1	780760	8717574044874	00.00	00.00		
		6	9,6	19	64	-	1	1	780761	8717574044881	00.00	00.00		
		6	12,7	25	70	-	1	1	780763	8717574044904	00.00	00.00		
		8	8	20	65	-	1	1	780792	871774049930	00.00	00.00		
Shape DIN 8033 "SPG" / ISO "G"														
		6	6	18	50	-	1	1	780766	8717574044911	00.00	00.00		
		6	8	19	64	-	1	1	780767	8717574044928	00.00	00.00		
		6	9,6	19	64	-	1	1	780768	8717574044935	00.00	00.00		
		6	12,7	25	70	-	1	1	780769	8717574044942	00.00	00.00		
Shape / ISO "H"														
		6	6	14	50	-	1	1	780772	8717574044959	00.00	00.00		
		6	8	19	64	-	1	1	780773	8717574044966	00.00	00.00		
		6	9,6	19	64	-	1	1	780774	8717574044973	00.00	00.00		
		6	12,7	32	77	-	1	1	780775	8717574044980	00.00	00.00		
Shape DIN 8033 "KEL" / ISO "L"														
		6	6	18	50	14°	1	1	780778	8717574044997	00.00	00.00		
		6	8	25,4	70	14°	1	1	780779	8717574045000	00.00	00.00		
		6	9,6	30	76	14°	1	1	780780	8717574045017	00.00	00.00		
		6	12,7	32	77	14°	1	1	780781	8717574045024	00.00	00.00		
Shape DIN 8033 "SKM" / ISO "M"														
		6	6	20	50	14°	1	1	780784	8717574045031	00.00	00.00		
		6	9,6	16	64	28°	1	1	780785	8717574045048	00.00	00.00		
		6	12,7	22	71	28°	1	1	780786	8717574045055	00.00	00.00		

Carbide Burrs

ALLU	PVC	D (mm)	Ø head (mm)	L head (mm)	L total (mm)	α (°)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Shape DIN 8033 "ZYA-S" / ISO "B"												
		6	12,7	25	70	-	1	1	780735	8717574044706	00.00	00.00
Shape DIN 8033 "WRC" / ISO "C"												
		6	12,7	25	70	-	1	1	780742	8717574044751	00.00	00.00
Shape DIN 8033 "KUD" / ISO "D"												
		6	12,7	11	56	-	1	1	780749	8717574044805	00.00	00.00
Shape DIN 8033 "RBF" / ISO "F"												
		6	12,7	25	70	-	1	1	780762	8717574044898	00.00	00.00

Carbide Burrs - sets

	Contents	D (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	5-pcs Set consisting of: B - 9,6 x 19 / 64 mm C - 9,6 x 19 / 64 mm D - 9,6 x 8 / 54 mm E - 9,6 x 16 / 60 mm G - 9,6 x 19 / 64 mm	6	5	1	780788	8717574045062	00.00	00.00
	10-pcs Set consisting of: B - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm C - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm D - 12,7 x 11 / 56 mm E - 9,6 x 16 / 60 mm F - 12,7 x 25 / 70 mm G - 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm L - 12,7 x 32 / 77 mm	6	10	1	780789	8717574045079	00.00	00.00
	40-pcs Display consisting of: 2x B - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2x C - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2x F - 6 x 18 / 50 mm 8 x 20 / 65 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2x G - 6 x 18 / 50 mm 8 x 19 / 64 mm 9,6 x 19 / 64 mm 12,7 x 25 / 70 mm 2x L - 6 x 18 / 50 mm 8 x 25 / 70 mm 9,6 x 30 / 76 mm 12,7 x 32 / 77 mm	6	40	1	780790	8717574045086	00.00	00.00

Proline Brushes

For both coarse work and those fine details

Removing rust is not the most pleasant job, nor is stripping paint from wood. Therefore HiKOKI supplies a range of brushes that are especially suited to your needs: top quality enabling the work to be done more easily and faster. This applies to coarse work and also to the more detailed work when a straight grinder is of more use. The development and production of HiKOKI brushes is part of an integrated quality management system. Only very high-quality raw materials that meet strict quality control tests are used for our brushes. New raw materials are systematically tested, and new models are developed. Each newly developed range is extensively tested so that the brushes immediately meet requirements.






Special applications

For example, for removing rust from metal you use a coarse wire brush suitable for angle grinders. Or in drills because HiKOKI also supplies brushes in a model with a hexagonal fitting for use in your drill, or impact screwdriver.






For detailed grinding work there are wire brushes for use in straight grinders, ideal for work on small areas. Special brushes made with rust-proof vanadium wire have been developed for use on stainless steel. Nylon brushes are the solution for wooden surfaces or for thin metals.








Brushes for electric angle grinders

Metal			Ø (mm)	Thickness (mm)	Connection	Diameter (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Wheel brush knotted wire												
			115	0,5	22,2	115	1	1	751301	8717154657098	00.00	00.00
			125	0,5	22,2	125	1	1	751302	8717154657104	00.00	00.00
Cup brush knotted wire												
			65	0,35	M14	115	1	1	751346	8717574000542	00.00	00.00
			65	0,5	M14	115	1	1	751306	8717154657142	00.00	00.00
			80	0,5	M14	150	1	1	751307	8717154657159	00.00	00.00
			100	0,5	M14	180	1	1	751308	8717154657166	00.00	00.00
			110	0,5	M14	230	1	1	751309	8717154657173	00.00	00.00
Cup brush crimped wire												
			60	0,3	M14	115	1	1	751311	8717154657197	00.00	00.00
			75	0,3	M14	125	1	1	751312	8717154657203	00.00	00.00
			80	0,3	M14	150	1	1	751313	8717154657210	00.00	00.00
			100	0,3	M14	180	1	1	751314	8717154657227	00.00	00.00
			125	0,3	M14	230	1	1	751315	8717154657234	00.00	00.00
Bevel brush knotted wire												
			100	0,5	M14	180	1	1	751317	8717154657258	00.00	00.00
Bevel brush crimped wire												
			100	0,3	M14	180	1	1	751318	8717154657265	00.00	00.00

Brushes for electric angle grinders










Stainless steel			Ø (mm)	Thickness (mm)	Connection	Diameter (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Wheel brush knotted wire												
			115	0,5	22,2	115	1	1	751305	8717154657135	00.00	00.00
Cup brush knotted wire												
			65	0,5	M14	115	1	1	751310	8717154657180	00.00	00.00
Cup brush crimped wire												
			75	0,3	M14	125	1	1	751316	8717154657241	00.00	00.00

Brushes for drills





			Ø (mm)	Thickness (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Wheel brush crimped wire											
			50	0,3	1/4" Hexagonal	1	1	751319	8717154657272	00.00	00.00
			75	0,3	1/4" Hexagonal	1	1	751320	8717154657289	00.00	00.00
			100	0,3	1/4" Hexagonal	1	1	751321	8717154657296	00.00	00.00
Cup brush crimped wire											
			50	0,3	1/4" Hexagonal	1	1	751322	8717154657302	00.00	00.00
			75	0,3	1/4" Hexagonal	1	1	751323	8717154657319	00.00	00.00

Proline Brushes

Brushes for electric angle grinders

 	Ø (mm)	Wire (thickness mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
End brush crimped wire									
	25	0,3	1/4" hex	1	1	751324	8717154657326	00.00	00.00
Rotary flapper brush brass coated									
	100	0,3	6 mm round	1	1	751325	8717154657333	00.00	00.00
Wheel brush knotted wire									
	75	0,5	6 mm round	1	1	751326	8717154657340	00.00	00.00
Wheel brush grittyflex, specifically suited for processing of aluminium, brass, plastics and steel									
	75	Coarse (red wire)	1/4" hex	1	1	751328	8717154657364	00.00	00.00
	75	Fine (blue wire)	1/4" hex	1	1	751329	8717154657371	00.00	00.00
Cupbrush gritty flex, specifically suited for processing of aluminium, brass, plastics and steel									
	75	Coarse (red wire)	1/4" hex	1	1	751330	8717154657388	00.00	00.00
	75	Fine (blue wire)	1/4" hex	1	1	751331	8717154657395	00.00	00.00

Brushes for straight grinders

	Ø (mm)	Wire (thickness mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
End brush knotted wire, suited up to 22,000 rpm									
	20	0,26	6 mm round	1	1	751340	8717472818898	00.00	00.00
End brush knotted wire, suited up to 20,000 rpm									
	30	0,26	6 mm round	1	1	751342	8717472818911	00.00	00.00
Wheel brush crimped wire for high speed machines, suited up to 15,000 rpm									
	50	0,2	6 mm round	1	1	751327	8717154657357	00.00	00.00

Proline Saws



Proline Circular Saw Blades

- 1 Number of teeth
- 2 Application in pictogram
- 3 Tooth setting
- 4 Maximum RPM
- 5 Production serial number
- 6 Blade dimensions
- 7 HiKOKI part number
- 8 Quality level 'stars'
- 9 Rotation direction
- 10 Safety advices



Good teeth make the difference

HiKOKI circular saw blades have been developed to make your work easier, with almost no vibration, good chip removal, low noise level and high precision. To meet these conditions, the circular saw blades have been designed and manufactured in a specific way.

Firstly the circular saw blades are made from hardened and tempered steel, tipped with high quality fine grain carbide. Blades for melamine and laminate are tipped with sub micron grain, blades for cement board with polycrystalline diamond and blades for inox with cermet teeth.

The expansion slots provide cooling and prevent excessive vibration and noise. This makes working with HiKOKI circular saw blades a much more pleasant experience.

Combined with extra attention to the material

The blade core for HiKOKI circular saw blades is laser cut. This gives the blade optimum accuracy and maximal flatness. The cutting surfaces of the teeth are extra large and brazed with an extremely hard alloy of silver, and copper for extra strength and a long service life. In addition the entire blade is given a special 3OC coating to prevent corrosion. The arbor hole is also laser cut to give the best machine fit.

Colour code	
Wood	Alternating teeth (ATB) for wood cutting applications. The very thin blades for cordless tools have alternating + flat FLR teeth.
Laminates	Combined Trapezoidal / Flat teeth (TR-F) for particularly precise fine cuts of the highest quality. For non-ferrous metals such as aluminium profiles, hardwood, laminated chipboard, plastic pipes and soft composite material.
Stainless steel	Trapezium teeth (TCG) configuration made out of high quality Ceramic, allows these blades to be used in Inox and metal.
Metal	Trapezium teeth (TCG) for cutting all kinds of metal.
Aluminium	Trapezium teeth (TCG) with a negative angle to cut precise in aluminium and laminates.
Abrasives	Polycrystalline Diamond (PCD) to withstand high impact and for extra long life when cutting abrasive materials.

HiKOKI circular saw blades	
Material:	High quality hardened and tempered steel
Sizes:	From Ø125 to 335 mm
Spindle holes:	From Ø16 to 30 mm
Teeth material:	Tungsten carbide cermet polycrystalline Diamond
Teeth type:	Trapezium teeth (TCG) Alternating teeth (ATB) Alternating + flat (FLR) Trapezoidal +flat (TR-F)
Usage:	All types of wood, laminate, aluminium, steel, stainless steel and abrasive for stationary and hand circular saws

Circular Saw Blades for wood



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
150	2,6	1,6	20/16	FC5SA1	12	1	1	752401	8717472813077	00.00	00.00
					24	1	1	752402	8717472813084	00.00	00.00
					36	1	1	752403	8717472813091	00.00	00.00
160	2,6	1,6	20/16	Bosch/ Festool	18	1	1	752406	8717472813107	00.00	00.00
					36	1	1	752407	8717472813114	00.00	00.00
					48	1	1	752408	8717472813121	00.00	00.00
165	2,6	1,6	20	C6(B)UY Makita/ Metabo	18	1	1	752480	8717574014280	00.00	00.00
					36	1	1	752481	8717472813589	00.00	00.00
					48	1	1	752482	8717472813596	00.00	00.00
165	2,6	1,6	30/20	C6U/C6U2/C6BU/ C6BU2/C6MFA/ Makita	18	1	1	752416	8717472813169	00.00	00.00
					36	1	1	752417	8717472813176	00.00	00.00
					48	1	1	752418	8717472813183	00.00	00.00
170	2,6	1,6	30/20	Bosch/ Festool/Elu	18	1	1	752421	8717472813190	00.00	00.00
					36	1	1	752422	8717472813206	00.00	00.00
					48	1	1	752423	8717472813213	00.00	00.00
180	2,6	1,6	30/20	Festool/ Holzher/Elu	18	1	1	752426	8717472813220	00.00	00.00
					36	1	1	752427	8717472813237	00.00	00.00
					48	1	1	752428	8717472813244	00.00	00.00
185	2,6	1,6	30	C7U/C7BU	18	1	1	752431	8717472813251	00.00	00.00
					36	1	1	752432	8717472813268	00.00	00.00
					48	1	1	752433	8717472813275	00.00	00.00
190	2,6	1,6	20	C7(B)UY Kress/ Metabo	18	1	1	752483	8717472813602	00.00	00.00
					36	1	1	752484	8717472813619	00.00	00.00
					48	1	1	752485	8717574014297	00.00	00.00
190	2,6	1,6	30	C7BU2/C7MFA/ C7SS/C7U2/ Bosch/DeWalt/ Festool/Makita	18	1	1	752436	8717472813282	00.00	00.00
					36	1	1	752437	8717472813626	00.00	00.00
					48	1	1	752438	8717472813299	00.00	00.00
210	2,6	1,6	30	C8U	18	1	1	752441	8717472813305	00.00	00.00
					36	1	1	752442	8717472813312	00.00	00.00
					60	1	1	752443	8717472813329	00.00	00.00
230	2,8	1,8	30	Bosch	18	1	1	752451	8717472813374	00.00	00.00
					36	1	1	752452	8717472813381	00.00	00.00
					60	1	1	752453	8717472813398	00.00	00.00
235	2,6	1,6	30	C9BU2/C9U/ C9U2 Makita	18	1	1	752456	8717472813404	00.00	00.00
					24	1	1	752455	8717574000382	00.00	00.00
					36	1	1	752457	8717472813411	00.00	00.00
240	2,8	1,8	30	PSM9/PSM9A Festool/DeWalt	60	1	1	752458	8717472813428	00.00	00.00
					18	1	1	752461	8717472813442	00.00	00.00
					36	1	1	752462	8717472813459	00.00	00.00
335	2,8	1,8	30	C13U	48	1	1	752463	8717472813466	00.00	00.00
					24	1	1	752476	8717472813541	00.00	00.00
					40	1	1	752477	8717472813558	00.00	00.00
					60	1	1	752478	8717472813565	00.00	00.00



The 230 – 335 mm saw blades have noise reducing lasered dentations.

Circular Saw Blades for laminate and melamine



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
160	2,2	1,6	20	C9BU2/C9U/C9U2 Makita	48	1	1	4100001	8717574061048	00.00	00.00
					56	1	1	4100002	8717574061055	00.00	00.00
160	2,2	1,6	30	C9BU2/C9U/C9U2 Makita	48	1	1	4100003	8717574061062	00.00	00.00
					56	1	1	4100004	8717574061079	00.00	00.00

Circular Saw Blades for inox



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
185	2,0	1,6	20	CD7SA	48	1	1	752435	8717574011968	00.00	00.00

This saw blade has noise reducing lasered dentations.

Circular Saw Blades for cutting metal



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
185	2,0	1,6	20	CD7SA	48	1	1	752434	8717574011951	00.00	00.00

This saw blade has noise reducing lasered dentations.


Circular Saw Blades for aluminium and laminates



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
165	2,8	2,2	30/20	C6(B)U(2/3)(M) C6MFA/Makita	42	1	1	752419	8717574000405	00.00	00.00
190	2,8	2,2	30	C7(B)U(2/3)(M)/C7MFA C7SS/Bosch/DeWalt Festool/Makita	54	1	1	752439	8717574000412	00.00	00.00
210	2,8	2,2	30	C8U	54	1	1	752444	8717574000429	00.00	00.00
235	2,4	1,8	30	C9(B)U(2/3) Makita	64	1	1	752459	8717472813435	00.00	00.00
335	2,5	1,8	30	C13U	84	1	1	752479	8717472813572	00.00	00.00

The 235 – 335 mm saw blades have noise reducing lasered dentations.


Circular Saw Blades for wood



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
216	2,2	1,6	30	C8FC/C8FS/C8FSE/C8FSHE/DeWalt	18	1	1	752446	8717472813336	00.00	00.00
					36	1	1	752447	8717472813343	00.00	00.00
					60	1	1	752448	8717472813350	00.00	00.00
255	2,4	1,8	30	C10FCB/C10FCH/C10FCH2/C10FSB/C10FSH/C10RA	24	1	1	4100023	8717574065596	00.00	00.00
					48	1	1	4100024	8717574065602	00.00	00.00
					60	1	1	4100025	8717574065619	00.00	00.00
305	2,8	1,8	30	C12FCH/C12LC/C12LCH/C12LSH/C12RSH/C12YA/C12YB	24	1	1	752486	8717472819758	00.00	00.00
					40	1	1	752487	8717472819765	00.00	00.00
					60	1	1	752488	8717472819772	00.00	00.00

These saw blades have noise reducing lasered dentations.


Circular Saw Blades for inox



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
305	2,2	1,8	25,4	CD12F	60	1	1	752473	8717574017380	00.00	00.00
					80	1	1	4100006	8717574061086	00.00	00.00

These saw blades have noise reducing lasered dentations.

Circular Saw Blades for metal



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
305	2,2	1,8	25,4	CD12F	60	1	1	752471	8717472813527	00.00	00.00

These saw blades have noise reducing lasered dentations.

Circular Saw Blades for aluminium and laminates



Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
216	2,8	2,2	30	C8FC/C8FS/C8FSE/C8FSHE/DeWalt	60	1	1	752449	8717472813367	00.00	00.00
255	2,8	2,2	30	C10FCB/C10FCH/C10FSB/C10FSH/C10RA	60	1	1	752469	8717472813503	00.00	00.00
					80	1	1	752470	8717472813510	00.00	00.00
305	2,8	2,2	30	C12FCH/C12LC/C12LCH/C12LSH/C12RSH/C12YA/C12YB	96	1	1	752489	8717472819789	00.00	00.00

These saw blades have noise reducing lasered dentations.

Reduction Rings

Outside Ø (mm)	Inside Ø (mm)	Size (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
30,0	16,0	1,4	1	1	752491	8717472815217	00.00	00.00
30,0	20,0	1,4	1	1	752493	8717472815231	00.00	00.00
30,0	25,0	1,4	1	1	752494	8717472815248	00.00	00.00

Circular Saw Blades for cordless power tools

- 1 Rotation direction
- 2 Number of teeth
- 3 Application in pictogram
- 4 Blade dimensions
- 5 HiKOKI part number
- 6 Quality level 'stars'
- 7 Application in wording
- 8 Tooth setting
- 9 Maximum RPM
- 10 Production serial number
- 11 Suitable for cordless tools
- 12 Safety advices



Especially for the range of Cordless Power Tools, HiKOKI developed a special range of saw blades of the highest quality, using the latest production techniques.

Cordless Power Tools require saw blades with less friction and resistance in order to extend the battery runtime and thus the available time to work on one battery load. Therefore, saw blades with an extra thin kerf thickness - up to 30% depending on diameter and application - are designed to improve cutting speed and reduce the energy consumption of the battery.

The thin kerf require a higher quality of the extra thin blade body, achieved by laser-cut high quality steel plates with extra attention to tensioning, pre-stressing and heat treatment to guarantee higher stability and to avoid deviation during long cuts.

To acquire the optimal level of cutting results, a special grinding of the teeth is applied to achieve an optimized tooth geometry with less friction, optimized chip formation and chip removal and allowing smooth cutting with less energy possible.

Applications:
The range of saw blades covers a wide range of applications, like wood and Aluminium or laminates. For the special cordless metal saw, blades are available for Metal or Aluminium. For cutting Inox, the saw blade is equipped with teeth made of Cermet, a special ceramic, heat-resistant and low-wear metal grain for an extended lifetime.

However, be aware if your saw has a riving knife. While riving knives provide a wonderful safety measure, you have to match the thickness of the riving knife with the kerf of your blades (or vice versa) - if the riving knife is thicker than the blade, you can't make the cut.



Circular Saw Blades for wood extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
125	1,5	1,0	20	C3605DA/ C3605DYA/ C5MEY	18	1	1	4100031	8717574065848	00.00	00.00
					30	1	1	4100032	8717574065855	00.00	00.00
165	1,8	1,2	20	C6MEY/C18DGL/ C18DBAL	48	1	1	752414	8717574051872	00.00	00.00
					56	1	1	752415	8717574051889	00.00	00.00
165	1,8	1,2	30/20	C6DD/C18DL/ C18DMR/C18DSL	48	1	1	752412	8717472813145	00.00	00.00
					56	1	1	752413	8717472813152	00.00	00.00
185	1,8	1,2	30	C3607DA	24	1	1	4100021	8717574065442	00.00	00.00
					42	1	1	4100022	8717574065459	00.00	00.00
190	1,8	1,2	30	C3607DB C1807DA	24	1	1	4100027	8717574071061	00.00	00.00
					42	1	1	4100028	8717574071078	00.00	00.00



Circular Saw Blades for inox extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
125	1,5	1,0	20	CD3605DA	28	1	1	4100033	8717574065862	00.00	00.00



Circular Saw Blades for metal extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
125	1,5	1,0	20	CD3605DA	28	1	1	4100034	8717574065879	00.00	00.00



Circular Saw Blades for aluminium and laminates extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
125	1,5	1,0	20	CD3605DA	28	1	1	4100035	8717574065886	00.00	00.00



Circular Saw Blades for wood extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
255	2,4	1,8	30	C3610DRA	24	1	1	4100023	8717574065596	00.00	00.00
					48	1	1	4100024	8717574065602	00.00	00.00
					60	1	1	4100025	8717574065619	00.00	00.00



Circular Saw Blades for aluminium and laminates extra thin

Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	For use with	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
255	2,4	1,8	30	C3610DRA	80	1	1	4100026	8717574065831	00.00	00.00

Poly Crystalline Diamond (PCD) Circular Saw Blades

- 1 **Rotation direction**
- 2 **Number of teeth**
- 3 **Application in pictogram**
- 4 **Blade dimensions**
- 5 **HiKOKI part number**
- 6 **Quality level 'stars'**
- 7 **Application in wording**
- 8 **Tooth setting**
- 9 **Maximum RPM**
- 10 **Production serial number**
- 11 **Safety advices**



The HiKOKI Poly Crystalline Diamond (PCD) saw blades consists of a steel body on which hard metal elements are soldered on which a diamond coating is sintered. The result is a tooth that is three times harder than tungsten carbide and reaches a multiple of cuts lives in suitable materials. Over many years, the PCD saw blades have proven their value in chipboard, fiber boards as well as in abrasive materials. Due to the extended life time, they are an economic efficient tool for these applications.

The technical design of these saw blades is created to establish an excellent chip removal thanks to the large chip evacuation gap and an easy and fast cutting due to the large cutting angle of the teeth. Thanks to the thin kerf blade a fast and clean cut is reached and the user is exposed to less dust. The PCD saw blades are extremely suitable for trimming and finish cuts in cement-bound boards, gypsum boards, Corian, melamine, laminate, MDF, and other particle boards and thermosetting plastics.

Circular Saw Blades for cement-bonded boards, gypsum and mdf



	Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	160	2,2	1,6	20	8	1	1	4100011	8717574061093	00.00	00.00
	160	2,2	1,6	30	8	1	1	4100012	8717574061109	00.00	00.00
	180	2,2	1,6	30	8	1	1	4100013	8717574061116	00.00	00.00
	190	2,2	1,6	20	8	1	1	4100014	8717574061123	00.00	00.00
	190	2,2	1,6	30	8	1	1	4100015	8717574061130	00.00	00.00
	230	2,2	1,6	30	15	1	1	4100017	8717574061154	00.00	00.00

Circular Saw Blades for cement-bonded boards, gypsum and mdf







	Ø (mm)	Kerf size (mm)	Plate size (mm)	Arbor hole (mm)	Teeth	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	210	2,2	1,6	30	12	1	1	4100016	8717574061147	00.00	00.00
	250	2,2	1,6	30	16	1	1	4100018	8717574061161	00.00	00.00
	300	2,2	1,6	30/25,4	20	1	1	4100019	8717574061178	00.00	00.00





These saw blades have noise reducing lasered dentations

Circular Saw Accessories



Workstations

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Workstation UU240F Suitable for all HiKOKI and Hitachi mitre and chop saw machines. Size of the extended stand: 150 x 84 x 87 cm (LxWxH) Weight excl. machine: 22,7 kg Maximum load: 181 kg Maximum length of material to be cut: 2,4 m</p>	1	1	4100090	8717574066456	00.00	00.00
 <p>Tool mount kit for UU240F For quick change of different machines on same stand</p>	1	1	4100095	8717574066463	00.00	00.00
 <p>Universal workstation Suitable for all HiKOKI and Hitachi mitre and chop saw machines Size of the extended stand: 142 x 65 x 92 cm (LxWxH) Weight excl. machine: 27,7 kg Maximum load: 136 kg Maximum length of material to be cut: 2,4 m</p>	1	1	712650	8717574042542	00.00	00.00
 <p>Tool mount kit for universal workstation For quick change of different machines on same stand</p>	1	1	712651	8717574042559	00.00	00.00

Accessories for C3606DPA






Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Rip Fence</p>	1	1	4100082	8717574069372	00.00	00.00
 <p>Dust Bag</p>	1	1	380150	4549115283459	00.00	00.00

Guide Rail for circular saw machines




Description	Dimensions (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Guide Rail GR 800</p>	800	1	1	4100071	8717574069297	00.00	00.00
 <p>Guide Rail GR 1600</p>	1600	1	1	4100072	8717574069303	00.00	00.00

Suitable for HiKOKI C6BUM, C7BUM and C3606DPA. Compatible with many hand-held circular saws from other manufacturers that are suitable for guide rail use (Metabo, Festool, Bosch, Makita, Hilti and others)

Accessories for guide rail

Description	Dimensions (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Nylon carrying bag for Guide Rail GR1600</p>	1660	1	1	379259	4549115282711	00.00	00.00
 <p>Connector Adaptor</p>	360	1	1	4100080	8717574069358	00.00	00.00
 <p>Mitre Fence</p>		1	1	379264	4549115282704	00.00	00.00
 <p>Steel screw clamp for guide rail</p>	120	1	1	711237	8717574043693	00.00	00.00
 <p>Steel lever clamp for guide rail</p>	160	1	1	711238	8717574043709	00.00	00.00

Spare parts for guide rail

Description	Dimensions (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Sliding Coating</p>	1700	1	1	4100078	8717574069334	00.00	00.00
 <p>Anti-Slip Coating</p>	1700	1	1	4100079	8717574069341	00.00	00.00
 <p>Splinter Protection</p>	1700	1	1	4100077	8717574069327	00.00	00.00



Jigsaw Blades

Working with HiKOKI

Circles, straight lines, holes and trimming - with HiKOKI jigsaw blades you can cut just about any shape. HiKOKI has created a wide range of jigsaw blades for all jobs in many types of material and for all imaginable applications. Straight cuts, fine cuts, without splintering or at high speed - almost anything is possible.

HiKOKI jigsaw blades are extremely strong and durable, thanks to the use of high-quality materials.

Material

High Carbon Steel (HCS) is used to cut softer materials such as wood, plastic and plastic-, coated chipboard.

High Speed Steel (HSS) fully hardened saw blades are used to cut harder materials such as metal, aluminum and non-ferrous metals.

Bi-Metal (BiM) blades are the perfect combination of a durable HSS strip welded on a flexible HCS base. This type of blade is used if there is a risk of shank breakage. Especially suitable for use in hardwood, hard plastics and various types of metal.

Tungsten Carbide (HM/TC) saw blades are powerful thanks to the high abrasion resistance of carbide. The different types vary from carbide tip, strip and grit, available for cutting stainless steel, glass fiber reinforced plastics and even tiles.


Blade Production

Milling:
The saw blade is milled giving a faster production time. The teeth are quite rough and will cut almost all materials at high speed.


Grinding:
The grinding process gives finer teeth and therefore a finer cut of better quality suitable for fine materials. The rake of the teeth also plays a role and prevents the saw blade jamming in the material being cut.

Teeth Geometry


Milled Side set:
The teeth are set out of line with each other to speed up sawing. Result is a relatively rough cut.




Milled Wavy set:
The teeth are wavy set. This provides a finer cut in almost all materials.



Ground Side set:
The blade is ground and therefore the teeth are sharper, for fast rough cuts in wood.



Taper ground/ Conical:
The blade is ground to a taper shape, which enables kerf clearance. The sharp teeth achieve a fine precise cut in wood and plastic.



Progressive:
This saw blade is executed with a progressively increasing tooth pitch, which combines good sawing speed with a smooth finish.

Navigating instructions

In the chart on the first pages the entire range of HiKOKI jigsaw blades and their application is depicted. When navigating based on your specific application, you can easily find which product suits your demands best, accompanied by its technical specifications.

The subsequent pages show you detailed product specifications of all HiKOKI jigsaw blades, classified by application.

In the subsequent blade descriptions, the first number in size markings expresses total length, followed by toothed length. The actual useful length depends on brand and type of the machine employing the blade.

We have selected the most suitable blades for a wide range of materials. These can be easily selected by the color-coding system and pictograms mentioning the specific usage and application.

Colour code

- Stainless steel The TC-strip configuration allows these blades to be used in Inox sheet metal, hardened screws and nails up to maximum 50HRC.
- Metal Bi-Metal saw blades for cutting softer- and non-ferrous metals.
- Wood+ metal Saw blade with progressive Bi-Metal teeth enable fast wood cutting and sawing of non-hardened screws and nails.
- Wood For wood cutting applications the coarse and sharpened teeth give optimal results. Use a BiM blade for cutting hard wood.
- Abrasives Carbide gritted blades for cutting tiles and Carbide Tipped blades for cutting plaster board, glass fiber reinforced plastics/epoxy and fiber cement boards.

Technical specifications

• Pre-eminently suitable for

	Type	Item	Bosch equivalent	Total length	Toothed length	Height	Thickness	Pitch	Material	Stainless steel	Metal plate, pipes, profiles	Sheet metal	Closed pipes, profiles	Aluminium	Sandwich material	Metal sandwich materials	Construction timber with nails	Softwood, boards	Plastic	Plywood	Parquet	Coarse wood	Laminate boards	Plaster board	Fiber cement	Ceramic walltiles
Inox	JM18I	750011	T118EHM	82,6	56,0	9,3	1,0	1,4	18	HM/TC	•															
Metal	JM12B	750090	T121GF	91,5	68,0	9,7	0,9	0,8	32	BIM		0,5-1,5 mm														
	JM13B	750091	T121AF	91,5	68,0	9,7	0,9	1,1	24	BIM		1-3 mm														
	JM10	750038	T118A	91,5	65,0	7,5	1,0	Progress.	17-24	HSS		1-3 mm														
	JM10B	750039	T118AF	91,5	65,0	7,5	1,0	Progress.	17-24	BIM		1-3 mm														
	JM40B	750089	T318AF	132,0	105,0	7,5	1,0	1,1	24	BIM		1-3 mm	< 65 mm	< 65 mm												
	JPM20	750033	T123XF	100,4	75,0	8,6	1,0	Progress.	10-20	BIM		1,5-10 mm	< 30 mm	< 30 mm												
	JM11	750040	T118B	91,5	65,0	7,5	1,0	Progress.	11-14	HSS		2,5-6 mm														
	JM11B	750041	T118BF	91,5	65,0	7,5	1,0	Progress.	11-14	BIM		2,5-6 mm														
	JM41B	750032	T318BF	132,0	105,0	7,5	1,0	1,8	14	BIM		2,5-6 mm	< 65 mm	< 65 mm	•				< 65 mm							
	JM80B	750088	T1018AFP	250,0	220,0	16,0	1,6	1,1	24	BIM						•										
	JM20	750012	T127D	100,4	75,0	7,5	1,0	3,0	8	HSS		3-15 mm		< 30 mm					< 30 mm							
	JUM10	750026	U118A	70,0	50,0	7,5	0,8	1,1	24	HSS		1-3 mm														
JUM11	750025	U118B	70,0	50,0	7,5	1,0	1,8	14	HSS		2,5-6 mm															
Wood + metal	JPU10	750031	T345XF	132,0	105,0	10,0	1,25	Progress.	5-10	BIM	•			3-10 mm					< 65 mm			< 65 mm				
Wood	JW10C	750036	T101AO	76,6	54,0	4,7	1,25	1,4	18	HCS								1,5-15 mm		1,5-15 mm			2-30 mm			
	JW30	750042	T119B	91,5	65,0	7,5	1,0	Progress.	11-14	HCS								2-15 mm		2-15 mm						
	JPW30	750029	T234X	116,5	90,0	9,2	1,5	Progress.	8-12	HCS								2-65 mm								
	JW10R	750019	T101BR	100,4	75,0	7,2	1,5	2,5	10	HCS								3-30 mm					3-30 mm			
	JW10	750044	T101B	100,4	75,0	7,2	1,5	2,5	10	HCS								3-30 mm	< 30 mm							
	JW20	750021	T111C	100,4	75,0	7,5	1,25	3,0	8	HCS								4-50 mm								
	JW40	750043	T144D	100,4	75,0	7,2	1,25	Progress.	5-8	HCS								5-50 mm								
	JW50	750046	T244D	100,4	75,0	6,0	1,25	Progress.	5-8	HCS								5-50 mm								
	JW40L	750028*	T344DP	132,0	107,0	7,2	1,7	4,0	6	HCS								5-100 mm				< 100 mm				
	JW80	750087	T1044DP	250,0	220,0	16,0	1,6	4,0	6	HCS								5-150 mm				< 150 mm				
	JW11	750045	T101D	100,4	75,0	7,2	1,5	Progress.	5-8	HCS								10-45 mm								
	JW60	750027	T301CD	116,5	90,0	7,2	1,5	3,0	8	HCS								10-65 mm								
	JW10F	750037	T101AIF	100,4	74,0	7,5	1,25	1,7	15	BIM								2-30 mm	< 30 mm		•		2-30 mm			
	JUW10	750024	U101B	91,5	70,0	7,2	1,25	2,5	10	HCS								3-30 mm	< 30 mm							
	JUW20	750023	U111C	91,5	70,0	7,5	1,25	3,0	8	HCS								4-50 mm								
Stone	JC10	750047	T130RF	82,6	56,0	8,0	0,8	Gritted Grain 30	HM/TC																•	
	JA10	750030	T141HM	100,4	75,0	7,4	1,25	4,0	6	HM/TC									5-20 mm				5-50 mm		•	
	JA20	750085	T341HM	132,0	107,0	7,4	1,25	4,0	6	HM/TC									5-50 mm				5-50 mm		•	

* = not suitable for use with CJ65V3


































Stainless steel	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JM18I	2	1	750011	8717472818119	00.00	00.00
		82,6 / 56,0 x 9,3 x 1,0 mm					






















Metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JM12B	5	1	750090	8717574050707	00.00	00.00
		91,5 / 68,0 x 9,7 x 0,9 mm					
	JM13B	5	1	750091	8717574050714	00.00	00.00
		91,5 / 68,0 x 9,7 x 0,9 mm					
	JM10	5	1	750038	8717472816047	00.00	00.00
		91,5 / 65,0 x 7,5 x 1,0 mm					
	JM10B	5	1	750039	8717472816061	00.00	00.00
		91,5 / 65,0 x 7,5 x 1,0 mm					
	JM40B	5	1	750089	8717574050691	00.00	00.00
		132,0 / 105,0 x 7,5 x 1,0 mm					
	JPM20	5	1	750033	8717154654028	00.00	00.00
		100,4 / 75,0 x 8,6 x 1,0 mm					










Metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JM11	5	1	750040	8717472816085	00.00	00.00
		91,5 / 65,0 x 7,5 x 1,0 mm					
	JM11B	5	1	750041	8717472816108	00.00	00.00
		91,5 / 65,0 x 7,5 x 1,0 mm					
	JM41B	5	1	750032	8717154654011	00.00	00.00
		132,0 / 105,0 x 7,5 x 1,0 mm					
	JM80B	3	1	750088	8717574050684	00.00	00.00
		250,0 / 220,0 x 16,0 x 1,6 mm					
	JM20	5	1	750012	8717154654004	00.00	00.00
		100,4 / 75,0 x 7,5 x 1,0 mm					

Metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JUM10	5	1	750026	8717154654073	00.00	00.00
		70,0 / 50,0 x 7,5 x 0,8 mm					
	JUM11	5	1	750025	8717154654080	00.00	00.00
		70,0 / 50,0 x 7,5 x 1,0 mm					

Wood + metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JPU10	5	1	750031	8717154653939	00.00	00.00
		132,0 / 105,0 x 10,0 x 1,25 mm					

Wood	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JW10C	5	1	750036	8717154659153	00.00	00.00
	 18 TPI 76,6 / 54,0 x 4,7 x 1,25 mm						
							
	JW30	5	1	750042	8717472816122	00.00	00.00
	 11-14 TPI 91,5 / 65,0 x 7,5 x 1,0 mm						
							
	JPW30	5	1	750029	8717154653915	00.00	00.00
	 8-12 TPI 116,5 / 90,0 x 9,2 x 1,5 mm						
							
	JW10R	5	1	750019	8717154653885	00.00	00.00
	25	1	750182	8717574051049	00.00	00.00	
	 10 TPI 100,4 / 75,0 x 7,2 x 1,5 mm						
							
	JW10	5	1	750044	8717472816160	00.00	00.00
	25	1	750183	8717574051056	00.00	00.00	
	 10 TPI 100,4 / 75,0 x 7,2 x 1,5 mm						
							
	JW20	5	1	750021	8717154653830	00.00	00.00
	25	1	750184	8717574051063	00.00	00.00	
	 8 TPI 100,4 / 75,0 x 7,5 x 1,25 mm						
							
	JW40	5	1	750043	8717472816146	00.00	00.00
	25	1	750185	8717574051070	00.00	00.00	
	 5-8 TPI 100,4 / 75,0 x 7,2 x 1,25 mm						
							
	JW50	5	1	750046	8717472816207	00.00	00.00
	 5-8 TPI 100,4 / 75,0 x 6,0 x 1,25 mm						
							

Wood	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JW40L	5	1	750028	8717154653861	00.00	00.00
	 6 TPI 132,0 / 107,0 x 7,2 x 1,7 mm						
							
	JW80	3	1	750087	8717574050677	00.00	00.00
	 6 TPI 250,0 / 220,0 x 16,0 x 1,6 mm						
							
	JW11	5	1	750045	8717472816184	00.00	00.00
	 5-8 TPI 100,4 / 75,0 x 7,2 x 1,5 mm						
							
	JW60	5	1	750027	8717154653908	00.00	00.00
	 8 TPI 116,5 / 90,0 x 7,2 x 1,5 mm						
							
	JW10F	5	1	750037	8717154659160	00.00	00.00
	 15 TPI 100,4 / 74,0 x 7,5 x 1,25 mm						
							

Wood	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	JUW10	5	1	750024	8717154654066	00.00	00.00
	 10 TPI 91,5 / 70,0 x 7,2 x 1,25 mm						
							
	JUW20	5	1	750023	8717154654059	00.00	00.00
	 8 TPI 91,5 / 70,0 x 7,5 x 1,25 mm						
							

Abrasive		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		JC10	2	1	750047	8717472817938	00.00	00.00
		82,7 / 56,0 x 8,0 x 0,8 mm						
		JA10	2	1	750030	8717154653922	00.00	00.00
		100,4 / 75,0 x 7,4 x 1,25 mm						
		JA20	3	1	750085	8717574014242	00.00	00.00
		132,0 / 107,0 x 7,4 x 1,25 mm						

Jigsaw Blades - sets

METAL		Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		10-pcs assorted blades cassette, consisting of: 2x JW20 2x JW40 1x JW10C 2x JW10 1x JW10R 2x JM10	10	1	750049	8717154659177		

Reciprocating Saw Blades

A comprehensive range

Complementing its professional electrical tools HiKOKI offers a full range of blades for reciprocating saws.

Optimal results through optimal quality

No concessions have been made concerning quality; HiKOKI reciprocating saw blades are fit for a huge range of applications. Whether it's cutting through thick surfaces or cutting off a piece of pipe, HiKOKI has developed specific types of blade for any kind of shape and any object material.

The materials

This focus on quality shows in the selection of blade materials.

BIM:

Extremely flexible bimetal saw blades. Features a "Matrix II" teeth setting for high speed cutting. Suitable for pipes, profiles and corrugated materials.

HAS:

Saw blades manufactured with quality steel, suited for processing of non-ferrous metal, light stone types, and wood with nails.

HCS:

Saw blades manufactured high carbon steel. Specifically developed for cutting softer materials, like wood, laminate boards, and plastics.

HM/TC:

Saw blades with an extended life span. For cutting stainless steel, fiberglass materials, construction materials and other hard materials.

INOX:

Non-lacquered inox blade for cutting ice, frozen meat and game.

Curved blades

HiKOKI offers already for many years the highly appreciated curved blades. An aggressive blade design with special radius optimizes the blade's angle of attack for faster cutting in a variety of metals. Especially well-suited for heavy-duty applications in steel and stainless steel.

Highly specialized application

HiKOKI Power Tools has developed a number of unique reciprocating saw blades for specific applications. You can find these specific details on the packaging.

Flexible

Types 752012 and 752022 provide the desired flexibility for use in confined spaces.

Progressor

The special cutting teeth setting of types 752018, 752024 and 752033 enable extremely fast and 'shatter proof' cutting.

Gritted

Type 752039 offers a grinding type of saw blade, specifically suited for working glass and sewer pipes.

Suited for the more common brands of electrical reciprocating saws

HiKOKI saw blades are made for operating with the universal 1/2" fixing mechanism. This makes them suitable for use with a wide range of brands of saw. Suitability for different brands is shown on the packaging.

Navigating instructions

In the chart on the first pages of this section, the entire range of HiKOKI reciprocating saw blades and their applications is depicted. When navigating based on your specific application demand, you can easily find which product suits your demands best, accompanied by its technical specifications.

The subsequent pages show you detailed product specifications of all HiKOKI reciprocating saw blades, classified by application type.

In the subsequent blade descriptions, the first number in size markings expresses total length, followed by toothed length. The actual useful length is dependent on brand and type of the machine employing the blade.

Colour code	
	The special teeth configuration allows the curved blades to cut stainless steel without a problem. The blade with TC strip is well suited for thin stainless profiles and sheets.
	Bi-Metal saw blades for cutting normal steel- and non-ferrous metals. The 2x2 teeth setting is optimized for heavy-duty applications and thick work pieces.
	Saw blades with bigger Bi-Metal teeth enable fast cutting of wood containing non-hardened screws and nails. Use specifically for wood with steel elements or hardened nails the (HM) carbide tipped blades.
	For wood cutting applications, the coarse pitch and ground teeth give optimal results.
	Carbide tipped blades for cutting red brick, porous concrete and fiber cement boards.
	To encounter specific saw applications, this range offers blades varying from cutting cast iron, ice/ frozen meat and plaster through isolation materials, cardboard and carpets.






















Technical specifications:

- Pre-eminently suitable for
- o Also suitable for

		Bosch equivalent	Total length	Toothed length	Height	Thickness	Pitch	TPI	Material	Stainless steel	Metals	Sheet metals	Perf. sheet metal	Profiles	Metal pipes	Thin pipes	Non-ferrous metals	Aluminium	Steel pipes, cast pipes	Fibre materials	GFK/FRP	PVC / plastic materials	Plastic profiles	Wood with steel elements	Wood with hardened screws / nails	Pallets	Wood with nails	Solid wood	Chipboard	Sandwich materials / cement bonded chipboard	Metal stud		
Type	Item		mm	mm	mm	mm	mm																										
Inox	RCM30B	752043	---	150,0	128,5	19,0	0,90	1,8	14	BiM	•	•																					
	RCM40B	752044	---	200,0	178,5	19,0	0,90	1,8	14	BiM	•	•																					
	RCM50B	752045	---	250,0	228,5	19,0	0,90	1,8	14	BiM	•	•																					
	RS10	752035	S518EHM	115,0	93,5	19,0	1,25	1,4	18	HM/TC	•	o									•												
Metal	RCM31B	752676	---	150,0	128,5	19,0	0,90	1,8	14	BiM	•	o		•	•																		
	RCM41B	752677	---	225,0	203,5	19,0	0,90	1,8	14	BiM	•	o		•	•																		
	RCM32B	752678	---	150,0	128,5	19,0	0,90	1,8-2,6	10-14	BiM	•	o		•	•																		
	RCM42B	752679	---	225,0	203,5	19,0	0,90	1,8-2,6	10-14	BiM	•	o		•	•																		
	RM39B	752681	S921CHF	150,0	128,5	25,0	1,10	2,5-3,0	8-10	BiM	•		•		•																		
	RM49B	752682	S1121CHF	225,0	203,5	25,0	1,10	2,5-3,0	8-10	BiM	•				•																		
	RM38B	752683	S921BEF	150,0	128,5	25,0	1,10	1,4-1,8	14-18	BiM	•	o			o	•																	
	RM48B	752684	S1121BEF	225,0	203,5	25,0	1,10	1,4-1,8	14-18	BiM	•	o			o	•																	
	RM44B	752021	S1120CF	225,0	203,5	22,0	1,60	2,5-3,0	8-10	BiM	•		•		•																		
	RM37B	752020	S920CF	150,0	128,5	22,0	1,60	2,5-3,0	8-10	BiM	o		•		•																		
	RM50B	752019	S1025VF	200,0	178,5	19,0	1,25	1,8-2,6	10-14	BiM	•	o	•		•																		
	RPM30B	752018	S123XF	150,0	128,5	19,0	0,90	Progress.	8-14	BiM	•	o	•		o		•	•															
	RM43B	752017	S1122BF	225,0	203,5	19,0	0,90	1,8	14	BiM	•	o			•		•	o	o	o													
	RM36B	752016	S922BF	150,0	128,5	19,0	0,90	1,8	14	BiM	•	•			o		•	o	o	o													
	RM42B	752014	S1122EF	225,0	203,5	19,0	0,90	1,4	18	BiM	•	•			o		o																
	RM34B	752012	S922AF	150,0	128,5	19,0	0,90	1,0	24	BiM	•	•			o																		
RM11B	752015	S422BF	100,0	78,5	8,0	0,90	1,8	14	BiM	•						•	o																
Wood + metal	RPD33B	752685	S956XHM	150,0	128,5	25,0	1,25	Progress.	6-8	HM/TC														•	•								
	RPD43B	752686	S1156XHM	225,0	203,5	25,0	1,25	Progress.	6-8	HM/TC														•	•								o
	RW50B	752027	S1411DF	305,0	283,5	19,0	1,25	4,0	6	BiM													•				•	•	•	o		o	
	RD50B	752028	S1110DF	225,0	203,5	22,0	1,60	4,0	6	BiM		o															•	•	•				
	RD31B	752025	S611DF	150,0	128,5	19,0	1,25	4,0	6	BiM														o		•	•	•	o				
	RD32B	752026	S711DF	150,0	128,5	12,0	1,25	4,0	6	BiM														o		•	o	o	o				
	RPD40B	752024	S3456XF	200,0	178,5	19,0	1,25	Progress.	6-12	BiM	•													o		•	o	o	•				
	RD70B	752023	S1222VF	305,0	283,5	19,0	0,90	1,8-2,6	10-14	BiM	•				•		o	o	o	o	o						o						•
	RD30B	752022	S922VF	150,0	128,5	19,0	0,90	1,8-2,6	10-14	BiM	•	o			•									o									o
RD40B	752048	S1122HF	225,0	203,5	19,0	0,90	2,5	10	BiM																•	•	o	o					

Technical specifications:

- Pre-eminently suitable for
- Also suitable for

	Type	Item	Bosch equivalent	Dimensions					TPI	Material	Steel pipes, cast pipes	Fibre materials	PVC / plastic materials	Solid wood	Chipboard	Plywood / wood combinations	Green wood	Lime-stone	Poroton	Sandwich materials / cement bonded chipboard	Plaster board	Aerated	Bricks	Tiles	Drywall	Ceramic wall tiles	Karpet	Isolation	Cardboard	Leather	Ice	Meat		
				Total length	Toothed length	Height	Thickness	Pitch																										
				mm	mm	mm	mm	mm																										
Wood	RPW80	752033	S2345X	200,0	178,5	19,0	1,25	Progress.	6-10	HCS		○	•	•																				
	RW30	752032	S1531L	240,0	218,5	19,0	1,50	5,0	5	HCS				○		•																		
	RW70	752031	S1344D	305,0	283,5	19,0	1,25	4,0	6	HCS			•	•	○	○																		
	RW10	752030	S644D	150,0	128,5	19,0	1,25	4,0	6	HCS			•	•	○																			
	RW60	752029	S1111K	225,0	203,5	19,0	1,25	8,5	3	HCS				○		•																		
Masonry	RB50	752040	S1543HM	240,0	193,5	22,0	1,50	12,7	2	HM/TC							•	•																
	RB70	752041	S1243HM	305,0	283,5	50,0	1,50	12,7	2	HM/TC							•	•																
	RB90	752042	S2243HM	457,0	432,2	50,0	1,50	12,7	2	HM/TC							•	•																
Special	RC10	752039	S1130RIFF	225,0	203,5	19,0	1,25	Gritted Grain 30		HM/TC	•	○										○	○	○	○									
	RW20	752034	S828D	150,0	128,5	19,0	1,00	4,0	6	HAS											•			•										
	RP10	752675	-	100,0	78,5	19,0	1,05	4,0	6	HCS			•	○	○	○																		
	RS72	752687	S1211K	305,0	283,5	19,0	1,25	8,5	3	INOX				○																	•	•		
	RS70	752037	S1241HM	305,0	283,5	22,0	1,50	8,5	3	HM/TC		•	•							○	○	•	○	○	○									
	RS80	752038	S2041HM	400,0	378,5	22,0	1,50	12,7	2	HM/TC		•	•							○	○	•	○	○	○									
	RS74	752688	S1213AWP	305,0	283,5	22,0	1,50	Serrated Knife		HCS																•	•	○	○					
	RS84	752689	S2013AWP	400,0	378,5	45,0	1,50	Serrated Knife		HCS																•	•	○	○					

Stainless steel	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RCM30B	3	1	752043	8717574003505	00.00	00.00
 	14 TPI 1.8 mm R = 90°	150,0 / 128,5 x 19,0 x 0,9 mm					
 	RCM40B	3	1	752044	8717574003512	00.00	00.00
 	14 TPI 1.8 mm R = 90°	200,0 / 178,5 x 19,0 x 0,9 mm					
 	RCM50B	3	1	752045	8717574003529	00.00	00.00
 	14 TPI 1.8 mm R = 90°	250,0 / 228,5 x 19,0 x 0,9 mm					
 	RS10	2	1	752035	5017658057633	00.00	00.00
	18 TPI 1.4 mm	115,0 / 93,5 x 19,0 x 1,25 mm					

Metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RCM31B	5	1	752676	8717574053661	00.00	00.00
 	14 TPI 1.8 mm R = 150°	150,0 / 128,5 x 19,0 x 0,9 mm					
 	RCM41B	5	1	752677	8717574053678	00.00	00.00
 	14 TPI 1.8 mm R = 150°	225,0 / 203,5 x 19,0 x 0,9 mm					
 	RCM32B	5	1	752678	8717574053685	00.00	00.00
 	10/14 TPI 1.8 mm R = 150°	150,0 / 128,5 x 19,0 x 0,9 mm					
 	RCM42B	5	1	752679	8717574053692	00.00	00.00
 	10/14 TPI 1.8 mm R = 150°	225,0 / 203,5 x 19,0 x 0,9 mm					

Metal	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RM39B	5	1	752681	8717574051155	00.00	00.00
 	8/10 TPI 3.2 mm	150,0 / 128,5 x 25,0 x 1,1 mm					
 	RM49B	5	1	752682	8717574051162	00.00	00.00
 	8/10 TPI 3.2 mm	225,0 / 203,5 x 25,0 x 1,1 mm					
 	RM38B	5	1	752683	8717574051179	00.00	00.00
 	14/18 TPI 1.8 mm	150,0 / 128,5 x 25,0 x 1,1 mm					
 	RM48B	5	1	752684	8717574051186	00.00	00.00
 	14/18 TPI 1.8 mm	225,0 / 203,5 x 25,0 x 1,1 mm					
 	RM44B	3	1	752021	5017658057558	00.00	00.00
 	8/10 TPI 3.2 mm	225,0 / 203,5 x 22,0 x 1,6 mm					
 	RM37B	3	1	752020	5017658057541	00.00	00.00
 	8/10 TPI 3.2 mm	150,0 / 128,5 x 22,0 x 1,6 mm					
 	RM50B	5	1	752019	5017658057534	00.00	00.00
 	10/14 TPI 1.8 mm	200,0 / 178,5 x 19,0 x 1,25 mm					
 	RPM30B	5	1	752018	5017658057527	00.00	00.00
 	8-14 TPI 1.8 mm	150,0 / 128,5 x 19,0 x 0,9 mm					
 	RM43B	5	1	752017	5017658057510	00.00	00.00
 	25	225,0 / 203,5 x 19,0 x 0,9 mm					
 	200	752691	8717574052404	00.00	00.00		
 	752696	8717574066371	00.00	00.00			
 	14 TPI 1.8 mm	225,0 / 203,5 x 19,0 x 0,9 mm					

Metal		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		RM36B	5	1	752016	5017658057503	00.00	00.00
			25	1	752692	8717574052411	00.00	00.00
		150,0 / 128,5 x 19,0 x 0,9 mm						
		RM42B	5	1	752014	5017658057480	00.00	00.00
			25	1	752693	8717574052428	00.00	00.00
		225,0 / 203,5 x 19,0 x 0,9 mm						
		RM10B	5	1	752674	8717574067712	00.00	00.00
		150,0 / 128,5 x 19,0 x 0,9 mm						
		RM35B	5	1	752013	5017658057473	00.00	00.00
			25	1	752694	8717574052435	00.00	00.00
		150,0 / 128,5 x 19,0 x 0,9 mm						
		RM34B	5	1	752012	5017658057466	00.00	00.00
		150,0 / 128,5 x 19,0 x 0,9 mm						
		RM11B	5	1	752015	5017658057497	00.00	00.00
		100,0 / 78,5 x 8,0 x 0,9 mm						

Wood + metal		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		RPD33B	1	1	752685	8717574051193	00.00	00.00
		150,0 / 128,5 x 25,0 x 1,25 mm						
		RPD43B	1	1	752686	8717574051209	00.00	00.00
		225,0 / 203,5 x 25,0 x 1,25 mm						
		RD10B	5	1	752680	8717574067736	00.00	00.00
		305,0 / 283,5 x 19,0 x 1,25 mm						


Hout + metaal		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		RW50B	5	1	752027	5017658054076	00.00	00.00
		305,0 / 283,5 x 19,0 x 1,25 mm						
		RD50B	3	1	752028	5017658057619	00.00	00.00
		225,0 / 203,5 x 22,0 x 1,6 mm						
		RD31B	5	1	752025	5017658057596	00.00	00.00
		150,0 / 128,5 x 19,0 x 1,25 mm						
		RD32B	5	1	752026	5017658057602	00.00	00.00
		150,0 / 128,5 x 12,0 x 1,25 mm						
		RPD40B	5	1	752024	5017658057589	00.00	00.00
			200	1	752006	8717574035063	00.00	00.00
		200,0 / 178,5 x 19,0 x 1,25 mm						
		RD70B	5	1	752023	5017658057572	00.00	00.00
		305,0 / 283,5 x 19,0 x 0,9 mm						
		RD30B	5	1	752022	5017658057565	00.00	00.00
			25	1	752695	8717574052442	00.00	00.00
		150,0 / 128,5 x 19,0 x 0,9 mm						
		RD40B	5	1	752048	8717574017670	00.00	00.00
			200	1	752005	8717574000443	00.00	00.00
		225,0 / 203,5 x 19,0 x 0,9 mm						

Wood	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RPW80	5	1	752033	5017658057626	00.00	00.00
	6-10 TPI 200,0 / 178,5 x 19,0 x 1,25 mm						
	RW30	5	1	752032	5017658054052	00.00	00.00
	5 TPI 240,0 / 218,5 x 19 x 1,5 mm						
	RW70	5	1	752031	5017658054182	00.00	00.00
	6 TPI 305,0 / 283,5 x 19,0 x 1,25 mm						
	RW10	5	1	752030	5017658054038	00.00	00.00
	6 TPI 150,0 / 128,5 x 19,0 x 1,25 mm						
	RW60	5	1	752029	5017658054175	00.00	00.00
	3 TPI 225,0 / 203,5 x 19,0 x 1,25 mm						

Masonry	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RB50	1	1	752040	8717574000122		
	2 TPI 12,7 mm 240,0 / 193,5 x 22,0 x 1,5 mm						
	RB70	1	1	752041	8717574000146		
	2 TPI 12,7 mm 305,0 / 283,5 x 50,0 x 1,5 mm						
	RB90	1	1	752042	8717574000160		
	2 TPI 12,7 mm 457,0 / 432,2 x 50,0 x 1,5 mm						

Special	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	RC10	2	1	752039	5017658057671	00.00	00.00
	3 TPI 225,0 / 203,5 x 19,0 x 1,25 mm						
	RW20	5	1	752034	5017658054045	00.00	00.00
	6 TPI 150,0 / 128,5 x 19,0 x 1,0 mm						
	RP10	5	1	752675	8717574067729	00.00	00.00
	6 TPI 100,0 / 78,5 x 19,0 x 1,05 mm						
	RS72	2	1	752687	8717574051216	00.00	00.00
	3 TPI 8,5 mm 305,0 / 283,5 x 19,0 x 1,25 mm						
	RS70	2	1	752037	5017658057657	00.00	00.00
	3 TPI 8,5 mm 305,0 / 283,5 x 22,0 x 1,5 mm						
	RS80	2	1	752038	5017658057664	00.00	00.00
	2 TPI 12,7 mm 400,0 / 378,5 x 22,0 x 1,5 mm						
	RS74	2	1	752688	8717574051223	00.00	00.00
	SHARP 305,0 / 283,5 x 22,0 x 1,5 mm						
	RS84	1	1	752689	8717574051230	00.00	00.00
	SHARP 400,0 / 378,5 x 45,0 x 1,5 mm						

Reciprocating Saws - sets

Description		PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	12-pcs assorted set, consisting of:	12	1	752049	8717574004557	00.00	00.00
	1x RM42B, 1x RM36B 1x RM50B, 2x RM43B 2x RPM30B, 1x RW10 2x RPW80, 2x RPD40B						

Band Saw Blades

HiKOKI Portable Band Saws


Small, portable, hand held band saw machines unavoidably possess very small pulley wheels which impose very high bend stresses in the blade as it tracks around them during use. These high stresses which exceed the "Fatigue Limit" stress of the blade material, inevitably mean that fatigue failure (premature blade fracture) will be a common failure mode in these small machines.

HiKOKI offers now a range of unique thin band saws with only a thickness of 0.35 mm with hitherto unattainable Fatigue endurance for small types of band saw machines.

Bi-Metal Sandwich

HiKOKI is using the unique Bi-Metal sandwich technology on its band saw blades, creating an outstanding durability and cutting performance.

In the conventional production of Bi-Metal band saws, the HSS steel is welded on the body as a strip. Using the Bi-Metal Sandwich technology, two strips of HSS are joined to a backing steel, using the principle of solid state diffusion bonding. With this technique, the contact area of the weld is increased with 170% ensuring exceptionally strong teeth.



170 % more weld contact

As the material in the centre of the blade is softer than the high speed steel material used for the teeth, this softer material will wear away and form a recess in between the two pieces of high speed steel. This creates multiple cutting edges for the teeth on the blade and generates thinner chips, which are more quickly and easily removed from the saw cut, increasing the cutting performance significantly.




Multiple cutting edges / split chip

Product Selection:

When cutting thinner sections a finer tooth pitch is required, where thick sections require coarser pitches. The chart is a good guideline, but since the limits values in the chart are broad and overlap, choose a coarser pitch if the speed of cut is most important. Choose a finer pitch if quality of finish prevails:

Thickness section	Vari Pitch
4 - 10	14 - 16
6 - 13	10 - 14

Vari pitch: Offers smoother cutting with the chance of less snagging, being ideal for thin section or sheet. The variable gullet depth and variable tooth pitch mean that there can be a sizable reduction in noise levels and vibration.

Metal		Dimension	Pitch TPI	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	900 x 13 x 0,35	14 / 18	1	1	750531	8717574055832	00.00	00.00	
			3	1	750532	8717574053654	00.00	00.00	

Proline Oscillating Multi Tools



More than Multiple

With having tools available to saw, scrape, cut, sand, rasp, grind, and polish, HiKOKI makes it possible to use your Oscillating Multi Tool to its full extend. Hence, the name "multi-tool" refers to the many functions that this tool can perform with the range of attachments available.

Flat or depressed

Use of an offset/ depressed center, in a blade allows the tool to cut flush with a surface. This is particularly useful when fitting flooring along a skirting board, cutting the skirting to allow the board to slide under for a neat finish. Also in case of HVAC applications, flush cutting pipe or tube in a wall or construction is done effortlessly.

Plunge cuts made easy

The small form of these tools and the ability to mount the blade in any orientation allows cutting in areas that previously seemed unreachable. To cut a precise or complex cut-out without the need to remove the work piece from where is, greatly increases the productivity. Small and precise cuts are possible, without the risk of wood splitting unwantedly, even on end grain.

Specific applications

Tile, joint and masonry attachments are either diamond or carbide coated. By means of the narrow angle of oscillation the user is able to clear grout between tiles or do light masonry work. The small and rapid rotation allows for precise control, creating friction and thus removing material.

Variety of sizes

For the smallest cut, select a blade with toothed width of 10 mm. Cutting bigger pieces of material can be done with a blade of 65 mm width. In between, a variety of sizes is available offering the optimal blade for each application. The tooth selection should always be based upon the material to cut and the finish desired. For Hard wood cutting for example, take the BiM blade with Japanese toothing for burr free cutting and an optimal accessory service life. When cutting wood with hardened nails, the TC-strip blade with 24TPI will perform best.

Every application has its own optimal blade, HiKOKI offers a blade for all applications.

You can easily select the correct blade by using the color coding system and pictograms mentioning the specific application.

Starlock

HiKOKI offers the latest innovation in OMT, the Starlock mounting system. The 3D connector enables maximum power transfer thanks to tight-fitting connection of machine and accessory.

- Backwards compatible with all OIS and OIS-compatible power tools
- Wide accessories range with expanded application range
- Optimum work result because power tool and accessory are perfectly fit









Navigating instructions

In the chart on the first pages the entire range of HiKOKI OMT accessories and their application material is depicted. When navigating based on your specific application demand, you can easily find which product suits your demands best, accompanied by its technical specifications.

The subsequent pages show you detailed product specifications of all HiKOKI OMT blades, classified by application type.

In the subsequent blade descriptions, the first number in size expresses the toothed width, followed by the cutting depth and blade thickness.



Colour code




 Stainless steel	The TC-strip configuration allows these blades to be used in Inox sheet metal, hardened screws and nails up to maximum 50HRC.
 Metal	Bi-Metal saw blades for cutting softer- and non-ferrous metals.
 Wood + metal	Saw blades with larger Bi-Metal teeth enable fast wood cutting and sawing of non-hardened screws and nails
 Wood	For wood cutting applications the coarse and sharpened teeth give optimal results. Use a BiM blade for cutting hard wood.
 Abrasives	Carbide grit in various levels of coarseness, for routing joints on wall or floor tiles and removing mortar or tile adhesive.
 Multi material	Ground and serrated knives are excellent for various kinds of insulation materials. Blades with additional Titanium Nitride coating are long lasting products, made for cutting abrasive materials as cement bonded fibre boards and plaster board.


Technical Specifications

- Pre-eminently suitable for
- o Also suitable for

	Type	Item	Width mm	Cutting depth mm	Thickness mm	Tooth pitch mm	TPI	Material	Inox	Hardened steel	Metal	Non Ferrous metals	Metal stud	Wood with nails	Wood	Soft wood boards	Sandwich materials	Laminate	Hard wood	Tile cutting	Grinding	Joints cutting	Poroton	Filing	Epoxy	Fibreglass	Wood profiles	Sanding tight spots	Paint preparation	Carpets	Isolation material	Leather	Rubber	Seals/putty	Soft residues	Hard residues		
Inox	MSI20PH	782701	20	40	1,0	1,1	24	HM/TC	•	•	•	•	o											o	•													
	MSI32PH	782702	32	40	1,0	1,1	24	HM/TC	•	•	•	•	o											o	•													
Metal	MSM10PB	782711	10	20	0,7	1,3	20	BiM			•	•	•											o	o													
	MSM20PB	782712	20	30	0,7	1,3	20	BiM			•	•	•											o	o													
	MSM32PB	782714	32	50	0,7	1,3	20	BiM			•	•	•											o	o													
Wood + metal	MSD10PB	782719	10	42	0,6	1,4	18	BiM						•	•	•								•														
	MSD20PB	782720	20	42	0,6	1,4	18	BiM						•	•	•								•														
	MSD32PBC	782721	32	50	0,6	1,3	20	BiM				o	o	•	•	o	•	o	o					•														
	MSD65PBC	782723	65	40	0,6	1,3	20	BiM						•	•	o	•	o	o					•														
	MSD85SB	782724	Ø85	21	0,9	1,4	18	BiM				o	o	•	•	o	•	•	o					•														
MSD100SB	782725	Ø100	27	0,9	1,7	15	BiM						•	•	o	•	•	o					•															
Wood	MSW32PC	782733	32	50	0,6	1,4	18	HCS						•	•	•																						
	MSW32PCJ	782735	32	50	0,6	1,8	14	HCS							•	•	•																					
	MSW32PBCJ	782737	32	50	0,6	1,8	14	BiM							•	•	•	•																				
	MSW65PC	782738	65	40	0,6	1,3	20	HCS							•	•	•																					
	MSW65PCJ	782739	65	40	0,6	1,8	14	HCS							•	o	•	•																				
	MSW65PBCJ	782740	65	40	0,6	1,8	14	BiM							•	•	•	•																				
	MSW85S	782741	Ø85	21	0,6	1,4	18	HCS							•	•																						
Abrasives	MSA32PH	782756	32	30	2,0	hm riff 50	HM/TC																															
	MSA32FHT	782757	32	53	1,0	hm riff 40	HM/TC																		•	•	•	•										
	MSA32FH	782758	32	53	0,9	hm riff 100	HM/TC																		•	•	•	•										
	MSA70SH	782760	70	13	1,5	hm riff 50	HM/TC													•																		
	MSA85SH	782761	Ø85	21	2,0	hm riff 30	HM/TC																															
	MSA85SD	782762	Ø85	13	1,8	Diamond riff 40	Diamond																															
	MSA78DH	782763	78 x 78	-	-	hm riff 20	HM/TC																															
Multiple material	MSU52PKR	782781	52	26	0,8	ground knife	HCS																														•	
	MSU52PK	782782	52	45	0,4	ground knife	HCS																														•	
	MSU28PK	782783	28	50	1,0	ground knife	HCS																														•	
	MSU32PKX	782784	24	11	1,2	ground knife	HCS																															•
	MSU85C	782788	Ø85	20	0,5	1,4	18	BiM		•	•						•	•								•												
	MSU85SBF	782785	Ø85	21	0,9	1,5	17	BiM TIN		•	•						•	•																				
	MSU100SKS	782786	Ø100	27	0,7	serrated knife	BiM																															•
	MSU93D	782791	93 x 93	-	10,0	Hook & loop sanding pad																																

Stainless steel	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		MSI20PH	1	1	782701	8717574051339	00.00	00.00
		24 TPI 13mm 20 x 40 x 1 mm						HM TC
		STAINLESS INOX METAL 40-50 HRC Cu Ni Me Zn ALU FIBREGLASS						
		MSI32PH	1	1	782702	8717574051346	00.00	00.00
		24 TPI 13mm 32 x 40 x 1 mm						HM TC
		STAINLESS INOX METAL 40-50 HRC Cu Ni Me Zn ALU FIBREGLASS						

Metal	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		MSM10PB	1	1	782711	8717574051377	00.00	00.00
		20 TPI 13mm 10 x 20 x 0,7 mm						
		METAL Cu Ni Me Zn ALU						
		MSM20PB	1	1	782712	8717574051384	00.00	00.00
		MSM20PB	5	1	782713	8717574051391	00.00	00.00
		20 TPI 13mm 20 x 30 x 0,7 mm						
		METAL Cu Ni Me Zn ALU						
		MSM32PB	1	1	782714	8717574051407	00.00	00.00
		MSM32PB	5	1	782715	8717574051414	00.00	00.00
		20 TPI 13mm 32 x 50 x 0,7 mm						
		METAL Cu Ni Me Zn ALU						

Wood+metal	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		MSD10PB	1	1	782719	8717574055085	00.00	00.00
		18 TPI 14mm 10 x 30 x 0,6 mm						
		epoxy						
		MSD20PB	1	1	782720	8717574055092	00.00	00.00
		18 TPI 14mm 20 x 34 x 0,6 mm						
		epoxy						
		MSD32PBC	1	1	782721	8717574051421	00.00	00.00
		MSD32PBC	5	1	782722	8717574051438	00.00	00.00
		20 TPI 13mm 32 x 50 x 0,6 mm						PRECISE
		epoxy						
		MSD65PBC	1	1	782723	8717574051445	00.00	00.00
		20 TPI 13mm 65 x 40 x 0,6 mm						PRECISE
		epoxy						
		MSD85SB	1	1	782724	8717574051452	00.00	00.00
		18 TPI 14mm Ø85 x 0,9 mm						
		epoxy						
		MSD100SB	1	1	782725	8717574051469	00.00	00.00
		15 TPI 12mm Ø100 x 0,9 mm						
		epoxy						





























Wood	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
		MSW32PC	1	1	782733	8717574051513	00.00	00.00	
			5	1	782734	8717574051520	00.00	00.00	
			32 x 50 x 0,6 mm						
			MSW32PCJ	1	1	782735	8717574051537	00.00	00.00
				5	1	782736	8717574051544	00.00	00.00
			32 x 50 x 0,6 mm						
			MSW32PCBJ	1	1	782737	8717574051551	00.00	00.00
			32 x 50 x 0,6 mm						
			MSW65PC	1	1	782738	8717574051568	00.00	00.00
	65 x 40 x 0,6 mm								
	MSW65PCJ	1	1	782739	8717574051575	00.00	00.00		
	65 x 40 x 0,6 mm								
	MSW65PBCJ	1	1	782740	8717574051582	00.00	00.00		
	65 x 40 x 0,6 mm								
	MSW85S	1	1	782741	8717574051599	00.00	00.00		
	Ø85 x 0,6 mm								

Sanding Pad (hook & loop)



Sanding	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		MSU93D	1	1	782791	8717574051834	00.00	00.00
		93 x 93 mm						

For the complete range of Proline delta sanding paper please refer to page 214/215

Abrasives	STARLOCK	Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)	
		MSA32PH	1	1	782756	8717574051629	00.00	00.00	
			32 x 30 x 2 mm						
			MSA32FHT	1	1	782757	8717574051636	00.00	00.00
			32 x 53 x 1 mm						
			MSA32FH	1	1	782758	8717574051643	00.00	00.00
			32 x 53 x 0,9 mm						
			MSA70SH	1	1	782760	8717574051650	00.00	00.00
	Ø70 x 1,5 mm								
	MSA85SH	1	1	782761	8717574051667	00.00	00.00		
	Ø85 x 2,0 mm								
	MSA85SD	1	1	782762	8717574051674	00.00	00.00		
	Ø85 x 1,8 mm								
	MSA78DH	1	1	782763	8717574051681	00.00	00.00		
	78 x 78 mm								
	MSA70DHX	1	1	782764	8717574051698	00.00	00.00		
	Ø70 x 2 mm								

Multi material STARLOCK		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
		MSU52PKR	1	1	782781	8717574051742	00.00	00.00
								HCS
								
		MSU52PK	1	1	782782	8717574051759	00.00	00.00
								HCS
								
		MSU28PK	1	1	782783	8717574051766	00.00	00.00
								HCS
								
		MSU32PKX	1	1	782784	8717574051773	00.00	00.00
								HCS
								
		MSU85C	1	1	782788	8717574051810	00.00	00.00
								HSS
								
		MSU85SBF	1	1	782785	8717574051780	00.00	00.00
								TiN
								
		MSU100SKS	1	1	782786	8717574051797	00.00	00.00
								
								

Sets

STARLOCK		Type number	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
								
	3-pcs set, consisting of: 1x MSD32PBC 1x MSW32PC 1x MSM32PB		3	1	782793	8717574064445	00.00	00.00
								
	6-pcs set, consisting of: 2x MSM32PB 2x MSD32PBC 2x MSW32PCJ		6	1	782794	8717574065466	00.00	00.00

Proline Router Bits

- 1 Plug depth required for safe use
- 2 Brand name
- 3 Item number
- 4 Indication hard metal plates
- 5 Dimensions
- 6 Manual use: to be used on hand held machines
- 7 Maximum speed



A well balanced assortment router bits

The HiKOKI product range of router bits consists of the most common used routers, available in shaft diameter 6, 8 and 12 mm. In the table below, you will find a quick review of all available shapes and connections.

The router bits are produced in the most modern production facilities, on CNC machines according to the highest quality production processes with the least human interference. Herewith the highest quality is assured.

Many years of research and development resolved in a special cutting edge geometry, which makes the field of application of the HiKOKI router bits very wide and ensures the best quality of cutting surface.

The products apply to the highest quality standards stated in the EN-847 standard and are produced within an ISO 9001:2000 production facility.

6 8 12	6 8	6 8	8	6 8
6 8	8	6 8	6 8 12	6 8
8	6 8	6 8	8	6 8

Wood	★★★		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Straight bit with double flute													
			6	3	11	51		1	1	754001	8717574013238	00.00	00.00
			6	4	11	51		1	1	754002	8717574013245	00.00	00.00
			6	5	11	51		1	1	754003	8717574013252	00.00	00.00
			6	6	19	57		1	1	754004	8717574013269	00.00	00.00
			6	8	19	57		1	1	754005	8717574013276	00.00	00.00
			6	8	25	63		1	1	754006	8717574013283	00.00	00.00
			6	10	19	51		1	1	754007	8717574013290	00.00	00.00
			6	10	32	64		1	1	754008	8717574013306	00.00	00.00
			6	12	19	51		1	1	754009	8717574013313	00.00	00.00
			6	12	32	63		1	1	754010	8717574013320	00.00	00.00
			8	3	11	51		1	1	754051	8717574013504	00.00	00.00
			8	4	11	51		1	1	754052	8717574013511	00.00	00.00
			8	5	11	51		1	1	754053	8717574013528	00.00	00.00
			8	6	19	57		1	1	754054	8717574013535	00.00	00.00
			8	6	25	63		1	1	754055	8717574013542	00.00	00.00
			8	8	19	57		1	1	754056	8717574013559	00.00	00.00
			8	8	25	63		1	1	754057	8717574013566	00.00	00.00
			8	8	25	80		1	1	754058	8717574013573	00.00	00.00
			8	10	19	51		1	1	754059	8717574013580	00.00	00.00
			8	10	32	64		1	1	754060	8717574013597	00.00	00.00
			8	10	32	80		1	1	754061	8717574013603	00.00	00.00
			8	12	19	51		1	1	754062	8717574013610	00.00	00.00
			8	12	32	63		1	1	754063	8717574013627	00.00	00.00
			8	12	32	80		1	1	754064	8717574013634	00.00	00.00
			8	14	19	51		1	1	754065	8717574013641	00.00	00.00
			8	14	19	70		1	1	754066	8717574013658	00.00	00.00
			8	15	19	51		1	1	754067	8717574013665	00.00	00.00
			8	16	25	57		1	1	754068	8717574013672	00.00	00.00
			8	16	25	85		1	1	754069	8717574013689	00.00	00.00
			8	18	19	51		1	1	754070	8717574013696	00.00	00.00
			8	18	19	70		1	1	754071	8717574013702	00.00	00.00
			8	20	19	51		1	1	754072	8717574013719	00.00	00.00
			8	20	19	71		1	1	754073	8717574013726	00.00	00.00
			8	22	19	51		1	1	754074	8717574013733	00.00	00.00
			8	25	19	51		1	1	754075	8717574013740	00.00	00.00
			12	6	19	64		1	1	754131	8717574014082	00.00	00.00
			12	8	19	63		1	1	754132	8717574014099	00.00	00.00
			12	10	25	69		1	1	754133	8717574014105	00.00	00.00
			12	10	32	76		1	1	754134	8717574014112	00.00	00.00
			12	12	25	66		1	1	754135	8717574014129	00.00	00.00
			12	12	32	73		1	1	754136	8717574014136	00.00	00.00
			12	12	38	79		1	1	754137	8717574014143	00.00	00.00
			12	12	51	108		1	1	754138	8717574014150	00.00	00.00
			12	14	25	66		1	1	754139	8717574014167	00.00	00.00
			12	16	32	73		1	1	754140	8717574014174	00.00	00.00
			12	16	38	79		1	1	754141	8717574014181	00.00	00.00
			12	16	50	96		1	1	754142	8717574014198	00.00	00.00
			12	18	32	73		1	1	754143	8717574014204	00.00	00.00
			12	18	51	92		1	1	754144	8717574014211	00.00	00.00
			12	20	32	73		1	1	754145	8717574014228	00.00	00.00

Wood	★★		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Flush trimming bit with ball bearing													
			6	12,7	25,4	63		1	1	754035	8717574013474	00.00	00.00
			6	16,0	15,9	50		1	1	754036	8717574013481	00.00	00.00
			8	12,7	25,4	63		1	1	754109	8717574014020	00.00	00.00
			8	16,0	15,9	50		1	1	754110	8717574014037	00.00	00.00
Rebating bit with ball bearing													
			6	31,7	12,7	50		1	1	754025	8717574013429	00.00	00.00
			8	31,7	12,7	50		1	1	754098	8717574013924	00.00	00.00
			8	35,0	12,7	55		1	1	754099	8717574013931	00.00	00.00
Disc router bit													
			8	40	3	58		1	1	754118	8717574042030	00.00	00.00
			8	40	4	58		1	1	754119	8717574035865	00.00	00.00
			8	40	6	58		1	1	754121	8717574042047	00.00	00.00

Wood	★★		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Core box bit													
			6	6,3	4,8	44	3,2	1	1	754016	8717574013337	00.00	00.00
			8	6,3	4,8	44	3,2	1	1	754081	8717574013757	00.00	00.00
			8	9,5	6,3	38	4,8	1	1	754082	8717574013764	00.00	00.00
			8	12,7	7,9	38	6,3	1	1	754083	8717574013771	00.00	00.00
Cove bit with ball bearing													
			6	22,2	14,3	52	6,3	1	1	754017	8717574013344	00.00	00.00
			8	22,2	14,3	52	6,3	1	1	754084	8717574013788	00.00	00.00
			8	25,4	14,3	52	7,9	1	1	754085	8717574013795	00.00	00.00
			8	28,6	14,3	52	9,5	1	1	754086	8717574013801	00.00	00.00
Ogee bit flat bottom													
			8	12,7	9,5	50	2,0	1	1	754090	8717574013849	00.00	00.00

Wood	★★		d (mm)	D (mm)	B (mm)	L (mm)	R (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Ovolo bit with ball bearing													
			6	22,2	12,7	49	4,8	1	1	754021	8717574013382	00.00	00.00
			6	25,4	12,7	49	6,3	1	1	754022	8717574013399	00.00	00.00
			6	28,6	12,7	49	7,9	1	1	754023	8717574013405	00.00	00.00
			8	22,2	12,7	49	4,8	1	1	754091	8717574013856	00.00	00.00
			8	25,4	12,7	49	6,3	1	1	754092	8717574013863	00.00	00.00
			8	28,6	12,7	49	7,9	1	1	754093	8717574013870	00.00	00.00
			8	31,8	15,9	52	9,5	1	1	754094	8717574013887	00.00	00.00
			8	38,1	19,1	55	12,7	1	1	754095	8717574013894	00.00	00.00
Rounding over bit with ball bearing													
			6	19,1	9,5	49	3,2	1	1	754031	8717574013436	00.00	00.00
			6	22,2	12,7	49	4,8	1	1	754032	8717574013443	00.00	00.00
			6	25,4	12,7	49	6,3	1	1	754033	8717574013450	00.00	00.00
			6	28,6	12,7	49	7,9	1	1	754034	8717574013467	00.00	00.00
			8	15,9	7,9	46	1,6	1	1	754101	8717574013948	00.00	00.00
			8	19,1	9,5	49	3,2	1	1	754102	8717574013955	00.00	00.00
			8	22,2	12,7	49	4,8	1	1	754103	8717574013962	00.00	00.00
			8	25,4	12,7	49	6,3	1	1	754104	8717574013979	00.00	00.00
			8	28,6	12,7	49	7,9	1	1	754105	8717574013986	00.00	00.00
			8	31,8	15,9	52	9,5	1	1	754106	8717574013993	00.00	00.00
			8	38,1	19,1	55	12,7	1	1	754107	8717574014006	00.00	00.00
			8	44,5	22,2	61	15,9	1	1	754108	8717574014013	00.00	00.00
Roman ogee bit with ball bearing													
			6	25,4	15,9	52	4,0	1	1	754024	8717574013412	00.00	00.00
			8	25,4	15,9	52	4,0	1	1	754096	8717574013900	00.00	00.00
			8	34,9	22,2	57	6,3	1	1	754097	8717574013917	00.00	00.00
Ogee fillet bit with ball bearing													
			8	34,9	13,5	52	4,8	1	1	754114	8717574014075	00.00	00.00

Wood	★★		d (mm)	D (mm)	B (mm)	L (mm)	α (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
V-groove bit													
			6	12,7	16,0	45	60	1	1	754018	8717574013351	00.00	00.00
			6	12,7	12,7	42	90	1	1	754019	8717574013368	00.00	00.00
			8	12,7	16,0	47	60	1	1	754087	8717574013818	00.00	00.00
			8	12,7	12,7	44	90	1	1	754088	8717574013825	00.00	00.00
Dovetail bit													
			6	12,7	12,7	45	14	1	1	754020	8717574013375	00.00	00.00
			8	12,7	12,7	49	14	1	1	754089	8717574013832	00.00	00.00

Wood	★ ★		d (mm)	D (mm)	B (mm)	L (mm)	α (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Bevel trim bit with ball bearing three fluted													
			8	23,8	9,5	47	22	1	1	754111	8717574014044	00.00	00.00
			8	30,0	9,5	47	45	1	1	754112	8717574014051	00.00	00.00
Bevel trim bit with ball bearing													
			6	31,8	12,7	50	45	1	1	754037	8717574013498	00.00	00.00
			8	31,8	12,7	50	45	1	1	754113	8717574014068	00.00	00.00

Router Bits - sets

Wood	★ ★		Contents	d (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			5-pcs router bit set consisting of: <ul style="list-style-type: none"> • Straight bit D = 6 B = 20 and L = 48 • Straight bit D = 12 B = 20 and L = 48 • V-Groove bit D = 12,7 B = 8 L = 40 and α = 90° • Rounding over bit with ball bearing D = 22 B = 13,5 L = 46 and R = 6,3 • Flush trimmer bit with ball bearing D = 12,7 B = 12,7 and L = 54 	8	5	1	754192	8717574054163	00.00	00.00
			10-pcs router bit set consisting of: <ul style="list-style-type: none"> • Straight bit D = 6 B = 20 and L = 48 • Straight bit D = 8 B = 20 and L = 48 • Straight bit D = 12 B = 20 and L = 48 • Straight bit D = 16 B = 20 and L = 48 • Dovetail bit D = 12,7 B = 12,7 L = 45 and α = 45° • V-Groove bit D = 12,7 B = 8 L = 40 and α = 90° • Core box bit D = 12,7 B = 8 L = 40 and R = 6,3 • Flush trimmer bit with ball bearing D = 12,7 B = 12,7 and L = 54 • Rounding over bit with ball bearing D = 22 B = 13,5 L = 46 and R = 6,3 • Rounding over bit with ball bearing D = 28,6 B = 17 L = 50 and R = 9,3 	8	10	1	754193	8717574054170	00.00	00.00

Router Bits - cassettes

Wood	★		Contents	d (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			12-pcs router bits set in wooden case <ul style="list-style-type: none"> • Straight bit D = 6 B = 19,4 • Straight bit D = 12 B = 19,4 • Straight bit D = 16 B = 19,4 • Flush trimming bit with ball bearing D = 12,7 and B = 12,7 • Core box bit D = 12,7 and R = 6,35 • Core box bit with ball bearing D = 22 and R = 6,35 • Rounding over bit D = 22 and R = 6,35 • Rounding over bit D = 28,6 and R = 9,5 • Roman ogee bit with ball bearing D = 25,4 and R = 4 • V-Groove bit D = 12,7 and α = 45° • Dovetail bit D = 12,7 and α = 14° • Bevel trimmer with ball bearing D = 32 and α = 45° 	6	12	1	711016	8717574023633	00.00	00.00
			12-pcs router bits set in wooden case <ul style="list-style-type: none"> • Straight bit D = 6 B = 19,4 • Straight bit D = 12 B = 19,4 • Straight bit D = 16 B = 19,4 • Flush trimming bit with ball bearing D = 12,7 and B = 12,7 • Core box bit D = 12,7 and R = 6,35 • Core box bit with ball bearing D = 22 and R = 6,35 • Rounding over bit D = 22 and R = 6,35 • Rounding over bit D = 28,6 and R = 9,5 • Roman ogee bit with ball bearing D = 25,4 and R = 4 • V-Groove bit D = 12,7 and α = 45° • Dovetail bit D = 12,7 and α = 14° • Bevel trimmer with ball bearing D = 32 and α = 45° 	8	12	1	500507	8717574003154	00.00	00.00
			4-pcs router bits set in wooden case <ul style="list-style-type: none"> • Straight bit D=12 B=50 and L=80 • Straight bit D=18 B=50 and L=90 • Straight bit D=20 B=50 and L=100 • Flush trimming bit D=12 B=30 and L=80 	12	4	1	711012	8717574020182		

Template Guide for HiKOKI routers

d (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
9,5	1	1	303347	4966375115823	00.00	00.00
10	1	1	303348	4966375182634	00.00	00.00
10	1	1	961478	4966375484066	00.00	00.00
11,1	1	1	303349	4966375115830	00.00	00.00
12	1	1	303350	4966375182641	00.00	00.00
12,7	1	1	303351	4966375115847	00.00	00.00
14	1	1	303352	4966375182658	00.00	00.00
16	1	1	303353	4966375115854	00.00	00.00
18	1	1	956790	4966375115861	00.00	00.00
20	1	1	956932	4966375115878	00.00	00.00
24	1	1	303354	4966375182665	00.00	00.00
27	1	1	956933	4966375115885	00.00	00.00
30	1	1	956934	4966375115892	00.00	00.00
40	1	1	303355	4966375182672	00.00	00.00



Proline Planer Blades

Planer Blades 82 mm long

Wood	Length (mm)	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	82	2-pcs reversible	2	1	750470	8717472818812	00.00	00.00
	82	TCT blades	10	1	750471	8717472818829	00.00	00.00
	82	10-pcs reversible	4	1	750472	8717472818836	00.00	00.00
	82	TCT blades	2	1	750473	8717472818843	00.00	00.00

Suitable for HiKOKI and Hitachi P14DSL, P18DSL, P20SA2, P20SF, and other brands like B&D, Bosch, DeWalt, Fein, Holz-her, Mafell, Ryobi and Skill.

Planer Blades 92 mm long

Wood	Length (mm)	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	92	2-pcs reversible	2	1	750475	8717472818850	00.00	00.00
	92	TCT blades	10	1	750476	8717472818867	00.00	00.00
	92	10-pcs reversible	2	1	750478	8717472818881	00.00	00.00

Suitable for Hitachi F30A and other brands like AEG and Ryobi.

Proline Sanding Paper

A professional range

Our flexible abrasives are developed and produced with HiKOKI professional users in mind, the customers who are demanding continuous search for the most suitable abrasives. Whether it comes to sanding wood, metal, painted and lacquered surfaces, plastic, plaster or fillers, HiKOKI has a suitable product. A series of abrasives is available for each of these applications with each product having its own characteristics and benefits.

HiKOKI abrasives have the following specific technical benefits:

- Strong and durable surface.
- Aggressive grit for rapid reduction of material.
- All sizes available with hook & loop backside for quick and simply changing the sheets.
- Ideal for use on wood and metal.

Red sanding paper for wood



For sanding all types of wood, construction board, hardwood, chipboard and metal, HiKOKI offers a wide range of red sanding paper.

HiKOKI red sanding paper is made out of heavy-duty paper, coated with high quality resin bonded aluminium oxide grit.

The grit is closed coated style, with a phenolic resin binder, with very good heat resistance properties that gives enhanced grain retention and abrasive wear, flexibility, tensile strength and stability.

This coating-style helps reducing the possibility of dust clogging on the abrasive, and therefore maintains high material removal rate. The evenly spread grit ensures a consistent depth of roughness across the abrasive. Result is a clean sanding finish, less reworking and, therefore, a considerable time-saving. Good results are especially achieved on untreated wood and metal. For soft materials including paint and varnish, we recommend the white sanding paper.

White sanding paper for paint



Especially for removing paints, lacquers, varnish or roughcast, HiKOKI offers a professional range of white sanding paper.

Constructed with white aluminium oxide abrasive grain plus calcium stearate anti-clogging coating on latex paper backing bonded together using double urea resin. The use of white aluminium oxide provides a good sharp cutting performance and, when coated with calcium stearate, achieves a good life of this product coupled with a good surface finish. The calcium stearate coating is used as a lubricant to provide good gloss, reduces premature clogging and has a cooling effect when sanding varnish.

The use of punched holes in the product, when used with a dust extraction system, enables an efficient removal of dust, paint or varnish particles from the work surface. The use of urea resin contributes to the longer life of this product due to its good stability when exposed to heat generated through the abrasion process and provides the opportunity to maintain the white abrasive finish. Ideal for automotive applications.

- for sanding of paints and lacquers of all types, and filler compounds.
- a wide range of sizes available with hook & loop or glued backing.
- high-quality sanding paper.
- long life time.
- high material removal rate thanks to the special calcium stearate coating.

Black sanding paper for stone



For sanding applications on glass and stone HiKOKI offers delta 94 sheets with silicon carbide abrasive grain. This grain has the highest hardness among conventional abrasive material. For this reason, it is suitable to be used on non-ferrous metals, marble, glass and plastics. It is next to that very widely used by Corian® kitchen top producers to grind and finish the internal edge.

Non-woven delta sheets



So-called Tex materials are nylon fibres which are combined into a 3D web structure. Using a thermo-setting synthetic resin the grit is anchored.

This type of sanding material does not affect the geometrical shape of a particular work piece.

- Adapt extremely easy to the work piece's shape.
- For a wide variety of applications such as cleaning, matting, remove rust, light deburring on non-ferrous metals.

Abrasive Discs Ø125 for random orbital sanders

	Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Starters set	60/80/120	Hook & loop	15	1	753100	8717574004595	00.00	00.00
	Ø125	40	Hook & loop	10	1	753101	8717154659931	00.00	00.00
	Ø125	60	Hook & loop	10	1	753102	8717154659948	00.00	00.00
	Ø125	80	Hook & loop	10	1	753103	8717154659955	00.00	00.00
	Ø125	100	Hook & loop	10	1	753104	8717154659962	00.00	00.00
	Ø125	120	Hook & loop	10	1	753105	8717154659979	00.00	00.00
	Ø125	150	Hook & loop	10	1	753106	8717154659986	00.00	00.00
	Ø125	180	Hook & loop	10	1	753107	8717154659993	00.00	00.00
	Ø125	240	Hook & loop	10	1	753108	8717472811172	00.00	00.00
	Ø125	320	Hook & loop	10	1	753109	8717472811189	00.00	00.00
	Ø125	400	Hook & loop	10	1	753110	8717472811196	00.00	00.00

Suitable for HiKOKI and Hitachi sanding machines FSV13Y, FSV12YA, SV13YA, SV13YB, SV1813DA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Kress, Makita, Metabo, Milwaukee, Skil.

Abrasive Discs Ø125 for random orbital sanders





	Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Ø125	40	Hook & loop	10	1	753131	8717574033458	00.00	00.00
	Ø125	60	Hook & loop	10	1	753132	8717574033465	00.00	00.00
	Ø125	80	Hook & loop	10	1	753133	8717574033472	00.00	00.00
	Ø125	100	Hook & loop	10	1	753134	8717574033489	00.00	00.00
	Ø125	120	Hook & loop	10	1	753135	8717574033496	00.00	00.00
	Ø125	150	Hook & loop	10	1	753136	8717574033502	00.00	00.00
	Ø125	180	Hook & loop	10	1	753137	8717574033519	00.00	00.00
	Ø125	240	Hook & loop	10	1	753138	8717574033526	00.00	00.00
	Ø125	320	Hook & loop	10	1	753139	8717574033533	00.00	00.00
	Ø125	400	Hook & loop	10	1	753140	8717574033540	00.00	00.00

Suitable for HiKOKI and Hitachi sanding machines FSV13Y, FSV12YA, SV13YA, SV13YB, SV1813DA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Kress, Makita, Metabo, Milwaukee, Skil.

Sanding Pads Ø125 for hook & loop sanding discs





	Description	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	<ul style="list-style-type: none"> • Reinforced fibre glass backing with medium density foam. • Suitable for HiKOKI and Hitachi SV13YA and SV13YB 	3 holes	1	1	753811	8717574033403	00.00	00.00
	<ul style="list-style-type: none"> • Soft interface cushion to give a very soft sanding surface. • Ideal for use with fine and ultra-fine grade abrasives. • Ideal for sanding or polishing contours and curved surfaces 	Hook & loop	1	1	753812	8717574033410	00.00	00.00

Abrasive Discs for random orbital sanders

			Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Ø150	40	Hook & loop	10	1	753111	8717472811202	00.00	00.00		
	Ø150	60	Hook & loop	10	1	753112	8717472811219	00.00	00.00		
	Ø150	80	Hook & loop	10	1	753113	8717472811226	00.00	00.00		
	Ø150	100	Hook & loop	10	1	753114	8717472811233	00.00	00.00		
	Ø150	120	Hook & loop	10	1	753115	8717472811240	00.00	00.00		
	Ø150	150	Hook & loop	10	1	753116	8717472811257	00.00	00.00		
	Ø150	180	Hook & loop	10	1	753117	8717472811264	00.00	00.00		
	Ø150	240	Hook & loop	10	1	753118	8717472811271	00.00	00.00		
	Ø150	320	Hook & loop	10	1	753119	8717472811288	00.00	00.00		



Suitable for HiKOKI and Hitachi sanding machines SAY-150A, SV15YC and other brands like B&D, Bosch, DeWalt, Felisatti, Hilti, Kress, Makita, Metabo, Milwaukee.

Abrasive Discs for random orbital sanders

			Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Ø150	40	Hook & loop	10	1	753141	8717574033557	00.00	00.00		
	Ø150	60	Hook & loop	10	1	753142	8717574033564	00.00	00.00		
	Ø150	80	Hook & loop	10	1	753143	8717574033571	00.00	00.00		
	Ø150	100	Hook & loop	10	1	753144	8717574033588	00.00	00.00		
	Ø150	120	Hook & loop	10	1	753145	8717574033595	00.00	00.00		
	Ø150	150	Hook & loop	10	1	753146	8717574033601	00.00	00.00		
	Ø150	180	Hook & loop	10	1	753147	8717574033618	00.00	00.00		
	Ø150	240	Hook & loop	10	1	753148	8717574033625	00.00	00.00		
	Ø150	320	Hook & loop	10	1	753149	8717574033632	00.00	00.00		
	Ø150	400	Hook & loop	10	1	753150	8717574033649	00.00	00.00		

Suitable for HiKOKI and Hitachi sanding machines SAY-150A, SV15YC and other brands like B&D, Bosch, DeWalt, Felisatti, Hilti, Kress, Makita, Metabo, Milwaukee.





Soft Interface Cushion Ø150 for hook & loop sanding discs

	Description	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	<ul style="list-style-type: none"> Soft interface cushion Ø150 to give a very soft sanding surface. Ideal for use with fine and ultra-fine grade abrasives. Ideal for sanding or polishing contours and curved surfaces 	Hook & loop	1	1	753819	8717574033441		







Sanding Pads Ø150 for sanding discs

	Description	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	<ul style="list-style-type: none"> Pad with holes for dust extraction for Random Orbit (Excenter) Sanders Vinyl surface Suitable for sanding paper with glue backing 	5/16" UNF	1	1	753815	8717574033809	00.00	00.00
	<ul style="list-style-type: none"> Pad without holes for dust extraction for Random Orbit (Excenter) Sanders. Hook & loop 	5/16" UNF	1	1	753816	8717574033816	00.00	00.00
	<ul style="list-style-type: none"> Pad with holes for dust extraction for Random Orbit (Excenter) Sanders. Hook & loop 	5/16" UNF	1	1	753817	8717574033823	00.00	00.00
	<ul style="list-style-type: none"> Pad with 15 holes for dust extraction for Random Orbit (Excenter) Sanders. 8 holes on pitch circle 100 mm 6 holes on pitch circle 65 mm Hook & loop For SV15YC 	Hole 8 mm	1	1	753853	8717574062144	00.00	00.00





Sanding paper for orbital sanders

			Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			83 x 133	40	Hook & loop	10	1	753001	8717154659221	00.00	00.00
			83 x 133	60	Hook & loop	10	1	753002	8717154659238	00.00	00.00
			83 x 133	80	Hook & loop	10	1	753003	8717154659245	00.00	00.00
			83 x 133	100	Hook & loop	10	1	753004	8717154659252	00.00	00.00
			83 x 133	120	Hook & loop	10	1	753005	8717154659269	00.00	00.00
			83 x 133	150	Hook & loop	10	1	753006	8717154659276	00.00	00.00
			83 x 133	180	Hook & loop	10	1	753007	8717154659283	00.00	00.00
			83 x 133	240	Hook & loop	10	1	753008	8717154659290	00.00	00.00
			83 x 133	320	Hook & loop	10	1	753009	8717154659306	00.00	00.00
Suitable for Hitachi sanders SV8SA and other brands like AEG, Atlas Copco, B&D, Bosch, DeWalt, Felisatti, Festool, Milwaukee.											
			83 x 166	40	Clip-on	10	1	753011	8717154659313	00.00	00.00
			83 x 166	60	Clip-on	10	1	753012	8717154659320	00.00	00.00
			83 x 166	80	Clip-on	10	1	753013	8717154659337	00.00	00.00
			83 x 166	100	Clip-on	10	1	753014	8717154659344	00.00	00.00
			83 x 166	120	Clip-on	10	1	753015	8717154659351	00.00	00.00
			83 x 166	150	Clip-on	10	1	753016	8717154659368	00.00	00.00
			83 x 166	180	Clip-on	10	1	753017	8717154659375	00.00	00.00
			83 x 166	240	Clip-on	10	1	753018	8717154659382	00.00	00.00
			83 x 166	320	Clip-on	10	1	753019	8717154659399	00.00	00.00
Suitable for Hitachi sanders SV8SA and other brands like B&D, Bosch, DeWalt, Festool, Wegoma.											
			93 x 185	40	Hook & loop	10	1	753021	8717154659405	00.00	00.00
			93 x 185	60	Hook & loop	10	1	753022	8717154659412	00.00	00.00
			93 x 185	80	Hook & loop	10	1	753023	8717154659429	00.00	00.00
			93 x 185	100	Hook & loop	10	1	753024	8717154659436	00.00	00.00
			93 x 185	120	Hook & loop	10	1	753025	8717154659443	00.00	00.00
			93 x 185	150	Hook & loop	10	1	753026	8717154659450	00.00	00.00
			93 x 185	180	Hook & loop	10	1	753027	8717154659467	00.00	00.00
			93 x 185	240	Hook & loop	10	1	753028	8717154659474	00.00	00.00
			Suitable for HiKOKI and Hitachi sanders FSV10SA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.								
			93 x 230	40	Clip-on	10	1	753031	8717154659498	00.00	00.00
			93 x 230	60	Clip-on	10	1	753032	8717154659504	00.00	00.00
			93 x 230	80	Clip-on	10	1	753033	8717154659511	00.00	00.00
			93 x 230	100	Clip-on	10	1	753034	8717154659528	00.00	00.00
			93 x 230	120	Clip-on	10	1	753035	8717154659535	00.00	00.00
			93 x 230	150	Clip-on	10	1	753036	8717154659542	00.00	00.00
			93 x 230	180	Clip-on	10	1	753037	8717154659559	00.00	00.00
			93 x 230	240	Clip-on	10	1	753038	8717154659566	00.00	00.00
			Suitable for Hitachi sanders FS10SA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.								

Sanding paper for orbital sanders

			Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)			
			Starters set	60/80/120	Hook & loop	15	1	753040	8717472813732	00.00	00.00			
			114 x 104	40	Hook & loop	10	1	753041	8717154659573	00.00	00.00			
			114 x 104	60	Hook & loop	10	1	753042	8717154659580	00.00	00.00			
			114 x 104	80	Hook & loop	10	1	753043	8717154659597	00.00	00.00			
			114 x 104	100	Hook & loop	10	1	753044	8717154659603	00.00	00.00			
			114 x 104	120	Hook & loop	10	1	753045	8717154659610	00.00	00.00			
			114 x 104	150	Hook & loop	10	1	753046	8717154659627	00.00	00.00			
			114 x 104	180	Hook & loop	10	1	753047	8717154659634	00.00	00.00			
			114 x 104	240	Hook & loop	10	1	753048	8717154659641	00.00	00.00			
			114 x 104	320	Hook & loop	10	1	753049	8717154659658	00.00	00.00			
			Suitable for HiKOKI and Hitachi sanders SV12SF, SV12SG, SV12SH and other brands like Makita.											
						Startersset	60/80/120	Clip-on	15	1	753050	8717472816023	00.00	00.00
						114 x 140	40	Clip-on	10	1	753051	8717154659665	00.00	00.00
						114 x 140	60	Clip-on	10	1	753052	8717154659672	00.00	00.00
114 x 140	80	Clip-on				10	1	753053	8717154659689	00.00	00.00			
114 x 140	100	Clip-on				10	1	753054	8717154659696	00.00	00.00			
114 x 140	120	Clip-on				10	1	753055	8717154659702	00.00	00.00			
114 x 140	150	Clip-on				10	1	753056	8717154659719	00.00	00.00			
114 x 140	180	Clip-on				10	1	753057	8717154659726	00.00	00.00			
114 x 140	240	Clip-on				10	1	753058	8717154659733	00.00	00.00			
114 x 140	320	Clip-on				10	1	753059	8717154659740	00.00	00.00			
Suitable for HiKOKI and Hitachi sanders SV12SF, SV12SG and other brands like B&D, Bosch, DeWalt, Makita, Ryobi, Skil.														
						115 x 230	40	Hook & loop	10	1	753061	8717154659757	00.00	00.00
						115 x 230	60	Hook & loop	10	1	753062	8717154659764	00.00	00.00
						115 x 230	80	Hook & loop	10	1	753063	8717154659771	00.00	00.00
			115 x 230	100	Hook & loop	10	1	753064	8717154659788	00.00	00.00			
			115 x 230	120	Hook & loop	10	1	753065	8717154659795	00.00	00.00			
			115 x 230	150	Hook & loop	10	1	753066	8717154659801	00.00	00.00			
			115 x 230	180	Hook & loop	10	1	753067	8717154659818	00.00	00.00			
			115 x 230	240	Hook & loop	10	1	753068	8717154659825	00.00	00.00			
			115 x 230	320	Hook & loop	10	1	753069	8717154659832	00.00	00.00			
			Suitable for HiKOKI and Hitachi sanders SV12SD, SV12V and other brands like Makita.											
						115 x 280	40	Clip-on	10	1	753071	8717154659849	00.00	00.00
						115 x 280	60	Clip-on	10	1	753072	8717154659856	00.00	00.00
						115 x 280	80	Clip-on	10	1	753073	8717154659863	00.00	00.00
						115 x 280	100	Clip-on	10	1	753074	8717154659870	00.00	00.00
115 x 280	120	Clip-on				10	1	753075	8717154659887	00.00	00.00			
115 x 280	150	Clip-on				10	1	753076	8717154659894	00.00	00.00			
115 x 280	180	Clip-on				10	1	753077	8717154659900	00.00	00.00			
115 x 280	240	Clip-on				10	1	753078	8717154659917	00.00	00.00			
115 x 280	320	Clip-on				10	1	753079	8717154659924	00.00	00.00			
Suitable for HiKOKI and Hitachi sanders SV12SD, SV12V and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi.														

Sanding sheet for orbital sanders

			Description	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			45-pcs set consisting of: 5-pcs 114 x 104 Grit 60 10-pcs Delta 94 Grit 60 5-pcs 114 x 104 Grit 80 10-pcs Delta 94 Grit 80 5-pcs 114 x 104 Grit 120 10-pcs Delta 94 Grit 120	Hook & loop	45	4	753450	8717472818133	00.00	00.00
			Suitable for HiKOKI and Hitachi SV12SH sander.							

Sanding Paper for delta sanders

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
94	40	Hook & loop	10	1	753401	8717472811509	00.00	00.00
94	60	Hook & loop	10	1	753402	8717472811516	00.00	00.00
94	80	Hook & loop	10	1	753403	8717472811523	00.00	00.00
94	100	Hook & loop	10	1	753404	8717472811530	00.00	00.00
94	120	Hook & loop	10	1	753405	8717472811547	00.00	00.00
94	150	Hook & loop	10	1	753406	8717472811554	00.00	00.00
94	180	Hook & loop	10	1	753407	8717472811561	00.00	00.00
94	240	Hook & loop	10	1	753408	8717472811578	00.00	00.00
94	320	Hook & loop	10	1	753409	8717472811585	00.00	00.00

Sanding Paper for delta sanders

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
94	40	Hook & loop	10	1	753411	8717472811592	00.00	00.00
94	60	Hook & loop	10	1	753412	8717472811608	00.00	00.00
94	80	Hook & loop	10	1	753413	8717472811615	00.00	00.00
94	100	Hook & loop	10	1	753414	8717472811622	00.00	00.00
94	120	Hook & loop	10	1	753415	8717472811639	00.00	00.00
94	150	Hook & loop	10	1	753416	8717472811646	00.00	00.00
94	180	Hook & loop	10	1	753417	8717472811653	00.00	00.00
94	240	Hook & loop	10	1	753418	8717472811660	00.00	00.00
94	320	Hook & loop	10	1	753419	8717472811677	00.00	00.00

Sanding Paper for delta sanders

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
94	120/240/400/600/1200	Hook & loop	15	1	753430	8717574049695	00.00	00.00
94	80	Hook & loop	10	1	753431	8717574049701	00.00	00.00
94	100	Hook & loop	10	1	753432	8717574049718	00.00	00.00
94	120	Hook & loop	10	1	753433	8717574049725	00.00	00.00
94	180	Hook & loop	10	1	753434	8717574049732	00.00	00.00
94	240	Hook & loop	10	1	753435	8717574049749	00.00	00.00
94	320	Hook & loop	10	1	753436	8717574049756	00.00	00.00
94	400	Hook & loop	10	1	753437	8717574049763	00.00	00.00
94	600	Hook & loop	10	1	753438	8717574049770	00.00	00.00
94	1200	Hook & loop	10	1	753439	8717574049787	00.00	00.00

Fleece Delta

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
94	Coarse (100)	Hook & loop	1	1	753441	8717574049794	00.00	00.00
94	Medium (280)	Hook & loop	1	1	753442	8717574049800	00.00	00.00

Polishing Felt Delta

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
94	Soft	Hook & loop	1	1	753443	8717574049817	00.00	00.00
94	Hard	Hook & loop	1	1	753444	8717574049824	00.00	00.00

Soft Interface Cushion Delta 94 for hook & loop sanding machines and multitools

Description	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
<ul style="list-style-type: none"> Soft interface cushion Delta 94 to give a very soft sanding surface Ideal for use with fine and ultra-fine grade abrasives Ideal for sanding or polishing contours and curved surfaces 	Hook & loop	1	1	753445	8717574049831	00.00	00.00

Sanding Pad for multi machines

Description	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
<ul style="list-style-type: none"> Pad with holes for dust extraction Hook & loop surface For use with Multi Machines 	Starlock	1	1	782791	8717574051834	00.00	00.00

For use on HiKOKI and Hitachi CV14DBL, CV18DBL, CV350V and other brands like Bosch, Fein, Makita, Milwaukeee.

Sanding Paper for delta sanders

Dimensions (mm)	Grit	Type	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
100 x 150	40	Hook & loop	10	1	753421	8717472811684	00.00	00.00
100 x 150	60	Hook & loop	10	1	753422	8717472811691	00.00	00.00
100 x 150	80	Hook & loop	10	1	753423	8717472811707	00.00	00.00
100 x 150	100	Hook & loop	10	1	753424	8717472811714	00.00	00.00
100 x 150	120	Hook & loop	10	1	753425	8717472811721	00.00	00.00
100 x 150	150	Hook & loop	10	1	753426	8717472811738	00.00	00.00
100 x 150	180	Hook & loop	10	1	753427	8717472811745	00.00	00.00
100 x 150	240	Hook & loop	10	1	753428	8717472811752	00.00	00.00
100 x 150	320	Hook & loop	10	1	753429	8717472811769	00.00	00.00

Suitable for other brands like AEG, Atlas Copco, Festool, Milwaukee, Rupes.


Sanding paper for belt sanders

Especially for sanding of large areas and high material removal rate on wooden materials, HiKOKI offers a professional range of sanding belts. Whether for coarse, fine or linear sanding, HiKOKI belt sanders are a reliable partner and offer perfect results. Working in one direction and only along the grain prevents sanding rings from developing. The high material removal rate eliminates laborious, tiresome reworking.

Constructed with a superior quality of aluminium oxide abrasive grain on a strong cotton cloth bonded with phenolic resin provide an extreme aggressive and long lasting sanding belt.

- Very sturdy and durable sanding belts.
- High-quality sanding paper.
- For veneers, solid wood, polyester, iron and steel.
- Specific application-oriented belt joints in consistently high quality for perfect surfaces.

Sanding Paper for belt sanders

			Dimensions (mm)	Grit	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
			Starterset	60/80/120	6	1	753240	8717574004601	00.00	00.00
			76 x 533	40	5	1	753241	8717472811974	00.00	00.00
			76 x 533	60	5	1	753242	8717472811981	00.00	00.00
			76 x 533	80	5	1	753243	8717472811998	00.00	00.00
			76 x 533	100	5	1	753244	8717472812001	00.00	00.00
			76 x 533	120	5	1	753245	8717472812018	00.00	00.00
Suitable for HiKOKI and Hitachi belt sanders SB-75, SB8V2, SB3608DA and other brands like AEG, B&D, Bosch, DeWalt, Festool, Makita, Metabo, Milwaukee, Ryobi, Skill.										
			Starterset	60/80/120	6	1	753260	8717574004618	00.00	00.00
			100 x 610	40	5	1	753261	8717472812070	00.00	00.00
			100 x 610	60	5	1	753262	8717472812087	00.00	00.00
			100 x 610	80	5	1	753263	8717472812094	00.00	00.00
			100 x 610	100	5	1	753264	8717472812100	00.00	00.00
			100 x 610	120	5	1	753265	8717472812117	00.00	00.00
Suitable for HiKOKI and Hitachi belt sanders SB10T, SB10V, SB10V2 and other brands like Bosch, Makita, Ryobi.										
			110 x 620	40	5	1	753281	8717472812179	00.00	00.00
			110 x 620	60	5	1	753282	8717472812186	00.00	00.00
			110 x 620	80	5	1	753283	8717472812193	00.00	00.00
			110 x 620	100	5	1	753284	8717472812209	00.00	00.00
			110 x 620	120	5	1	753285	8717472812216	00.00	00.00
Suitable for Hitachi belt sanders SB110 and other brands like AEG, Bosch, Makita, Metabo, Milwaukee.										
			100 x 915	40	5	1	753291	8717472812223	00.00	00.00
			100 x 915	60	5	1	753292	8717472812230	00.00	00.00
			100 x 915	80	5	1	753293	8717472812247	00.00	00.00
			100 x 915	100	5	1	753294	8717472812254	00.00	00.00
			100 x 915	120	5	1	753295	8717472812261	00.00	00.00
Suitable for Hitachi belt sander BG-100.										

Proline Wool Bonnets and Polishing Foams

The HiKOKI Professional wool bonnets are made of the finest grade of Merino sheepskin, which has a unique double skin, making them the longest lasting pads we know.




They are widely used in the market of automotive, boats, metal and wood industries, and represent the fastest way to remove scratches and marks on clear coats - when used with an appropriate compound.

The wool bonnet can be cleaned under clear running water and is to be dried naturally (no tumble dryer).



HiKOKI offers a range of wool bonnets available in the execution with hook & loop to be used on special Velcro pads, or with a tie, to tie it onto a standard backing pad.


The wool bonnets are outstanding as a first step in a paint rectification process and works at a lower temperature than foams (less risk to overheat the paint).



Wool Bonnets


	Ø (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	125	Tie-on	1	1	753821	8717574042528	00.00	00.00
	180	Tie-on	1	1	753822	8717574042535	00.00	00.00
	125	Hook & loop	1	1	753823	8717574042542	00.00	00.00
	150	Hook & loop	1	1	753824	8717574058154	00.00	00.00
	180	Hook & loop	1	1	753825	8717574042559	00.00	00.00


Polishing Foams

	Description	Size (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	White foam hard	160 x 16	Hook & loop	1	1	753841	8717574058161	00.00	00.00
	Orange foam medium/hard	160 x 16	Hook & loop	1	1	753842	8717574058178	00.00	00.00
	Yellow foam medium	160 x 16	Hook & loop	1	1	753843	8717574058185	00.00	00.00
	Black foam soft	160 x 16	Hook & loop	1	1	753844	8717574058192	00.00	00.00

Description	Ø (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Pad for wool pad and compounding foam with locator	160	M14	2	1	753831	8717574049862	00.00	00.00

Description	Size (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Compounding foam white Hard	200 x 30	Hook & loop	1	1	753832	8717574049879	00.00	00.00
 Compounding foam red Soft	200 x 30	Hook & loop	1	1	753833	8717574049886	00.00	00.00

Description	Ø (mm)	Connection	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Single sided Cupped Merino wool pad	200	Hook & loop	1	1	753834	8717574049893	00.00	00.00

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Starterkit polishing set consisting of: Pad Ø160 mm x M14 Locator Cupped wool pad Ø200 mm Hook & loop Compounding foam white Ø200 mm Hook & loop Compounding foam red Ø200 mm Hook & loop	5	5	753830	8717574049855	00.00	00.00

Proline Vacuum Cleaner Accessories



A vacuum cleaner dust bag is not just a dust collecting item. It plays a substantial role in filtering all sizes of dust particles out of the air. This is a dual function: the engine is protected on the one hand, on the other hand the more important role where the user is protected. Next to that comes that disposing a full bag with closed cap is by far more convenient than emptying a kettle. A proper combination between filter bag and machine filter gives the best cleaning results.

HiKOKI offers 2 types of bags with different filter characteristics. All dust bags come with closeable cardboard collar. The material of the M-class filter paper bags are tested and certified according to EN60335-2-69:2008, for a maximum permeability of <0,01%.

The latest development is bags made of synthetic fiber, in M-class. Additional advantages in comparison to paper filter bags:






- Constant air flow, even when the bag fills with dust.
- More efficient expansion around the engine, that allows easier and higher filling grade.
- 4 synthetic filter bags have the same dust collection capacity as 5 paper filter bags, so less exchanges are needed resulting in less down time.
- Higher tear resistance prevents the bag from ripping open in the kettle or when disposing.

Paper Dust Bags

Description	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 M-class; 18,7 liter	WDE1200 WDE1200M	5	1*	750442	8717574033960	00.00	00.00
 M-class; 18,7 liter	WDE3600	5	1*	750447	8717574033991	00.00	00.00

*When ordered in multiple of 6 pieces, items will be delivered in a counter display.



Synthetic Dust Bags

Description	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 M-class; 15,0 liter	WDE1200 WDE1200M	4	1*	750443	8717574033977	00.00	00.00
 M-class; 15,0 liter	WDE3600	4	1*	750448	8717574034004	00.00	00.00
 M-class; 16,5 liter	RP250YDL RP300YDL RP3608DA RP3608DB	4	1*	4100602	8717574061390	00.00	00.00
 M-class; 16,5 liter	RP250YDM RP350YDM	4	1**	750462	8717574050592	00.00	00.00
 M-class; 45 liter	RNT1250M RP500YDM	5	1	40010714	4250155838140	00.00	00.00

*When ordered in multiple of 6 pieces, items will be delivered in a counter display.








**When ordered in multiple of 7 pieces, items will be delivered in a counter display.

Plastic Dust Bags



























	Description	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	LDPE foil 100 microns size: 610x615 mm 25 litre	RP250YDL RP300YDL RP3608DA RP3608DB	4	1*	4100603	8717574061406	00.00	00.00
	LDPE foil 100 microns size: 850x540 mm 33 litre	RP250YDM/H RP350YDM/H	4	1*	750463	8717574050608	00.00	00.00

*When ordered in multiple of 7 pieces, items will be delivered in a counter display.



Filter Cartridges

	Description	Suitable for	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Yellow filter cartridge Filter grade 15 µm	WDE1200 WDE1200M WDE3600	1	1	750435	8717574043570	00.00	00.00
	White filter cartridge Washable Filter grade 7 µm	WDE1200 WDE1200M WDE3600	1	1	750436	8717574043587	00.00	00.00
	White filter cartridge M-class Filter grade 0,3 µm	WDE1200 WDE1200M WDE3600	1	1	750437	8717574043594	00.00	00.00
	White filter cartridge Washable M-Class Filter grade 7 µm	RP250YDL RP300YDL	1	1	4100601	8717574061383	00.00	00.00
	Cellulose filter cassette Dust retention: 99,8%	RNT1225(M) RNT1250 RP250YDM RP350YDM RP500YDM	2	1	370133	4549115123946	00.00	00.00
	Polyester filter cassettes Dust retention: 99,93% (to 1µm 99,9%)	RNT1225(M) RNT1250 RP250YDM RP350YDM RP500YDM	2	1	338633	4549115100299	00.00	00.00
	Polyester filter cassettes, IFA (BIA) certified filter in accordance with dust class "H" (HEPA 14) Dust retention: 99,995%	RP350YDH	2	1	338634	4549115100305	00.00	00.00








Flow Chartine Machine Series

				Vacuum cleaners								
WDE1200(M)/WDE3600	RP3608DA/RP3608DB	RP250YDL/RP300YDL	NT / RNT RP250YDM/RP350YDM RP350YDH/RP500YDM									
	782221		40010051		Kettle - Hose							
	Ø32 L = 1,8 / 3,2 / 5,0 m 782231 / 782232 / 782233		372168		Hoses							
	782241		782242		372170		40010111	Hose - Tool				
	337527		782251		782252		782253	Suction tubes				
	782261		782262		782265		782271		782272		782273	Nozzles
			782263		782266					Exchangeables		
			782264		782267							






Kettle - Hose Connectors

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Connector piece kettle - hose groove for hose Ø32 mm Suitable for HiKOKI and Hitachi WDE / RP3608DA / RP3608DB	1	1	782221	8717574044188	00.00	00.00
	Connector piece kettle - hose bajonet for hose Ø38 mm Including click ring / screw socket Suitable for HiKOKI and Hitachi (R)NT, RP250/500YDM, RP350YDM/YDH	1	1	40010051	4250155821029	00.00	00.00





Vacuum Hoses

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Ø32 mm 1,8 m with click ring / socket	1	1	782231	8717574044300	00.00	00.00
	Ø32 mm 3,2 m with click ring / socket	1	1	782232	8717574044317	00.00	00.00
	Ø32 mm 5,0 m with click ring / socket	1	1	782233	8717574044324	00.00	00.00
	Ø32 mm 3,5 m vacuum hose complete for RP250YDL/RP300YDL	1	1	372168	4549115161092	00.00	00.00
	Ø38 mm 1,8 m without click ring / socket	1	1	782234	8717574044331	00.00	00.00
	Ø38 mm 3,2 m without click ring / socket	1	1	782235	8717574044348	00.00	00.00
	Ø38 mm 5,0 m without click ring / socket	1	1	782236	8717574044355	00.00	00.00








Hose - Tool Connectors

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Connector piece Ø35 mm for hose Ø32 mm	1	1	782241	8717574044362	00.00	00.00
	Grip with air adjusting Ø35 mm for hose Ø32 mm	1	1	782242	8717574044379	00.00	00.00
	Connector piece Ø35 mm for hose Ø38 mm Including click ring / socket	1	1	40010123	4250155823573	00.00	00.00
	Grip with air adjusting Ø35 mm for hose Ø38 mm	1	1	40010111	4011240424804	00.00	00.00
	Connector piece Ø35 mm for hose 372168	1	1	372170	4549115161115	00.00	00.00






Vacuum Cleaner Suction Tubes

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Metal Ø35 mm telescopic L = 50 - 87 cm	1	1	782251	8717574044386	00.00	00.00
	Metal Ø35 mm L = 50 cm	1	1	782252	8717574044393	00.00	00.00
	Plastic Ø35 mm L = 48 cm	1	1	782253	8717574044409	00.00	00.00
	Plastic Ø58 mm L = 48 cm	1	1	782254	8717574044416	00.00	00.00







Floor Nozzles

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Vacuum mouth switch 270 mm w/o wheel Ø35 mm	1	1	782261	8717574044423	00.00	00.00
	Vacuum mouth brush 360 mm with wheel Ø35 mm incl. set of brush stripes and set of rubber stripes	5	1	782262	8717574044430	00.00	00.00
	Brush strip set 360 mm for 782262	2	1	782263	8717574044447	00.00	00.00
	Rubber strip set 360 mm for 782262	2	1	782264	8717574044454	00.00	00.00
	Vacuum mouth brush 450 mm with wheel Ø35 mm incl. set of brush stripes and set of rubber stripes	5	1	782265	8717574044461	00.00	00.00
	Brush strip 450 mm for 782265	2	1	782266	8717574044478	00.00	00.00
	Rubber strip 450 mm for 782265	2	1	782267	8717574044485	00.00	00.00



Vacuum Cleaner Accessories

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Reducer rubber 38 / 34 / 31 / 27 mm	1	1	337527	4549115082984	00.00	00.00
	Furniture brush Ø35 mm	1	1	782271	8717574044492	00.00	00.00
	Upholstery nozzle W = 120 mm Ø35 mm	1	1	782272	8717574044508	00.00	00.00
	Vacuum mouth crevice L = 200 mm Ø35 mm	1	1	782273	8717574044515	00.00	00.00
	Vacuum mouth crevice L = 270 mm Ø58 mm	1	1	782274	8717574044522	00.00	00.00




Vacuum Cleaner Accessories - sets

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>1x Furniture brush Ø35 mm (782271) 1x Upholstery nozzle W=120 mm Ø35 mm (782272) 1x Vacuum mouth crevice Ø35 mm L = 200 mm (782273)</p>	3	1	782291	8717574047530	00.00	00.00
 <p>2x Suction tube metal Ø35 mm L = 50cm (782252) 1x Vacuum mouth switch 270 mm w/o wheel Ø35 mm (782261) 1x Furniture brush Ø35 mm (782271) 1x Upholstery nozzle W = 120 mm Ø35 mm (782272) 1x Vacuum mouth crevice Ø35 mm (782273) L = 200 mm</p>	6	1	782292	8717574047547	00.00	00.00
 <p>1x Reducer (337527) 2x Suction tube plastic Ø35 mm (782253) 1x Vacuum mouth wet/dry 360 mm with wheel Ø35 mm (782262) 1x Furniture brush Ø35 mm (782271) 1x Upholstery nozzle W = 120 mm Ø35 mm (782272) 1x Vacuum mouth crevice Ø35 mm L = 200 mm (782273)</p>	11	1	782293	8717574047554	00.00	00.00
 <p>1x Reducer (337527) 2x Suction tube metal Ø35 mm L = 50 cm (782252) 1x Vacuum mouth wet/dry 450 mm with wheel Ø35 mm (782265) 1x Vacuum mouth crevice Ø35 mm L = 200 mm (782273)</p>	9	1	782294	8717574047561	00.00	00.00
Suitable for HiKOKI and Hitachi WDE Vacuum Cleaners						
 <p>1x Grip with air adjusting Ø35 mm (782242) 2x Suction tube metal Ø35 mm L = 50 cm (782252) 1x Vacuum mouth switch 270 mm W/O wheel Ø35 mm (782261) 1x Upholstery nozzle W = 120 mm Ø35 mm (782272) 1x Vacuum mouth crevice Ø35 mm L = 200 mm (782273)</p>	6	1	782296	8717574047578	00.00	00.00
Suitable for HiKOKI and Hitachi WDE, RP3608DA, RP3608DB Vacuum Cleaners						
 <p>1x Kettle connection (782221) 1x Hose 3,2 meter Ø32 mm (782232) 1x Grip with air adjusting Ø35 mm (782242) 2x Suction tube plastic Ø35 mm (782253) 1x Vacuum mouth switch 270 mm w/o wheel Ø35 mm (782261) 1x Upholstery nozzle W = 120 mm Ø35 mm (782272) 1x Vacuum mouth crevice Ø35 mm L = 200 mm (782273)</p>	8	1	782297	8717574047585	00.00	00.00


Vacuum Cleaner Accessories - sets

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Suitable for HiKOKI and Hitachi (R)NT, RP250/500YDM, RP350YDM/YDH Vacuum Cleaners						
 <p>1x Hose 3,2 meter Ø38 mm (782235) 2x Suction tube plastic Ø36 mm (782253) 1x Vacuum mouth switch 270 mm w/o wheel Ø36 mm (782261) 1x Upholstery nozzle W = 120 mm Ø36 mm (782272) 1x Vacuum mouth crevice Ø36 mm L = 200 mm (782273) 1x Kettle connection (40010051) 1x Connector (40010123)</p>	8	1	782298	8717574047592	00.00	00.00
 <p>1x Hose 3,2 meter Ø38 mm (782235) 1x Suction tube telescopic Ø36 mm L = 50 cm (782251) 1x Vacuum mouth wet/dry 360 mm with wheel Ø36 mm (782262) 1x Upholstery nozzle W = 120 mm Ø36 mm (782272) 1x Vacuum mouth crevice Ø36 mm L = 200 mm (782273) 1x Kettle connection (40010051) 1x Connector (40010123)</p>	7	1	782299	8717574047608	00.00	00.00

Universal Dust Extraction Adaptors for drilling

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Dust extraction adaptor complete For maximum diameter of 14 mm With rubber cuff for connection to vacuum hose</p>	1	1	783116	8717574051292	00.00	00.00
 <p>Dust extraction adaptor complete For maximum diameter of 90 mm With screw coupling with rubber cuff for connection to vacuum hose</p>	1	1	783122	8717574058246	00.00	00.00
 <p>Dust extraction adaptor complete For maximum diameter of 175 mm With screw coupling with rubber cuff for connection to vacuum hose</p>	1	1	783123	8717574058253	00.00	00.00

Dust Extraction for demolition hammer

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Dust extraction adaptor complete Suitable for H45MEY/H60MEY Supplied with two lengths of hose to adjust to different chisel length With screw coupling with rubber cuff for connection to vacuum hose</p>	1	1	783121	8717574058017	00.00	00.00

Proline Nailer Accessories



Proline Collated Screws

Add quality to your job

Important for a good working system is, that the materials are optimized for each other. Especially when it comes to band screw machines, with which high productivity can be achieved, the quality of the plastic band is extremely important.

EN 14566










The plastic band makes the transportation of the screw through the front case of the machine fluent and holds the screw tight as long as it is necessary.

All HiKOKI band screws are produced in an ISO 9001 certified facility. All collated drywall screws comply to the CE standard and to standard EN14566.

The grey phosphated screws are approved in accordance to the 48-hours salt spray test.

The electro galvanized screws are free of Chrome 6 and are electro galvanized CR3+ according to the CE-standard on 5µ. These screws comply to the 200 hours salt spray test.

Collated Screws for plaster board

PH 2	Ø (mm)	Length (mm)	Thread	Finishing	Material	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
There are 50 screws on a band and 20 bands in a carton box: 1,000 screws per box											
Grey phosphated											
	3,6	25	Fine	Grey phosphated	Metal	1,000	1	754601	8717574034646	00.00	00.00
	3,6	35	Fine	Grey phosphated	Metal	1,000	1	754605	8717574034653	00.00	00.00
	3,6	45	Fine	Grey phosphated	Metal	1,000	1	754607	8717574069426	00.00	00.00
	3,6	55	Fine	Grey phosphated	Metal	1,000	1	754609	8717574069433	00.00	00.00
	3,9	25	Coarse	Grey phosphated	Wood	1,000	1	754611	8717574034660	00.00	00.00
	3,9	30	Coarse	Grey phosphated	Wood	1,000	1	754613	871757406944	00.00	00.00
	3,9	35	Coarse	Grey phosphated	Wood	1,000	1	754615	8717574034677	00.00	00.00
	3,9	45	Coarse	Grey phosphated	Wood	1,000	1	754617	8717574069457	00.00	00.00
	3,9	55	Coarse	Grey phosphated	Wood	1,000	1	754619	8717574069464	00.00	00.00

Suitable for HiKOKI and Hitachi bandscrew machines W4YD, W4YE, W4YF, W18DA, W18DB, WF4DSL, WF4DY, WF14DSL, WF18DSL and other brands like Hilti, Fein, Makita, Max, Powers, Poppers/Senco, Spero, Würth.

Collated Screws for chipboard

PH 2	Ø (mm)	Length (mm)	Thread	Finishing	Material	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
There are 50 screws on a band and 20 bands in a carton box: 1,000 screws per box											
Yellow zinc plated											
	4,0	25	Chip-board	Yellow zinc plated	Metal	1,000	1	754631	8717574034721	00.00	00.00
	4,0	30	Chip-board	Yellow zinc plated	Metal	1,000	1	754633	8717574034738	00.00	00.00
	4,0	35	Chip-board	Yellow zinc plated	Metal	1,000	1	754635	8717574034745	00.00	00.00
	4,0	40	Chip-board	Yellow zinc plated	Metal	1,000	1	754636	8717574034752	00.00	00.00
Zinc plated											
	4,0	25	Chip-board	Zinc plated	Wood	1,000	1	754621	8717574034684	00.00	00.00
	4,0	30	Chip-board	Zinc plated	Wood	1,000	1	754623	8717574034691	00.00	00.00
	4,0	35	Chip-board	Zinc plated	Wood	1,000	1	754625	8717574034707	00.00	00.00
	4,0	40	Chip-board	Zinc plated	Wood	1,000	1	754626	8717574034714	00.00	00.00

Suitable for HiKOKI and Hitachi bandscrew machines W4YD, W4YE, W4YF, W18DA, W18DB WF4DSL, WF4DY, WF14DSL, WF18DSL and other brands like Bosch, Hilti, Fein, Festool, Makita, Max, Powers, Poppers/Senco, Spero, Würth.

Proline Nails and Fuel Cells

The HiKOKI Proline galvanized nails are treated with a very special technique called Magneto Hydro Dynamics (MHD); the science which studies the dynamics of electrically conducting molten metals. Applying this special production method for galvanizing steel products has many advantages.

How it works

First of all the wire rolls are being uncoiled, straightened and the surface is blast-clean treated. Induction heating brings the wire to galvanizing temperature after which it passes a molten zinc bath. Now the actual MHD process takes place where the zinc is magnetically wiped to the final coating thickness. Finally the wire is being cooled down, cut-to length and packed in sales units.

Cost efficient

Manufacturing costs are significantly reduced, compared to traditional hot-dipped galvanizing for continuous length products. MHD galvanizing is less energy consuming and high speed due to continuous process.

Environmentally friendly

As a company, HiKOKI has described an environmental vision to achieve more sustainability in the value chain. By eliminating the hazardous chemicals found in a traditional galvanizing line, i.e., acid, flux, and rinse, the MHD process as used on the galvanized nails is eco-friendly! There are no hazardous chemicals or by-products to worry about in an MHD system.

High quality

The HiKOKI Proline nails are made out of high quality steel and offered with a Full round- or D-head, both in bright and galvanized execution. All relevant quality standards and certifications are met.


- Superior galvanizing technology:
- Non polluting, no acid, no flux.
 - Low cost process for competitive market pricing.
 - High quality galvanizing.
 - Product manufactured from this passes the Eurocode 5 norms.

Framing Nails

	Size (mm)	Shank type	Finish	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Framing nail 34° - D-clipped head - paper collated									
	2,8 x 50	Ring	Bright	3,000	1	753631	8717574059069	00.00	00.00
	2,8 x 50	Ring	MHD	3,000	1	753611	8717574053128	00.00	00.00
	2,8 x 50	Smooth	MHD	3,000	1	4100401	8717574059595	00.00	00.00
	3,1 x 50	Ring	Hot dip galvanized	4,800	1	705453	8717472817648	00.00	00.00
	2,8 x 55	Ring	Bright	3,000	1	753632	8717574059076	00.00	00.00
	2,8 x 55	Ring	MHD	3,000	1	753612	8717574053135	00.00	00.00
	2,8 x 55	Smooth	MHD	3,000	1	4100402	8717574059601	00.00	00.00
	3,1 x 63	Ring	Hot dip galvanized	4,800	1	705456	8717472817679	00.00	00.00
	2,8 x 65	Ring	Bright	3,000	1	753633	8717574059083	00.00	00.00
	2,8 x 65	Ring	MHD	3,000	1	753613	8717574053142	00.00	00.00
	2,8 x 65	Smooth	MHD	3,000	1	4100403	8717574059618	00.00	00.00
	2,8 x 75	Ring	Bright	2,500	1	753634	8717574059090	00.00	00.00
	2,8 x 75	Ring	MHD	2,500	1	753614	8717574053159	00.00	00.00
	2,8 x 75	Smooth	MHD	2,500	1	4100404	8717574059625	00.00	00.00
	3,1 x 75	Ring	Hot dip galvanized	2,500	1	705459	8717472817709	00.00	00.00
	3,1 x 82	Smooth	MHD	2,500	1	4100405	8717574059632	00.00	00.00
	3,1 x 90	Ring	Bright	2,500	1	753636	8717574059106	00.00	00.00
	3,1 x 90	Ring	MHD	2,500	1	753616	8717574053166	00.00	00.00
3,1 x 90	Smooth	MHD	2,500	1	4100406	8717574059649	00.00	00.00	

Suitable for e.g. HiKOKI and Hitachi nailer NR1890DBCL, NR90GC(2) and NR90AD.

Framing Nails

	Size (mm)	Shank type	Finish	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
Framing nail 34° stainless steel - D-clipped head - paper collated									
	2,8 x 65	Ring	Inox	3,000	1	4100413	8717574065176	00.00	00.00


Suitable for e.g. HiKOKI and Hitachi nailer NR1890DBCL, NR90GC(2) and NR90AD.

Framing Nails

	Size (mm)	Shank type	Finish	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Framing nail 21° - full round head - plastic collated									
	2,8 x 50	Ring	Bright	3,000	1	753641	8717574059014	00.00	00.00
	2,8 x 50	Ring	MHD	3,000	1	753621	8717574053173	00.00	00.00
	2,8 x 55	Ring	Bright	3,000	1	753642	8717574059021	00.00	00.00
	2,8 x 55	Ring	MHD	3,000	1	753622	8717574053180	00.00	00.00
	2,8 x 65	Ring	Bright	3,000	1	753643	8717574059038	00.00	00.00
	2,8 x 65	Ring	MHD	3,000	1	753623	8717574053197	00.00	00.00
	2,8 x 75	Ring	Bright	2,500	1	753644	8717574059045	00.00	00.00
	2,8 x 75	Ring	MHD	2,500	1	753624	8717574053203	00.00	00.00
	3,1 x 90	Ring	Bright	2,500	1	753646	8717574059052	00.00	00.00
	3,1 x 90	Ring	MHD	2,500	1	753626	8717574053210	00.00	00.00


Suitable for e.g. HiKOKI and Hitachi nailer NR1890DBRL, NR90GR(2).

Duplex Nails

	Size (mm)	Shank type	Finish	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Duplex nail 21° - full round head - plastic collated									
	3,3 x 57/45	Smooth	Bright	2,000	1	4100441	8717574069396	00.00	00.00
	3,3 x 70/58	Smooth	Bright	2,000	1	4100442	8717574069402	00.00	00.00
	3,3 x 89/77	Smooth	Bright	2,000	1	4100443	8717574069419	00.00	00.00

Suitable for e.g. HiKOKI nailer NR3675DD.


Concrete Nails

	Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Concrete nail - plastic collated							
	Ballistic nail 15 mm	1,000	1	40014406	4250155816391	00.00	00.00
	Ballistic nail 20 mm	1,000	1	40014401	4250155810078	00.00	00.00
	Ballistic nail 25 mm	1,000	1	40014402	4250155810085	00.00	00.00
	Ballistic nail 30 mm	1,000	1	40014403	4250155810092	00.00	00.00
	Ballistic nail 35 mm	1,000	1	40014404	4250155810108	00.00	00.00
	Ballistic nail 40 mm	1,000	1	40014405	4250155810115	00.00	00.00

Supplied with 1 fuel cell 80 ml




Suitable for concrete nailers such as the NC40G. Please check dimensions carefully before use with other makes of nailer.

Fine Wire Staples

	Thickness (mm)	Width (mm)	Length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	0,7	13,0	6	4,800	1	750667	8717574041293	00.00	00.00
	0,7	13,0	10	4,800	1	750668	8717574041309	00.00	00.00
	0,7	13,0	13	4,800	1	750669	8717574041316	00.00	00.00




Suitable for e.g. HiKOKI and Hitachi N14DSL, N18DSL, Atro, Bea, Bostitch, Duo Fast, Fasco, Haubold, Kihlberg, Omer, Prebena and Senco.

Finish Nails 15 Gauge

	Thickness (mm)	Length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
15 Gauge finish nail DA 34° - electro galvanized								
	1,8	25	2,000	1	750681	8717574058048	00.00	00.00
	1,8	32	2,000	1	750682	8717574058055	00.00	00.00
	1,8	38	2,000	1	750683	8717574058062	00.00	00.00
	1,8	44	2,000	1	750684	8717574058079	00.00	00.00
	1,8	50	2,000	1	750685	8717574058086	00.00	00.00
	1,8	56	2,000	1	750686	8717574058093	00.00	00.00
15 Gauge finish nail DA 34° stainless steel								
	1,8	32	2,000	1	750692	8717574067521	00.00	00.00
	1,8	38	2,000	1	750693	8717574058116	00.00	00.00
	1,8	50	2,000	1	750695	8717574058123	00.00	00.00
	1,8	63	2,000	1	750697	8717574058130	00.00	00.00



Suitable for e.g. HiKOKI and Hitachi nailer NT1865DBAL, NT1865DMA, NT65MA3/ Bea, Bostitch, Fasco, Paslode, Prebena and Senco.

Finish Nails 16 Gauge

	Thickness (mm)	Length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
16 Gauge finish nail straight - electro galvanized								
	1,6	25	5,000	1	705565	5017658059385	00.00	00.00
	1,6	32	2,500	1	705566	5017658059392	00.00	00.00
	1,6	38	2,500	1	705568	5017658059415	00.00	00.00
	1,6	35	2,500	1	705567	5017658059408	00.00	00.00
	1,6	40	2,500	1	705569	5017658059422	00.00	00.00
	1,6	45	2,500	1	705570	5017658059439	00.00	00.00
	1,6	50	2,500	1	705571	5017658059446	00.00	00.00
	1,6	63	2,500	1	705572	5017658059453	00.00	00.00
16 Gauge finish nail straight - stainless steel								
	1,6	38	2,500	1	750593	8717574059137	00.00	00.00
	1,6	50	2,500	1	750595	8717574059144	00.00	00.00
	1,6	63	2,500	1	750597	8717574059151	00.00	00.00



Suitable for e.g. HiKOKI and Hitachi nailer NT1865DBSL, NT65GS, NT65M2, Bea, Bostitch, Fasco, Paslode, Prebena and Senco.

Finish Nails 16 Gauge 20°

	Thickness (mm)	Length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
16 Gauge finish nails - 20° - electro galvanized								
	1,6	32	2,000	1	705573	5017658059460	00.00	00.00
	1,6	38	2,000	1	705574	5017658059477	00.00	00.00
	1,6	45	2,000	1	705575	5017658059484	00.00	00.00
	1,6	50	2,000	1	705576	5017658059491	00.00	00.00
	1,6	63	2,000	1	705577	5017658059507	00.00	00.00
16 Gauge finish nails - 20° - stainless steel								
	1,6	32	2,000	1	4100431	8717574067835	00.00	00.00
	1,6	38	2,000	1	4100432	8717574067842	00.00	00.00
	1,6	45	2,000	1	4100433	8717574067859	00.00	00.00
	1,6	50	2,000	1	4100434	8717574067866	00.00	00.00
	1,6	63	2,000	1	4100435	8717574067873	00.00	00.00

Suitable for e.g. HiKOKI and Hitachi nailer NT1865DA, NT1865DMB, NT65GB.

Mini Brads 18 Gauge

	Thickness (mm)	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
18 Gauge brad nail straight - electro galvanized								
	1,2	15	5,000	1	750671	8717574050103	00.00	00.00
	1,2	20	5,000	1	750672	8717574050110	00.00	00.00
	1,2	25	5,000	1	750673	8717574050127	00.00	00.00
	1,2	30	5,000	1	750674	8717574050134	00.00	00.00
	1,2	35	5,000	1	750675	8717574050141	00.00	00.00
	1,2	40	5,000	1	750676	8717574050158	00.00	00.00
	1,2	45	5,000	1	750677	8717574050165	00.00	00.00
	1,2	50	5,000	1	750678	8717574050172	00.00	00.00
18 Gauge brad nail straight - stainless steel								
	1,2	15	5,000	1	715251	8717574040968	00.00	00.00
	1,2	20	5,000	1	715252	8717574040975	00.00	00.00
	1,2	25	5,000	1	715253	8717574040982	00.00	00.00
	1,2	38	5,000	1	715255	8717574041002	00.00	00.00
	1,2	50	5,000	1	715258	8717574041033	00.00	00.00


Suitable for 18 Gauge brad nailers such as HiKOKI and Hitachi NT1850DA, NT1850DF, NT1850DBSL, NT50GS/AE2, Bea, Bostitch, Fasco, Paslode, Prebena and Senco.

Pin Nails straight 23 Gauge


	Thickness (mm)	Length (mm)	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
23 Gauge pin nail straight - electro galvanized								
	0,64	15	20,000	1	4100421	8717574067378	00.00	00.00
	0,64	20	10,000	1	4100422	8717574067385	00.00	00.00
	0,64	25	10,000	1	4100423	8717574067392	00.00	00.00
	0,64	30	10,000	1	4100424	8717574067408	00.00	00.00
	0,64	35	10,000	1	4100425	8717574067415	00.00	00.00

Suitable for 23 gauge Pin nailers such as HiKOKI and Hitachi NP18DSL / NP18DSAL, Bea, Bostitch, Fasco, Makita, Paslode, Prebena and Senco.


Extended Magazines

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Extended Magazine for NR1890DBCL, NR1890DC	1	1	379046	4549115271166	00.00	00.00
	Extended Magazine for NR1890DBRL	1	1	379048	4549115271180	00.00	00.00


Gas Cells for gas nailers

	Description	Suitable for	Content	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Fuel can for gas Nailers	NT50GS NT65GB NT65GS	30 ml	2	1	753702	8717574011838	00.00	00.00
		NC40G NR90GC(2) NR90GR(2)	80 ml	2	1	753600	8717472813695	00.00	00.00


Cleaning Kit for gas nailers

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Consisting of: Cleaner spray 300 ml Nailer oil 100 ml Hexagonal T-handle key 4x100mm Cleaning brush Soft cleaning cloth	1	1	714800	8717574001105	00.00	00.00

Nose Cap for surface protection

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Nose cap for NR1890DBCL / NR1890DBRL Protects wood surfaces Eliminates markings	1	1	4100400	8717574059700	00.00	00.00
	Nose cap for NT1850DBSL Protects wood surfaces Eliminates markings	3	1	4100410	8717574059861	00.00	00.00

Repair and Maintenance Set for pneumatic nailers

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Repair and maintenance set for NV90AB	17	1	50750069	7034354711162	00.00	00.00
	Repair and maintenance set for NV90HMC	30	1	50750075	7034354716761	00.00	00.00
	Repair and maintenance set for NV65HMC	27	1	50750076	7034354717867	00.00	00.00




Proline Chain Saw Accessories

Proline Saw Chains


All HiKOKI saw chains are fabricated from special alloy steel. This specially engineered steel adds toughness and abrasion resistance. All HiKOKI saw chain cutters are plated with hard industrial chrome. This process yields superior edge-holding qualities to other types of plating. In the field, HiKOKI saw chains stay sharp longer.

Unlike the competition, every HiKOKI saw chain is sharpened after assembly to cut fast out of the box. To reduce bearing wear during "break in", all HiKOKI chains are injected at the rivet bearing with a hypoid lubricant

Saw Chains

	Pitch inch	Gauge mm (inch)	Length cm (inch)	Links	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	1/4" LP	1,3 (.050")	25 (10")	60	1	1	781110	8717574035100	00.00	00.00
			25 (10")	40	1	1	781120	8717574021301	00.00	00.00
	3/8" LP	1,3 (.050")	30 (12")	45	1	1	781122	8717574021318	00.00	00.00
			35 (14")	52	1	1	781124	8717574021325	00.00	00.00
			40 (16")	57	1	1	781126	8717574021332	00.00	00.00
			33 (13")	56	1	1	781133	8717574021349	00.00	00.00
			38 (15")	64	1	1	781135	8717574021356	00.00	00.00
	.325" NK	1,3 (.050")	40 (16")	66	1	1	781136	8717574021363	00.00	00.00
			45 (18")	72	1	1	781138	8717574021370	00.00	00.00
			50 (20")	78	1	1	781140	8717574033236	00.00	00.00

Saw Chains - benefit package

	Pitch inch	Gauge mm (inch)	Length cm (inch)	Links	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	.325" NK	1,3 (.050")	30,5 (100 ft)	1848	1	1	781193	8717574021462	00.00	00.00





Proline Chain Saw Accessories


Combo pack chain and chain bar

HiKOKI offers a great deal: chain bar and the chain packed into one package. All HiKOKI chain bars are equipped with a sprocket.

Chain Saw Bars

	Pitch inch	Gauge cm (inch)	Length cm (inch)	Links	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	3/8" LP	1,3 (.050")	30 (12")	45	2	1	781232	8717574021387	00.00	00.00
			35 (14")	52	2	1	781234	8717574021394	00.00	00.00
			40 (16")	57	2	1	781236	8717574021400	00.00	00.00
	.325" NK	1,3 (.050")	33 (13")	56	2	1	781243	8717574021417	00.00	00.00
			38 (15")	64	2	1	781245	8717574021424	00.00	00.00
			40 (16")	66	2	1	781246	8717574021431	00.00	00.00
			45 (18")	72	2	1	781248	8717574021448	00.00	00.00
			50 (20")	78	2	1	781250	8717574033243	00.00	00.00

Chain Saw Bag

Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <ul style="list-style-type: none"> • Heavy duty chain saw bag with carrying handles and shoulder strap • Wide opening top with two zipper closure • Bottom plate made of tarpaulin: strong, flexible, water resistant and easy cleaning • Two inside elastic pockets to hold bottle of chain saw oil and 2-stroke oil • Outside pocket for storing maintenance tools • Total inner length 82cm • Suitable for all HiKOKI and Hitachi chain saws including CS51 	1	1	711008	8717574049589	00.00	00.00

Proline Chain Saw Files

1 Optimal and easy fixation of the file

2 Sharpening angles clearly marked

3 Made of light, robust plastic for perfect handling and long life time

4 Stainless steel bottom inlays slide very well on the cutter and ensure guide flatness

5 File size indicator

6 Ergonomic front grip


7 Possibility to measure length of the cutters

The HiKOKI professional lumberjack file guide pack includes the essential parts you need to keep your saw chain sharp:


- One round file
- One innovative guide
- And one handle

The file guide holds the file at the correct height and indicates the correct sharpening angle.


Please note: the guide must match the chain file size.





Lumberjack File

Description	Ø mm (inch)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 3-pcs set consisting of: 1 round file for sharpening chains saw 1 file grip with wings indicating 25° and 30° sharpening angle 1 file guide indicating 25° and 30° sharpening angle	4,5 (11/64")	3	1	781292	8717574048261	00.00	00.00
	4,8 (3/16")	3	1	781293	8717574048278	00.00	00.00
	5,2 (13/64")	3	1	781294	8717574048285	00.00	00.00
	5,5 (7/32")	3	1	781295	8717574048292	00.00	00.00



Round File

	Description	Ø mm (inch)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Round file for chain saw Length = 200 mm	4,0 (5/32")	3	4	781271	8717574047936	00.00	00.00
			12	1	781272	8717574047943	00.00	00.00
	Round file for chain saw Length = 200 mm	4,5 (11/64")	3	4	781273	8717574047950	00.00	00.00
			12	1	781274	8717574047967	00.00	00.00
	Round file for chain saw Length = 200 mm	4,8 (3/16")	3	4	781275	8717574047974	00.00	00.00
			12	1	781276	8717574047981	00.00	00.00
	Round file for chain saw Length = 200 mm	5,2 (13/64")	3	4	781277	8717574047998	00.00	00.00
			12	1	781278	8717574048001	00.00	00.00
	Round file for chain saw Length = 200 mm	5,5 (7/32")	3	4	781279	8717574048018	00.00	00.00
			12	1	781280	8717574048025	00.00	00.00

Round File - set

	Description	Ø mm (inch)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	3-pcs set consisting of:	4,5 (11/64")	3	1	781286	8717574048063	00.00	00.00
	2 pieces round file for sharpening chain saw	4,8 (3/16")	3	1	781287	8717574048070	00.00	00.00
	1 file grip with wings indicating 25° and 30° sharpening angle	5,2 (13/64")	3	1	781288	8717574048087	00.00	00.00
		5,5 (7/32")	3	1	781289	8717574048094	00.00	00.00

Flat File - set

	Description	Length mm	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	2-pcs set consisting of: 1 flat file for finishing the depth limiter of chain saw 1 file grip	150	2	1	781290	8717574048100	00.00	00.00

Proline Mowing Accessories



Trimmer Heads



The Semi-automatic HiKOKI trimmer heads are constructed out of high quality, shock resistant nylon material. The special design withstands impact damage, which ensures long lifetime. Available in Ø109, Ø130 and Ø160 mm, and standard equipped with adaptor and trimmer line.



- Double line nylon head complete with adaptor nut.
- High capacity spool: 10 m. of Ø2,4 mm line on Ø130 mm trimmer head.
- Extremely balanced at any r.p.m. range.
- Handy and sturdy.
- Anti line-entangling design.
- Higher flexibility spring for better line consumption control.

Spool capacity			
Ø (mm)	109 mm	130 mm	160 mm
1,6	12 m		
2,0	9 m		
2,4	5,5 m	10 m	17,6 m
2,7		8 m	14,2 m
3,0		6 m	12,8 m
3,3		5,5 m	10,6 m
3,5		4,5 m	10,2 m

Ø (mm)	Connection	Suitable for	Standard line length (m)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
109	M8x1,25 RH F	< 33 cc	3,5	1	1	781301	8717574034011	00.00	00.00
109	M8x1,25 LH F	< 33 cc	3,5	1	1	781302	8717574034028	00.00	00.00
109	M10x1,25 LH F	< 33 cc	3,5	1	1	781303	8717574034035	00.00	00.00
130	M8x1,25 LH F	≥ 33 cc	4,0	1	1	781306	8717574034042	00.00	00.00
130	M10x1,25 LH F	≥ 33 cc	4,0	1	1	781307	8717574034059	00.00	00.00
160	M10x1,25 LH F	≥ 40 cc	5,0	1	1	781309	8717574034066	00.00	00.00
160	M12x1,75 LH F	≥ 40 cc	5,0	1	1	781310	8717574054279	00.00	00.00

All trimmer heads come standard filled with HiKOKI high quality trimmer line, round Ø2,40 mm

Trimmer Heads Quick Load



Quick load

HiKOKI offers a Quick load trimmer head; traditional operation reliability with an outstanding and innovative line loading system. Without any difficulty, loading up a line is now only a matter of seconds. Available in Ø109 and Ø130 mm, standard equipped with trimmer line and various adaptors to fit to a wide range of machines.

- Extremely balanced at any rpm range.
- Wide eyelet to avoid breakage of the nylon line.
- Double nylon line head complete with adaptor nut.
- Line loading in less than a minute.
- For square and round lines.

Spool capacity		
Ø (mm)	109 mm	130 mm
1,6	11 m	
2,0	6,5 m	
2,4	5,5 m	8,7 m
2,7	4,2 m	7 m
3,0	3,1 m	6 m
3,5		4,5 m
4,0		2,8 m

Ø (mm)	Connection	Suitable for	Standard equipped line	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
109	M8x1,25 LH M M10x1,0 LH F M10x1,25 LH F	< 33 cc	Ø2,4 mm x 4 m	1	1	781313	8717574034073	00.00	00.00
130	M8x1,25 LH M M10x1,0 LH F M10x1,25 LH F M12x1,5 LH F	≥ 33 cc	Ø3,0 mm x 4 m	1	1	781317	8717574034080	00.00	00.00

Trimmer Head Aluminium

Aluminium head for pre-cut line

HiKOKI aluminium head is an easy-to-load fixed-line head, especially designed for use with the HiKOKI Serrated line. The aluminium top section can be fitted with 2 Serrated lines in diameters from 3.0 to 4.5 mm. All other types of line with round, square, or any other shape can be used in diameters from 1.6 to 5.0 mm.

The 104 mm diameter head is reliable and lightweight, and is attached to the machine using the trimmer's blade bolt or nut, and one adaptor from the package. No tools required for line change, in less than 5 seconds!

HiKOKI Serrated line

A revolution in trimmer technology! The extreme cutting force for cutting weeds and heavy grass comes from its serrated edges. Thanks to the sharp teeth, a clean cut is provided and prevents the grass from turning yellow or brown. Specific mechanical characteristics enable the teeth to withstand repeated shocks and heavy use.

Air turbulence causes traditional lines to flap about causing loud hiss and requires higher engine power, thus extra noise and air pollution. Finally, the line wears faster and causes premature weakening of the eyelet. The HiKOKI Serrated line remains perfectly horizontal and stable. Reduced air drag means better use of the motor energy. Hence less noise and air pollution, less hiss, less wear and tear on engine parts and a cleaner cut. Less stress on the line means increased reliability and reduced downtime.


The HiKOKI Serrated line will produce a neat cut. When using square or round lines, the effects of grass slashing are clearly visible over the exposed areas of the operator's clothing. Using Serrated line considerably reduces this effect, and therefore gives the best result possible.

- Cuts fast, even in heavy conditions.
- More cutting power than trimmer line.
- Quieter than trimmer line due to superior aerodynamic characteristics.



Important information on the trimmer line

Any monofilament trimmer line can lose moisture over time or become brittle, especially if subjected to direct sunlight and heat. To reduce brittleness, HiKOKI strongly recommends that the line be stored in a humid atmosphere.



Aluminium Trimmer Head

Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Aluminium head Ø104 mm 8 x serrated line 260 mm Ring 25,4 x 20 mm Ring 30 x 8, 10, 12, 16 mm Nut M10 x 1,25 LH</p>	15	1	781321	8717574035049	00.00	00.00

Serrated Nylon Lines pre-cut

Size (mm)	Length (m)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 3,00	0,26	35	1	781401	8717574033670	00.00	00.00
3,50	0,26	25	1	781402	8717574033687	00.00	00.00
 4,00	0,26	20	1	781403	8717574033694	00.00	00.00
4,50	0,26	15	1	781404	8717574033700	00.00	00.00

Serrated Nylon Lines

Size (mm)	Length (m)	Approx. weight ca. (g)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 3,00	37	330	1	1	781411	8717574033717	00.00	00.00
3,50	27	330	1	1	781412	8717574033724	00.00	00.00
 4,00	21	330	1	1	781413	8717574033731	00.00	00.00
4,50	16	330	1	1	781414	8717574033748	00.00	00.00

Nylon Lines

HiKOKI trimmer lines

The high quality co-polyamide lines of HiKOKI are made for agricultural and gardening applications and are known as the best in the market.

The material is strong, tough and high abrasion resistance and can be used on thick tough vegetation with weeds and brambles. The special blend of raw material overcomes two of the most common difficulties encountered with intensive line use, namely line breakage at the eyelet of the nylon head and line fusing in the head.

Helicoidal

Thanks to the aerodynamic shape of the helicoidal lines, they have an outstanding air penetration property resulting in a significant noise reduction. Depending on the size of the line and the rotation of the machine, the noise level reduction may go up to about 15%. The lines are giving less vibration, improving the life time of the trimmer machine and improved efficiency because the machine will reach its optimal speed faster. Less air resistance means reduced engine drag. Improved efficiency. The engine reaches its optimal speed faster. Noise level reduction.



Round

Round trimmer line is the most standard type and the most commonly used. Round trimmer line is smooth and will wear down less quickly. Most cutting occurs at the very tip of the line, so when round line contacts hard surfaces, like sidewalks or trees, it will break off less. The round line is also simpler to load into the spool retainer during line replacement, which may save time in the long run if you have a lot to trim.

Square

Trimmer line shapes that have edges are sharper. The edges that square lines have allow the lines to actually slice through grass and weeds.

With four sharp edges, square trimmer line cuts faster and more efficiently. The square-edged line works well if you have tall, thick and heavy patches of weeds.

- Square edges provide a sharper cutting area.
- High performance cutting action, slices through thick grass and weeds.
- Lower vibrations.




Colour code

In order to have a clear and quick distinction between the different sizes, HiKOKI is using the following colourcode system:




Colour code	
Transparent	1,3 mm
Blue	1,6 mm
Green	2,0 mm
Orange	2,4 mm
Red	2,7 mm
Yellow	3,0 mm
Black	3,3 mm

The weights in the following tables are approximate weights and may vary a little depending on the tolerances.

Nylon Lines


	Size (mm)	Length (m)	Approx. weight ca. (g)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Round									
	1,3	15	23	1	1	781091	8717574025903	00.00	00.00
	1,6	15	34	1	1	781092	8717574026177	00.00	00.00
	2,0	15	54	1	1	781001	8717574018899	00.00	00.00
	2,0	62	226	1	1	781002	8717574018905	00.00	00.00
	2,0	126	453	1	1	781003	8717574018912	00.00	00.00
	2,4	15	77	1	1	781004	8717574018929	00.00	00.00
	2,4	44	226	1	1	781005	8717574018936	00.00	00.00
	2,4	88	453	1	1	781006	8717574018943	00.00	00.00
	2,7	15	94	1	1	781007	8717574018950	00.00	00.00
	2,7	36	226	1	1	781008	8717574018967	00.00	00.00
	2,7	72	453	1	1	781009	8717574018974	00.00	00.00
	3,0	15	121	1	1	781010	8717574018981	00.00	00.00
	3,0	28	226	1	1	781011	8717574018998	00.00	00.00
	3,0	56	453	1	1	781012	8717574019001	00.00	00.00
	3,3	23	226	1	1	781013	8717574021189	00.00	00.00
	3,3	46	453	1	1	781014	8717574021196	00.00	00.00
Square									
	2,0	15	68	1	1	781021	8717574019018	00.00	00.00
	2,0	50	226	1	1	781022	8717574019025	00.00	00.00
	2,0	99	453	1	1	781023	8717574019032	00.00	00.00
	2,4	15	98	1	1	781024	8717574019049	00.00	00.00
	2,4	34	226	1	1	781025	8717574019056	00.00	00.00
	2,4	69	453	1	1	781026	8717574019063	00.00	00.00
	2,7	15	120	1	1	781027	8717574019070	00.00	00.00
	2,7	28	226	1	1	781028	8717574019087	00.00	00.00
	2,7	56	453	1	1	781029	8717574019094	00.00	00.00
	3,0	15	154	1	1	781030	8717574019100	00.00	00.00
	3,0	22	226	1	1	781031	8717574019117	00.00	00.00
	3,0	44	453	1	1	781032	8717574019124	00.00	00.00
Helicoidal									
	2,0	15	50	1	1	781041	8717574019131	00.00	00.00
	2,0	63	185	1	1	781042	8717574019148	00.00	00.00
	2,0	126	370	1	1	781043	8717574019155	00.00	00.00
	2,4	15	65	1	1	781044	8717574019162	00.00	00.00
	2,4	44	185	1	1	781045	8717574019179	00.00	00.00
	2,4	88	370	1	1	781046	8717574019186	00.00	00.00
	2,7	15	75	1	1	781047	8717574019193	00.00	00.00
	2,7	36	185	1	1	781048	8717574019209	00.00	00.00
	2,7	72	370	1	1	781049	8717574019216	00.00	00.00
	3,0	15	96	1	1	781050	8717574019223	00.00	00.00
	3,0	28	185	1	1	781051	8717574019230	00.00	00.00
	3,0	56	370	1	1	781052	8717574019247	00.00	00.00
	3,3	23	185	1	1	781053	8717574021202	00.00	00.00
	3,3	46	320	1	1	781054	8717574021219	00.00	00.00
	4,0	32	370	1	1	781055	8717574049688	00.00	00.00

Nylon Lines - benefit packages


	Size (mm)	Length (m)	Approx. weight ca. (g)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Round									
	2,4	262	1350	1	1	781062	8717574025910	00.00	00.00
	2,4	437	2250	1	1	781063	8717574025927	00.00	00.00
	2,7	215	1350	1	1	781064	8717574025934	00.00	00.00
	2,7	358	2250	1	1	781065	8717574025941	00.00	00.00
	3,0	168	1350	1	1	781066	8717574025958	00.00	00.00
	3,0	279	2250	1	1	781067	8717574025965	00.00	00.00
	3,3	139	1350	1	1	781068	8717574025972	00.00	00.00
	3,3	231	2250	1	1	781069	8717574025989	00.00	00.00
Square									
	2,4	206	1350	1	1	781072	8717574026023	00.00	00.00
	2,4	343	2250	1	1	781073	8717574026030	00.00	00.00
	2,7	169	1350	1	1	781074	8717574026047	00.00	00.00
	2,7	181	2250	1	1	781075	8717574026061	00.00	00.00
	3,0	132	1350	1	1	781076	8717574026078	00.00	00.00
	3,0	219	2250	1	1	781077	8717574026085	00.00	00.00
Helicoidal									
	2,4	262	1125	1	1	781082	8717574026092	00.00	00.00
	2,4	437	1875	1	1	781083	8717574026108	00.00	00.00
	2,7	215	1125	1	1	781084	8717574026115	00.00	00.00
	2,7	358	1875	1	1	781085	8717574026122	00.00	00.00
	3,0	168	1125	1	1	781086	8717574026139	00.00	00.00
	3,0	279	1875	1	1	781087	8717574026146	00.00	00.00
	3,3	139	1125	1	1	781088	8717574026153	00.00	00.00
	3,3	231	1875	1	1	781089	8717574026160	00.00	00.00

Proline Earth Auger Bits


Earth Auger Bits

	Ø (mm)	Totale lengte (mm)	Spiral length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	55	1100	660	1	1	714001	8717574017892	00.00	00.00
	80	1100	660	1	1	714002	8717574017908	00.00	00.00
	100	1100	660	1	1	714003	8717574017915	00.00	00.00
	120	1100	660	1	1	714004	8717574017922	00.00	00.00
	150	1100	660	1	1	714005	8717574017939	00.00	00.00
	200	1100	660	1	1	714006	8717574017946	00.00	00.00
	250	1100	660	1	1	714007	8717574017953	00.00	00.00
	300	1100	660	1	1	714008	8717574017960	00.00	00.00


Extension

	Ø (mm)	Total length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	45	600	1	1	714026	8717574018097	00.00	00.00

Drill Chuck



	Ø (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	1 - 13	1	1	714027	8717574018592	00.00	00.00
	3 - 16	1	1	714028	8717574020090	00.00	00.00

Connection Pin

	Ø (mm)	Totale lengte (mm)	Spiral length (mm)	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	8	52	45	2	1	714025	8717574018080	00.00	00.00







In order to extend the use of the shaft and spiral of the auger, the knife and center point can be exchanged after being worn-out:

Spare Parts Earth Auger Bits

	Description	For auger bit	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Knife	55/80	1	1	714012	8717574017984	00.00	00.00
	Knife	100	1	1	714013	8717574017991	00.00	00.00
	Knife	120	1	1	714014	8717574018004	00.00	00.00
	Knife	150	1	1	714015	8717574018011	00.00	00.00
	Knife	200	1	1	714016	8717574018028	00.00	00.00
	Knife	250	1	1	714017	8717574018035	00.00	00.00
	Knife	300	1	1	714018	8717574018042	00.00	00.00
	All knives supplied with spare bolts and nuts							
	Centerpoint	55	1	1	714021	8717574018059	00.00	00.00
	Centerpoint	80-150	1	1	714022	8717574018066	00.00	00.00
	Centerpoint	200-300	1	1	714023	8717574018073	00.00	00.00




Proline High Pressure Washer Accessories

Accessories

Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Cleaning brush	1	1	335651	4549115035584	00.00	00.00
 Rotary brush kit	1	1	335652	4549115035591	00.00	00.00
 Patio cleaner	1	1	336412	4549115057869	00.00	00.00
 Angle nozzle (45 degrees)	1	1	335654	4549115035614	00.00	00.00
 Angle nozzle (315 degrees)	1	1	336414	4549115057883	00.00	00.00
 Rotary angle nozzle	1	1	336413	4549115057876	00.00	00.00

Suitable for HiKOKI and Hitachi high pressure washers AW100, AW130, AW150 and other brands.

Accessories

Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Extension hose 10m	1	1	335657	4549115035621	00.00	00.00
 Pipe cleaning kit 7m	1	1	335653	4549115035607	00.00	00.00
 Strainer hose set only to be used with siphon function, available on AW130 and AW150	1	1	335817	4549115039650	00.00	00.00





Suitable for HiKOKI and Hitachi high pressure washers AW100, AW130, AW150 and other brands.



Proline Other Accessories


Proline Heat Gun Accessories


Nozzles, machine connection: Ø34,5 mm

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Round nozzle	1	1	711291	8717574050370	00.00	00.00
	Curved surface nozzle	1	1	711292	8717574050387	00.00	00.00
	Glass protector nozzle	1	1	711293	8717574050394	00.00	00.00
	Flat nozzle	1	1	711294	8717574050400	00.00	00.00

Suitable for HIKOKI and Hitachi Heat Gun RH600T and RH650V and other brands.

Other

	Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Scraper with handgrip	1	1	711295	8717574050417	00.00	00.00



Proline Tethering Tools

Tethering:

Serious and fatal accidents happen when not the worker himself, but his tool falls into the depths and hit a person. The estimated number of all fatal occupational accidents caused by falling objects is 10%.

Even at a fall height of 2 m and a weight of 0.5 kg, a person can suffer serious injuries from a falling object!

In order to protect tools from falling during work at heights and thus eliminate the risk of serious and fatal accidents at work, HiKOKI offers now several products as ideal protection for a wide range of power tools.

The costs of dropped objects can be divided into 3 main categories:

1) Time

Dropping tools and equipment has a huge negative impact on productivity. Often tools fall long distances, requiring considerable time to retrieve. If they fall into water, machinery or other 'non-retrievable' locations, it can delay or even prevent the task being completed on schedule.

2) Money

Dropping and losing tools costs money in terms of damage and replacement. The cost of retrieval in foreign material exclusion (FME) areas, like nuclear plants, can run into millions of dollars.

Another important consideration is that, in the event of a dropped object incident, there can be lengthy legal implications and expensive bills to pay. If members of the

public are involved, it can compound the problem and lead to other intangible costs, like brand and reputational damage.

3) Lives


Most importantly, of course, is the potential loss of life. Even with recoverable injuries, it is traumatic for the persons and families involved – it can lead to the loss of income and ongoing medical expenses. Remember, if you are working in public areas, it is not just your workforce at risk, but anyone passing nearby. Any time an employee dies at work, it is a tragedy with high emotional and financial consequences.

	Description	Max Load	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Standard Bungee Tool Lanyard. With one rotating carabiner	5 kg	1	1	4100681	8717574067200	00.00	00.00
	Standard Bungee Tool Lanyard. With rotating carabiner at both ends	5 kg	1	1	4100682	8717574067217	00.00	00.00
	Heavy Duty Bungee Lanyard with one normal carabiner at one side	20 kg	1	1	4100683	8717574067224	00.00	00.00
	Safety belt with large D Ring to create tethering point on tools	3 kg	10	1	4100684	8717574067231	00.00	00.00
	Self-adhesive safety tape with self-fusing silicone tape technology, length: 2.8m Heavy Duty Anchor Choke	5 kg	1	1	4100685	8717574067248	00.00	00.00
	Heavy Duty Anchor Choke	40 kg	1	1	4100686	8717574067668	00.00	00.00



Proline Lubricants

Lubricants 2-stroke

Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Semi-synthetic lubricant specifically designed for excellent engine protection and performance in 2-stroke motorcycle engines. It guarantees superior control against exhaust system blocking and minimizes exhaust smoke.</p>	100 ml	1	1	714811	8717574017854	00.00	00.00
	1 litre	1	1	714853	8717574023640	00.00	00.00
	1 litre + 100 ml	1	1	714859	8717574033397	00.00	00.00

Lubricant 4-stroke 10W-40

Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>HiKOKI 10W-40 is a modern universal fuel economy motor oil formulation, produced with high quality solvent refined and synthetic base oils and a well balanced choice of additives to obtain the best properties.</p>	1 litre	1	1	714818	8717574021691	00.00	00.00



Special prover on the 1 litre bottle prevents spills.




Chain saw oil

HiKOKI chain saw oil has been specially formulated to satisfy the demanding requirements of a chain saw. Besides lubricating the chain, it also prevents the chain from overheating and loss of strength. Special additives are added to obtain very high grade of viscosity, preventing the oil from flying off the chain and improving lubrication.


Chain Saw Oil

Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Chain saw oil based upon top grade low aromatic solvent-refined base oils</p>	1 litre	1	1	714814	8717574021677	00.00	00.00
	5 litre	1	1	714815	8717574021684	00.00	00.00
 <p>Bio-degradable chain saw oil: based upon totally biodegradable vegetable oil</p>	1 litre	1	1	714816	8717574017878	00.00	00.00
	5 litre	1	1	714817	8717574017885	00.00	00.00


Cutting Oil

Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <p>Cutting oil Chlorine-free, universal, non-staining cutting oil of average viscosity Minimal mist formation High cutting power Increases the lifespan of your tool Recommended application: for drilling, milling, tapping, threading, punching and sawing all mild steel types</p>	400 ml aerosol	1	1	712073	8717154657487	00.00	00.00
	500 ml	1	1	714842	8717574051896	00.00	00.00
	1 liter	1	1	712072	8717572819680	00.00	00.00


Cleaner

	Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	General cleaner Extremely suitable for degreasing Fast evaporating Also suitable for cleaning carburetors	300 ml aerosol	1	1	714805	8717574001112	00.00	00.00

Resin solvent



	Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	Dissolves the resin and keeps the cutters clean Lubricates the metal cutters Kills possible bacteria	400 ml aerosol	1	1	714841	8717574033755	00.00	00.00

Grease



	Description	Content	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	High quality gear grease Extremely suitable for high rotating machines like angle grinders, brush cutters and hedge trimmers Special twist cap enables lubrication straight into the gear case	100 gr	1	1	714833	8717574050257	00.00	00.00

Proline Jerrycans

Jerrycans


	Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
	<ul style="list-style-type: none"> Petrol canister made of HDPE UN/BAM and TÜV approved Including standard spout Volume: 5 litres 	1	1	714821	8717574019377	00.00	00.00
	<ul style="list-style-type: none"> Professional double canister for petrol and chainsaw oil made of HDPE Volume of chambers: 5 and 3 litres UN/BAM and TÜV approved Including standard spout 	1	1	714822	8717574019384	00.00	00.00

Filling System


	Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
Prevents spillages and overfilling when refuelling							
	For fuel	1	1	714826	8717574019391	00.00	00.00
	For oil	1	1	714827	8717574019407	00.00	00.00

Proline Miscellaneous



Safety Glasses

Description	Color lens	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 <ul style="list-style-type: none"> Safety glasses with modern design Permanent anti-fog on the inside Extremely scratch-resistant on the outside Complies with EN166 and EN170 UV400 protection 	Clear	1	1	4100690	8717574063455	00.00	00.00

Tape Measures

Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Tape measure 3 m	1	1	750420	8717154653786	00.00	00.00
Tape measure 5 m	1	1	750421	8717154653793	00.00	00.00
Tape measure 8 m	1	1	750422	8717154653809	00.00	00.00


Rotary Tool Sets for use with high rpm rotation tools










Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 200-pcs cassette consisting of: 10 x sanding band, 1x cloth wheel, 6x felt wheel, 1x felt wheel point, 6x HSS twist drills (2 x 1,6 / 2 x 2,4 / 2x 3,2), 2x sanding shank, 9x diamond cutter, 3x HSS cutter, 6x aluminium oxide grinding wheel with shank, 4x aluminium oxide grinding wheel, 4x silicon carbide grinding wheel with shank, 4x silicon carbide grinding wheel, 3x nylon brush, 3x stainless steel brush, 3x brass brush, 1x polish compound, 66x cut off wheel, 52x sanding disc, 4x collet chrome plated (1,6 / 2,4 / 2x 3,2 mm), 4x mandrel, 5x cut off wheel fibre glass, 1x wrench, 1x flap wheel, 1x dressing stone	200	1	753948	8717574023015	00.00	00.00
 389-pcs cassette consisting of: 42x sanding band, 2x cloth wheel, 5x felt wheel, 1x felt wheel point, 1x rubber emery wheel, 9x HSS twist drills (3x 1,6 / 3x 2,4 / 3x 3,2), 3x sanding shank, 10x diamond cutter, 3x HSS cutter, 1x diamond disc, 6x aluminium oxide grinding wheel with shank, 9x aluminium oxide grinding wheel, 4x silicon carbide grinding wheel with shank, 10x silicon carbide grinding wheel, 8x brush, 1x polish compound, 80x cut off wheel heavy duty, 36x cut off wheel regular, 135x sanding disc, 3x rubber grinding wheel with shank, 4x collet chrome plated (1,6 / 2,4 / 2x 3,2), 6x mandrel, 5x cut off wheel fibre glass, 2x wrench, 2x flap wheel, 1x dressing	389	1	753949	8717574023039	00.00	00.00

Trolley

Description	PQ	MOQ	Item	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Trolley for heavy hammers Suitable for H90SA, H90SC, H90SG	1	1	712690	8717574026016	00.00	00.00

HiKOKI Stackable Cases (HSC)



Description	PQ	MOQ	Article	Barcode	Price (excl. VAT)	Price (incl. VAT)
 Stackable case HSC I (incl box set)	1	1	402538	4549115077508	00.00	00.00
 Stackable case HSC II (incl foam)	1	1	402539	4549115077515	00.00	00.00
 Stackable case HSC III (incl foam)	1	1	402540	4549115077522	00.00	00.00
 Stackable case HSC IV (incl foam)	1	1	402541	4549115077539	00.00	00.00
 Stackable case HSC I (empty)	1	1	402544	4549115077560	00.00	00.00
 Stackable case HSC II (empty)	1	1	402545	4549115077577	00.00	00.00
 Stackable case HSC III (empty)	1	1	402546	4549115077584	00.00	00.00
 Stackable case HSC IV (empty)	1	1	402547	4549115077591	00.00	00.00
 Trolley	1	1	402543	4549115077553	00.00	00.00

Index

3

303347	206	4100019	165	4100212	140	4100443	230	4100719	82
303348	206	4100021	163	4100214	140	4100501	91	4100720	82
303349	206	4100022	163	4100215	140	4100502	91	4100721	82
303350	206	4100023	161	4100219	140	4100503	91	4100729	82
303351	206	4100023	163	4100221	141	4100504	91	4100741	80
303352	206	4100024	161	4100222	141	4100505	91	4100742	80
303353	206	4100024	163	4100223	141	4100506	91	4100743	80
303354	206	4100025	161	4100224	141	4100507	91	4100744	80
303355	206	4100025	163	4100225	141	4100508	91	4100745	80
335651	248	4100026	163	4100231	141	4100509	91	4100746	80
335652	248	4100027	163	4100232	141	4100510	91	4100747	80
335653	249	4100028	163	4100233	141	4100511	91	4100748	80
335654	248	4100031	163	4100234	141	4100512	91	4100749	80
335657	249	4100032	163	4100235	141	4100513	91	4100751	81
335817	249	4100033	163	4100241	140	4100519	91	4100752	81
336412	248	4100034	163	4100242	140	4100521	90	4100753	81
336413	248	4100035	163	4100243	140	4100522	90	4100754	81
336414	248	4100071	167	4100246	141	4100523	90	4100755	81
337527	221	4100072	167	4100248	141	4100524	90	4100756	81
337527	223	4100077	167	4100291	136	4100525	90	4100757	81
338633	220	4100078	167	4100292	137	4100526	90	4100758	81
338634	220	4100079	167	4100293	137	4100527	90	4100759	81
370133	220	4100080	167	4100295	136	4100528	90	4100760	81
372168	221	4100082	166	4100298	133	4100529	90	4100761	81
372168	222	4100090	166	4100299	133	4100530	90	4100762	81
372170	221	4100095	166	4100301	111	4100531	90	4100771	81
372170	222	4100101	142	4100302	111	4100532	90	4100772	81
375615	95	4100102	142	4100303	111	4100533	90	4100773	81
377085	147	4100103	142	4100304	111	4100601	220	4100774	81
377086	147	4100104	142	4100305	111	4100602	219	4100775	81
377087	147	4100106	142	4100306	111	4100603	220	4100776	81
379046	233	4100107	142	4100307	112	4100681	252	4100777	81
379048	233	4100108	142	4100308	109	4100682	252	4100781	81
379245	98	4100109	142	4100309	109	4100683	252	4100782	81
379246	98	4100111	142	4100311	115	4100684	252	4100783	81
379247	98	4100112	142	4100400	233	4100685	252	4100784	81
379248	98	4100113	142	4100401	229	4100686	252	4100785	81
379259	167	4100114	142	4100402	229	4100690	258	4100786	81
379264	167	4100116	142	4100403	229	4100701	82	4100787	81
380150	166	4100117	142	4100404	229	4100702	82	4100788	81
		4100118	142	4100405	229	4100703	82	4100789	81
		4100119	142	4100406	229	4100704	82	4100790	81
		4100121	142	4100410	233	4100705	82	4100791	81
4100001	160	4100122	142	4100413	230	4100706	82	4100801	25
4100002	160	4100123	142	4100421	232	4100707	82	4100802	25
4100003	160	4100124	142	4100422	232	4100708	82	4100803	25
4100004	160	4100201	140	4100423	232	4100709	82	4100804	25
4100006	161	4100202	140	4100424	232	4100710	82	4100805	25
4100011	165	4100203	140	4100425	232	4100711	82	4100806	25
4100012	165	4100204	140	4100431	232	4100712	82	4100807	25
4100013	165	4100205	140	4100432	232	4100713	82	4100808	25
4100014	165	4100206	140	4100433	232	4100714	82	4100809	25
4100015	165	4100207	140	4100434	232	4100715	82	4100810	25
		4100016	165	4100208	140	4100435	232	4100716	82
		4100017	165	4100209	140	4100441	230	4100717	82
		4100018	165	4100211	140	4100442	230	4100718	82
		4100019	165	4100212	140	4100443	230	4100719	82

4100811	25	4100941	30	402539	261	712650	166	744120	43
4100812	25	4100942	30	402540	261	712651	166	744121	43
4100813	25	4100943	30	402541	261	712690	107	744122	43
4100814	25	4100945	30	402543	261	712690	259	744123	43
4100815	25	4100946	30	402544	261	714001	246	744124	43
4100816	25	4100949	30	402545	261	714002	246	744125	43
4100817	25	4100950	30	402546	261	714003	246	744126	43
4100818	25	4100951	30	402547	261	714004	246	744127	43
4100819	25	4100952	30	402555	26	714005	246	744128	43
4100820	25	4100961	38			714006	246	744129	43
4100821	25	4100962	38	5		714007	246	744130	43
4100822	25	4100963	38			714008	246	750011	170
4100823	25	4100964	38	50750069	233	714012	247	750011	172
4100824	25	4100965	38	50750075	233	714013	247	750012	170
4100825	25	4100966	38	50750076	233	714014	247	750012	173
4100826	25	4100967	38	500507	205	714015	247	750019	170
4100827	25	4100968	38			714016	247	750019	174
4100828	25	4100969	38	7		714017	247	750021	170
4100829	25	4100971	101			714018	247	750021	174
4100830	25	4100984	33	705315M	115	714021	247	750023	170
4100831	25	4100985	20	705453	229	714022	247	750023	175
4100832	25	4100991	103	705456	229	714023	247	750024	170
4100840	26	4100992	103	705459	229	714025	246	750024	175
4100901	30	4100993	103	705565	231	714026	246	750025	170
4100902	30	40010051	221	705566	231	714027	246	750025	173
4100903	30	40010051	222	705567	231	714028	246	750026	170
4100904	30	40010111	221	705568	231	714500	145	750026	173
4100905	30	40010111	222	705569	231	714520	145	750027	170
4100906	30	40010123	221	705570	231	714800	233	750027	175
4100907	30	40010123	222	705571	231	714805	256	750028	170
4100908	30	40010714	219	705572	231	714811	254	750028	175
4100911	30	40014401	230	705573	232	714814	255	750029	170
4100912	30	40014402	230	705574	232	714815	255	750029	174
4100913	30	40014403	230	705575	232	714816	255	750030	170
4100914	30	40014404	230	705576	232	714817	255	750030	176
4100916	30	40014405	230	705577	232	714818	254	750031	170
4100917	30	40014406	230	711008	236	714821	257	750031	173
4100918	30	40030019	117	711012	205	714822	257	750032	170
4100919	30	40030020	117	711016	205	714826	257	750032	173
4100921	30	40030021	109	711237	167	714827	257	750033	170
4100922	30	40030021	117	711238	167	714833	256	750033	172
4100923	30	40030022	117	711271	144	714841	256	750036	170
4100924	30	40030023	117	711272	144	714842	255	750036	174
4100926	30	40030024	118	711273	145	714853	254	750037	170
4100927	30	40030025	118	711281	144	714859	254	750037	175
4100928	30	40030025	124	711282	144	715000	115	750038	170
4100929	30	40030030	26	711283	144	715251	232	750038	172
4100931	30	40030030	119	711284	144	715252	232	750039	170
4100932	30	40030031	50	711291	251	715253	232	750039	172
4100933	30	40030031	119	711292	251	715255	232	750040	170
4100934	30	40030032	87	711293	251	715258	232	750040	173
4100935	30	40030032	119	711294	251	744085	27	750041	170
4100936	30	40030033	119	711295	251	744087	98	750041	173
4100938	30	40030039	118	712072	255	744088	27	750042	170
4100939	30	40030039	124	712073	255	744088	95	750042	174
4100940	30	402538	261	712630	135	744119	43	750043	170

750043	174	750264	40	750672	232	751006	39	751302	154
750044	170	750265	40	750673	232	751008	103	751305	155
750044	174	750266	40	750674	232	751009	103	751306	154
750045	170	750267	40	750675	232	751010	103	751307	154
750045	175	750268	40	750676	232	751011	103	751308	154
750046	170	750271	40	750677	232	751012	103	751309	154
750046	174	750273	40	750678	232	751013	103	751310	155
750047	170	750286	40	750681	231	751013	107	751311	154
750047	176	750331	128	750682	231	751014	103	751312	154
750049	176	750332	128	750683	231	751014	107	751313	154
750085	170	750334	128	750684	231	751015	103	751314	154
750085	176	750338	128	750685	231	751015	107	751315	154
750087	170	750340	128	750686	231	751016	103	751316	155
750087	175	750345	113	750687	231	751016	107	751317	154
750088	170	750361	114	750692	231	751028	102	751318	154
750088	173	750362	114	750693	231	751029	42	751319	155
750089	170	750363	114	750695	231	751032	102	751320	155
750089	172	750364	114	750697	231	751033	102	751321	155
750090	170	750365	114	750910	34	751034	102	751322	155
750090	172	750420	259	750911	34	751035	102	751323	155
750091	170	750421	259	750912	34	751036	103	751324	156
750091	172	750422	259	750913	34	751037	102	751325	156
750181	172	750435	220	750914	34	751038	102	751326	156
750182	174	750436	220	750915	34	751039	102	751327	156
750183	174	750437	220	750916	34	751048	103	751328	156
750184	174	750442	219	750917	34	751050	102	751329	156
750185	174	750443	219	750918	34	751051	43	751330	156
750200	27	750447	219	750960	42	751052	43	751331	156
750200	41	750448	219	750961	42	751053	43	751340	156
750201	41	750449	145	750962	42	751054	102	751342	156
750202	41	750453	39	750963	42	751055	42	751346	154
750204	41	750453	95	750964	42	751056	42	751451	127
750207	41	750455	27	750965	42	751058	42	751452	127
750209	41	750455	128	750966	42	751125	104	751453	127
750210	41	750462	219	750967	42	751125	104	751454	127
750214	41	750463	220	750968	42	751126	104	751455	127
750216	41	750465	145	750969	42	751126	104	751456	127
750217	41	750466	145	750970	42	751132	101	751457	127
750218	41	750470	207	750971	42	751133	101	751458	127
750219	41	750471	207	750973	42	751134	101	751459	127
750226	41	750472	207	750974	42	751135	101	751460	127
750227	41	750473	207	750990	102	751136	101	751461	127
750228	41	750475	207	750991	102	751171	109	751462	127
750232	41	750476	207	750992	102	751172	109	751463	127
750234	41	750478	207	750993	102	751173	109	751464	127
750235	41	750531	189	750994	102	751176	109	751465	127
750237	41	750532	189	750995	102	751177	109	751466	127
750238	41	750555	112	750996	103	751178	109	751467	127
750241	41	750557	112	750997	102	751181	109	751468	127
750243	41	750593	231	750999	102	751182	109	751469	127
750245	41	750595	231	751000	103	751183	109	751470	127
750246	27	750597	231	751001	103	751184	109	751471	127
750246	40	750667	231	751003	103	751185	109	751472	127
750251	40	750668	231	751004	103	751190	109	751473	127
750253	40	750669	231	751005	102	751222	102	751474	128
750261	40	750671	232	751006	27	751301	154	751475	128

751501	104	751594	101	751835	122	751920	126	752021	178
751503	104	751595	101	751836	122	751921	126	752021	183
751504	104	751597	101	751837	122	751927	126	752022	178
751509	104	751598	101	751838	122	751929	126	752022	185
751510	104	751599	101	751839	122	751930	126	752023	178
751519	106	751601	40	751840	122	751931	126	752023	185
751520	106	751602	40	751842	122	751932	126	752024	178
751521	106	751604	40	751843	122	751933	126	752024	185
751522	106	751605	40	751846	122	751934	126	752025	178
751523	106	751606	40	751847	122	751935	126	752025	185
751524	106	751608	40	751849	123	751936	126	752026	178
751525	106	751609	40	751850	123	751939	126	752026	185
751526	106	751612	40	751851	123	751943	126	752027	178
751527	106	751613	40	751856	123	751944	126	752027	185
751529	106	751616	40	751857	123	751945	126	752028	178
751530	106	751638	40	751858	123	751947	126	752028	185
751530	107	751643	40	751859	123	751947	127	752029	180
751532	105	751651	38	751860	123	751948	128	752029	186
751533	105	751652	38	751861	123	751950	126	752030	180
751535	105	751675	39	751862	123	751951	126	752030	186
751536	105	751676	39	751863	123	751952	126	752031	180
751537	105	751677	39	751864	123	751953	126	752031	186
751538	105	751686	39	751865	123	751954	126	752032	180
751539	105	751801	122	751866	123	751955	126	752032	186
751541	107	751802	122	751867	123	751956	126	752033	180
751542	107	751803	122	751868	123	751957	126	752033	186
751543	107	751804	122	751869	123	751958	126	752034	180
751544	107	751805	122	751870	123	751959	126	752034	187
751545	107	751806	122	751871	123	751964	126	752035	178
751546	107	751807	122	751872	123	751964	127	752035	182
751547	107	751808	122	751873	123	751970	128	752037	180
751548	107	751809	122	751874	123	751971	128	752037	187
751552	104	751810	122	751875	123	751972	128	752038	180
751554	104	751811	122	751876	128	751973	128	752038	187
751555	104	751812	122	751877	128	751986	128	752039	180
751557	104	751813	122	751878	123	751987	128	752039	187
751558	104	751814	122	751879	124	751988	128	752040	180
751559	104	751815	122	751881	122	752005	185	752040	186
751562	105	751816	122	751884	122	752006	185	752041	180
751563	105	751817	122	751901	126	752012	178	752041	186
751564	105	751818	122	751903	126	752012	184	752042	180
751565	105	751819	122	751904	126	752013	184	752042	186
751567	105	751820	122	751905	126	752014	178	752043	178
751571	106	751821	122	751906	126	752014	184	752043	182
751572	106	751822	122	751907	126	752015	178	752044	182
751573	106	751823	122	751909	126	752015	184	752044	182
751574	106	751825	122	751910	126	752016	178	752045	178
751582	107	751826	122	751911	126	752016	184	752045	182
751583	107	751827	122	751912	126	752017	178	752048	178
751584	107	751828	122	751913	126	752017	183	752048	185
751587	101	751829	122	751914	126	752018	178	752049	188
751588	101	751830	122	751915	126	752018	183	752053	98
751589	101	751831	122	751916	126	752019	178	752054	98
751590	101	751832	122	751917	126	752019	183	752056	97
751591	101	751833	122	751918	126	752020	178	752057	97
751592	101	751834	122	751919	126	752020	183	752058	97

752064	97	752146	85	752261	110	752368	112	752455	159
752065	97	752147	85	752262	110	752376	110	752456	159
752066	97	752148	85	752263	110	752379	111	752457	159
752067	97	752149	85	752264	110	752386	112	752458	159
752068	97	752150	85	752265	110	752388	27	752459	160
752072	97	752151	85	752266	110	752388	113	752461	159
752079	97	752152	85	752267	110	752389	27	752462	159
752082	98	752153	85	752271	111	752389	113	752463	159
752083	98	752154	85	752272	111	752390	113	752469	161
752097	98	752155	85	752273	111	752391	113	752470	161
752099	98	752156	85	752274	111	752392	113	752471	161
752101	84	752157	85	752275	111	752393	113	752473	161
752102	84	752158	85	752276	111	752394	113	752476	159
752103	84	752159	85	752277	111	752396	113	752477	159
752104	84	752160	85	752278	111	752397	112	752478	159
752105	84	752161	85	752280	111	752398	113	752479	160
752106	84	752162	85	752281	111	752401	159	752480	159
752107	84	752171	87	752282	111	752402	159	752481	159
752108	84	752172	87	752285	111	752403	159	752482	159
752109	84	752173	87	752286	111	752406	159	752483	159
752110	84	752174	87	752287	111	752407	159	752484	159
752111	84	752175	87	752288	111	752408	159	752485	159
752112	84	752176	87	752289	111	752412	163	752486	161
752113	84	752177	87	752307	111	752413	163	752487	161
752114	85	752181	86	752308	111	752414	163	752488	161
752115	85	752182	86	752309	111	752415	163	752489	161
752116	85	752183	86	752310	111	752416	159	752491	161
752117	85	752184	86	752311	111	752417	159	752493	161
752118	85	752185	86	752312	111	752418	159	752494	161
752119	85	752186	86	752313	111	752419	160	752500	124
752120	85	752187	86	752318	111	752421	159	752501	139
752121	85	752188	86	752319	111	752422	159	752502	139
752122	85	752189	86	752320	111	752423	159	752511	140
752123	85	752190	86	752321	111	752426	159	752512	140
752124	85	752190	89	752323	111	752427	159	752514	140
752125	85	752191	86	752324	111	752428	159	752515	140
752126	85	752192	86	752343	111	752431	159	752521	140
752127	85	752193	86	752344	111	752432	159	752522	140
752128	85	752194	86	752345	111	752433	159	752525	140
752129	85	752195	86	752346	111	752434	160	752674	184
752130	85	752239	112	752347	111	752435	160	752675	180
752131	85	752240	113	752351	112	752436	159	752675	187
752132	85	752241	111	752352	112	752437	159	752676	178
752133	85	752242	111	752353	112	752438	159	752676	182
752134	85	752243	111	752354	112	752439	160	752677	178
752135	85	752244	111	752355	112	752441	159	752677	182
752136	85	752248	112	752356	112	752442	159	752678	178
752137	85	752251	110	752357	112	752443	159	752678	182
752138	85	752252	110	752358	112	752444	160	752679	178
752139	85	752253	110	752359	112	752446	161	752679	182
752140	85	752254	110	752360	112	752447	161	752680	184
752141	85	752255	110	752362	112	752448	161	752681	178
752142	85	752256	110	752363	112	752449	161	752681	183
752143	85	752257	110	752364	112	752451	159	752682	178
752144	85	752258	110	752366	112	752452	159	752682	183
752145	85	752260	110	752367	112	752453	159	752683	178

752683	183	753007	212	753069	213	753183	143	753427	215
752684	178	753008	212	753071	213	753186	143	753428	215
752684	183	753009	212	753072	213	753187	143	753429	215
752685	178	753011	212	753073	213	753188	143	753430	214
752685	184	753012	212	753074	213	753189	143	753431	214
752686	178	753013	212	753075	213	753192	143	753432	214
752686	184	753014	212	753076	213	753193	143	753433	214
752687	180	753015	212	753077	213	753196	143	753434	214
752687	187	753016	212	753078	213	753197	143	753435	214
752688	180	753017	212	753079	213	753199	143	753436	214
752688	187	753018	212	753100	209	753240	216	753437	214
752689	180	753019	212	753101	209	753241	216	753438	214
752689	187	753021	212	753102	209	753242	216	753439	214
752691	183	753022	212	753103	209	753243	216	753441	214
752692	184	753023	212	753104	209	753244	216	753442	214
752693	184	753024	212	753105	209	753245	216	753443	215
752694	184	753025	212	753106	209	753260	216	753444	215
752695	185	753026	212	753107	209	753261	216	753445	215
752696	183	753027	212	753108	209	753262	216	753450	213
752811	131	753028	212	753109	209	753263	216	753502	143
752812	131	753031	212	753110	209	753264	216	753503	143
752813	131	753032	212	753111	210	753265	216	753506	143
752814	131	753033	212	753112	210	753281	216	753507	143
752815	131	753034	212	753113	210	753282	216	753509	143
752817	131	753035	212	753114	210	753283	216	753512	143
752821	132	753036	212	753115	210	753284	216	753513	143
752822	132	753037	212	753116	210	753285	216	753516	143
752823	132	753038	212	753117	210	753291	216	753517	143
752824	132	753040	213	753118	210	753292	216	753519	143
752825	132	753041	213	753119	210	753293	216	753522	143
752842	132	753042	213	753131	209	753294	216	753523	143
752845	132	753043	213	753132	209	753295	216	753526	143
752851	132	753044	213	753133	209	753401	214	753527	143
752852	132	753045	213	753134	209	753402	214	753529	143
752853	132	753046	213	753135	209	753403	214	753600	233
752854	132	753047	213	753136	209	753404	214	753611	229
752855	132	753048	213	753137	209	753405	214	753612	229
752857	132	753049	213	753138	209	753406	214	753613	229
752861	133	753050	213	753139	209	753407	214	753614	229
752862	133	753051	213	753140	209	753408	214	753616	229
752863	133	753052	213	753141	210	753409	214	753621	230
752867	133	753053	213	753142	210	753411	214	753622	230
752871	136	753054	213	753143	210	753412	214	753623	230
752872	136	753055	213	753144	210	753413	214	753624	230
752876	136	753056	213	753145	210	753414	214	753626	230
752877	136	753057	213	753146	210	753415	214	753631	229
752878	136	753058	213	753147	210	753416	214	753632	229
752886	133	753059	213	753148	210	753417	214	753633	229
752887	133	753061	213	753149	210	753418	214	753634	229
753000	115	753062	213	753150	210	753419	214	753636	229
753001	212	753063	213	753172	143	753421	215	753641	230
753002	212	753064	213	753173	143	753422	215	753642	230
753003	212	753065	213	753176	143	753423	215	753643	230
753004	212	753066	213	753177	143	753424	215	753644	230
753005	212	753067	213	753179	143	753425	215	753646	230
753006	212	753068	213	753182	143	753426	215	753702	233

753801	143	754037	204	754112	204	754234	88	754345	33
753802	143	754051	201	754113	204	754235	88	754346	33
753804	143	754052	201	754114	203	754241	89	754347	33
753806	143	754053	201	754118	202	754242	89	754348	33
753807	143	754054	201	754119	202	754243	89	754349	33
753809	143	754055	201	754121	202	754244	89	754350	33
753811	209	754056	201	754131	201	754245	89	754351	33
753812	209	754057	201	754132	201	754251	89	754352	33
753815	211	754058	201	754133	201	754252	89	754353	32
753816	211	754059	201	754134	201	754253	89	754354	32
753817	211	754060	201	754135	201	754254	89	754355	32
753819	210	754061	201	754136	201	754255	89	754356	33
753821	217	754062	201	754137	201	754301	32	754357	33
753822	217	754063	201	754138	201	754302	32	754358	33
753823	217	754064	201	754139	201	754303	32	754359	33
753824	217	754065	201	754140	201	754304	32	754360	33
753825	217	754066	201	754141	201	754305	32	754361	33
753830	218	754067	201	754142	201	754306	32	754362	33
753831	218	754068	201	754143	201	754307	32	754363	31
753832	218	754069	201	754144	201	754308	32	754364	31
753833	218	754070	201	754145	201	754309	32	754365	31
753834	218	754071	201	754192	204	754310	32	754366	31
753841	217	754072	201	754193	204	754311	32	754367	31
753842	217	754073	201	754201	88	754312	32	754368	31
753843	217	754074	201	754202	88	754313	33	754369	31
753844	217	754075	201	754203	88	754314	33	754370	31
753853	211	754081	202	754204	88	754315	33	754371	35
753948	258	754082	202	754205	88	754316	33	754373	35
753949	258	754083	202	754206	88	754317	33	754374	35
754000	115	754084	202	754207	88	754318	33	754376	35
754001	201	754085	202	754208	88	754319	33	754377	35
754002	201	754086	202	754209	88	754320	33	754378	35
754003	201	754087	203	754210	88	754321	33	754379	35
754004	201	754088	203	754211	88	754322	33	754380	35
754005	201	754089	203	754212	88	754323	33	754381	35
754006	201	754090	202	754213	88	754324	33	754382	35
754007	201	754091	203	754214	88	754325	33	754383	35
754008	201	754092	203	754215	88	754326	33	754384	35
754009	201	754093	203	754216	88	754327	33	754385	35
754010	201	754094	203	754217	88	754328	33	754386	35
754016	202	754095	203	754218	88	754329	33	754387	35
754017	202	754096	203	754219	88	754330	33	754388	35
754018	203	754097	203	754220	88	754331	33	754389	35
754019	203	754098	202	754221	88	754332	33	754390	35
754020	203	754099	202	754222	88	754333	33	754392	35
754021	203	754101	203	754223	88	754334	33	754393	35
754022	203	754102	203	754224	88	754335	33	754394	35
754023	203	754103	203	754225	88	754336	33	754395	35
754024	203	754104	203	754226	88	754337	33	754396	35
754025	202	754105	203	754227	88	754338	33	754397	35
754031	203	754106	203	754228	88	754339	33	754398	31
754032	203	754107	203	754229	88	754340	33	754401	66
754033	203	754108	203	754230	88	754341	33	754402	66
754034	203	754109	202	754231	88	754342	33	754403	66
754035	202	754110	202	754232	88	754343	33	754404	66
754036	202	754111	204	754233	88	754344	33	754405	66

754406	66	754462	67	754522	68	754578	69	773005	134
754407	66	754463	67	754523	68	754579	69	773006	134
754408	66	754464	67	754524	68	754580	69	773007	134
754409	66	754465	67	754525	68	754581	69	773009	134
754410	66	754466	67	754526	68	754582	69	773010	134
754411	66	754467	67	754527	68	754583	69	773011	134
754412	66	754468	67	754528	68	754584	69	773012	134
754413	66	754469	67	754529	68	754585	69	773013	134
754414	66	754470	67	754530	68	754586	69	773014	134
754415	66	754471	67	754531	68	754587	69	773015	134
754416	66	754472	67	754532	68	754588	69	773018	135
754417	66	754473	67	754533	68	754589	69	773019	135
754418	66	754474	67	754534	68	754594	70	773020	135
754419	66	754475	67	754535	68	754601	227	773021	135
754420	66	754476	67	754536	68	754605	227	773070	132
754421	66	754477	67	754537	68	754607	227	773071	132
754422	66	754478	67	754538	68	754609	227	773073	132
754423	66	754479	67	754539	68	754611	227	780001	48
754424	66	754480	67	754540	69	754613	227	780002	48
754425	66	754481	67	754541	69	754615	227	780003	48
754426	66	754482	67	754542	69	754617	227	780004	48
754427	66	754483	67	754543	69	754619	227	780005	48
754428	66	754484	67	754544	69	754621	228	780006	48
754429	66	754485	67	754545	69	754623	228	780007	48
754430	66	754486	67	754546	69	754625	228	780008	48
754431	66	754487	67	754547	69	754626	228	780009	48
754432	66	754488	67	754548	69	754631	228	780010	48
754433	66	754489	67	754549	69	754633	228	780011	48
754434	66	754490	67	754550	69	754635	228	780012	48
754435	66	754491	67	754551	69	754636	228	780013	48
754436	66	754495	70	754552	69	754701	94	780014	48
754437	66	754496	70	754553	69	754711	94	780015	48
754438	66	754497	70	754554	69	754712	94	780016	48
754439	66	754498	70	754555	69	754713	94	780017	48
754440	66	754499	70	754556	69	754721	94	780018	48
754441	66	754501	68	754557	69	754722	94	780019	48
754442	67	754502	68	754558	69	754723	94	780020	48
754443	67	754503	68	754559	69	754726	94	780021	48
754444	67	754504	68	754560	69	754727	94	780022	48
754445	67	754505	68	754561	69	754733	95	780023	48
754446	67	754506	68	754562	69	754734	95	780024	48
754447	67	754507	68	754563	69	754740	95	780025	48
754448	67	754508	68	754564	69	754745	95	780026	48
754449	67	754509	68	754565	69	754750	93	780027	48
754450	67	754510	68	754566	69	760071	43	780041	48
754451	67	754511	68	754567	69	760072	43	780042	48
754452	67	754512	68	754568	69	760073	43	780043	48
754453	67	754513	68	754569	69	760074	43	780044	48
754454	67	754514	68	754570	69	760085	43	780045	48
754455	67	754515	68	754571	69	760086	43	780046	48
754456	67	754516	68	754572	69	760087	43	780047	48
754457	67	754517	68	754573	69	760088	43	780048	48
754458	67	754518	68	754574	69	773001	134	780049	48
754459	67	754519	68	754575	69	773002	134	780050	48
754460	67	754520	68	754576	69	773003	134	780051	48
754461	67	754521	68	754577	69	773004	134	780052	48

780053	49	780125	63	780242	51	780306	52	780362	53
780054	49	780126	63	780243	51	780307	52	780363	54
780055	49	780128	63	780244	51	780308	52	780364	54
780056	49	780129	63	780245	51	780309	52	780365	54
780057	49	780131	64	780246	51	780310	52	780366	54
780058	49	780132	64	780247	51	780311	52	780367	54
780059	49	780133	64	780248	51	780312	52	780368	54
780060	49	780134	64	780249	51	780313	52	780369	54
780061	49	780135	64	780250	51	780314	52	780370	54
780062	49	780136	64	780251	51	780315	53	780371	54
780063	49	780137	64	780252	51	780316	53	780372	54
780064	49	780139	64	780261	52	780317	53	780373	54
780065	49	780141	64	780262	52	780318	53	780374	54
780066	49	780142	64	780263	52	780319	53	780375	54
780067	49	780143	64	780264	52	780320	53	780376	54
780071	49	780201	51	780265	52	780321	53	780377	54
780072	49	780202	51	780266	52	780322	53	780378	54
780073	49	780203	51	780267	52	780323	53	780379	54
780074	49	780204	51	780268	52	780324	53	780380	54
780075	49	780205	51	780269	52	780325	53	780381	54
780076	49	780206	51	780270	52	780326	53	780382	54
780077	49	780207	51	780271	52	780327	53	780383	54
780078	49	780208	51	780272	52	780328	53	780384	54
780079	49	780209	51	780273	52	780329	53	780385	54
780080	49	780210	51	780274	52	780330	53	780386	54
780081	49	780211	51	780275	52	780331	53	780387	54
780082	49	780212	51	780276	52	780332	53	780388	54
780083	49	780213	51	780277	52	780333	53	780389	54
780084	49	780214	51	780278	52	780334	53	780390	54
780085	49	780215	51	780279	52	780335	53	780391	54
780086	49	780216	51	780280	52	780336	53	780392	54
780087	49	780217	51	780281	52	780337	53	780393	54
780088	49	780218	51	780282	52	780338	53	780394	54
780089	49	780219	51	780283	52	780339	53	780395	54
780090	49	780220	51	780284	52	780340	53	780396	54
780094	50	780221	51	780285	52	780341	53	780397	54
780095	50	780222	51	780286	52	780342	53	780398	54
780096	50	780223	51	780287	52	780343	53	780399	54
780097	50	780224	51	780288	52	780344	53	780400	54
780099	50	780225	51	780289	52	780345	53	780401	54
780101	62	780226	51	780290	52	780346	53	780402	54
780102	62	780227	51	780291	52	780347	53	780403	54
780103	62	780228	51	780292	52	780348	53	780404	54
780104	62	780229	51	780293	52	780349	53	780405	54
780106	63	780230	51	780294	52	780350	53	780411	55
780107	63	780231	51	780295	52	780351	53	780412	55
780108	63	780232	51	780296	52	780352	53	780413	55
780109	63	780233	51	780297	52	780353	53	780414	55
780111	63	780234	51	780298	52	780354	53	780415	55
780112	63	780235	51	780299	52	780355	53	780416	55
780113	63	780236	51	780300	52	780356	53	780420	55
780114	63	780237	51	780301	52	780357	53	780421	55
780121	63	780238	51	780302	52	780358	53	780422	55
780122	63	780239	51	780303	52	780359	53	780423	55
780123	63	780240	51	780304	52	780360	53	780424	55
780124	63	780241	51	780305	52	780361	53	780425	55

780426	55	780533	57	780595	58	780651	60	780739	149
780427	55	780534	57	780596	58	780652	60	780739	149
780428	55	780535	57	780597	58	780653	60	780740	149
780429	55	780536	57	780598	58	780654	60	780740	149
780430	55	780537	57	780599	58	780655	60	780741	149
780431	55	780538	57	780600	58	780656	60	780741	149
780432	55	780539	57	780601	58	780657	60	780742	151
780433	55	780540	57	780602	58	780658	60	780743	149
780441	55	780541	57	780603	59	780659	60	780743	149
780442	55	780542	57	780604	59	780660	60	780749	151
780443	55	780543	57	780605	59	780661	60	780753	149
780444	55	780544	57	780606	59	780662	60	780754	149
780445	55	780551	58	780607	59	780663	60	780755	149
780446	55	780552	58	780608	59	780664	60	780756	149
780447	55	780553	58	780609	59	780665	60	780759	150
780448	55	780554	58	780610	59	780666	60	780760	150
780449	55	780555	58	780611	59	780667	60	780761	150
780450	55	780556	58	780612	59	780668	60	780762	151
780460	56	780557	58	780613	59	780669	60	780763	150
780461	56	780558	58	780614	59	780670	60	780766	150
780462	56	780559	58	780615	59	780671	60	780767	150
780465	56	780560	58	780616	59	780672	60	780768	150
780466	56	780561	58	780617	59	780673	60	780769	150
780467	56	780562	58	780618	59	780674	60	780772	150
780501	57	780563	58	780619	59	780675	60	780773	150
780502	57	780564	58	780620	59	780676	60	780774	150
780503	57	780565	58	780621	59	780677	60	780775	150
780504	57	780566	58	780622	59	780678	60	780778	150
780505	57	780567	58	780623	59	780680	60	780779	150
780506	57	780568	58	780624	59	780681	60	780780	150
780507	57	780569	58	780625	59	780682	60	780781	150
780508	57	780570	58	780626	59	780683	60	780784	150
780509	57	780571	58	780627	59	780684	60	780785	150
780510	57	780572	58	780628	59	780685	60	780786	150
780511	57	780573	58	780629	59	780686	60	780788	152
780512	57	780574	58	780630	59	780687	60	780789	152
780513	57	780575	58	780631	59	780688	60	780790	152
780514	57	780576	58	780632	59	780689	60	780791	149
780515	57	780577	58	780633	59	780690	60	780791	149
780516	57	780578	58	780634	59	780691	60	780792	150
780517	57	780579	58	780635	59	780692	60	780851	44
780518	57	780580	58	780636	59	780693	60	780852	44
780519	57	780581	58	780637	59	780694	60	780853	44
780520	57	780582	58	780638	59	780695	60	780854	44
780521	57	780583	58	780639	59	780698	61	780855	44
780522	57	780584	58	780640	59	780699	61	780856	44
780523	57	780585	58	780641	59	780726	149	780857	44
780524	57	780586	58	780642	59	780727	149	780858	44
780525	57	780587	58	780643	59	780728	149	780859	44
780526	57	780588	58	780644	59	780729	149	780861	44
780527	57	780589	58	780645	59	780730	149	780862	44
780528	57	780590	58	780646	59	780732	149	780863	44
780529	57	780591	58	780647	60	780733	149	780864	44
780530	57	780592	58	780648	60	780734	149	780865	44
780531	57	780593	58	780649	60	780735	151	780866	44
780532	57	780594	58	780650	60	780736	149	780867	44

780868	44	781047	244	781275	238	781724	77	781801	74
780869	44	781048	244	781276	238	781731	78	781802	74
780870	44	781049	244	781277	238	781732	78	781803	74
780871	44	781050	244	781278	238	781733	78	781804	74
780872	44	781051	244	781279	238	781734	78	781805	74
780873	44	781052	244	781280	238	781735	78	781806	74
780875	45	781053	244	781286	238	781736	78	781807	74
780876	45	781054	244	781287	238	781737	78	781808	74
780877	45	781055	244	781288	238	781738	78	781809	74
780879	45	781062	245	781289	238	781739	78	781810	74
780880	45	781063	245	781290	238	781740	78	781811	74
780881	45	781064	245	781292	237	781741	78	781812	74
780882	45	781065	245	781293	237	781742	78	781813	74
780883	45	781066	245	781294	237	781743	78	781814	74
780885	45	781067	245	781295	237	781744	78	781815	74
780886	45	781068	245	781301	240	781745	78	781816	74
780887	45	781069	245	781302	240	781746	78	781817	74
780889	45	781072	245	781303	240	781747	78	781818	74
780891	45	781073	245	781306	240	781748	78	781819	74
780892	45	781074	245	781307	240	781749	78	781820	74
780893	45	781075	245	781309	240	781750	78	781821	74
780894	45	781076	245	781310	240	781751	78	781822	74
780898	45	781077	245	781313	241	781752	78	781823	74
780899	45	781082	245	781317	241	781753	78	781824	74
781001	244	781083	245	781321	242	781754	78	781825	74
781002	244	781084	245	781401	242	781761	78	781826	74
781003	244	781085	245	781402	242	781762	78	781827	74
781004	244	781086	245	781403	242	781763	78	781831	75
781005	244	781087	245	781404	242	781764	78	781832	75
781006	244	781088	245	781411	242	781765	78	781833	75
781007	244	781089	245	781412	242	781766	78	781834	75
781008	244	781091	244	781413	242	781767	78	781835	75
781009	244	781092	244	781414	242	781768	78	781836	75
781010	244	781110	235	781701	77	781769	78	781837	75
781011	244	781120	235	781702	77	781770	78	781838	75
781012	244	781122	235	781703	77	781771	78	781839	75
781013	244	781124	235	781704	77	781772	78	781840	75
781014	244	781126	235	781705	77	781773	78	781841	75
781021	244	781133	235	781706	77	781774	78	781842	75
781022	244	781135	235	781707	77	781775	78	781843	75
781023	244	781136	235	781708	77	781776	78	781844	75
781024	244	781138	235	781709	77	781777	78	781845	75
781025	244	781140	235	781710	77	781778	78	781846	75
781026	244	781193	235	781711	77	781779	78	781847	75
781027	244	781232	236	781712	77	781780	78	781848	75
781028	244	781234	236	781713	77	781781	78	781851	75
781029	244	781236	236	781714	77	781782	78	781852	75
781030	244	781243	236	781715	77	781783	78	781853	75
781031	244	781245	236	781716	77	781784	78	781854	75
781032	244	781246	236	781717	77	781790	79	781855	75
781041	244	781248	236	781718	77	781790	113	781856	75
781042	244	781250	236	781719	77	781791	79	781857	75
781043	244	781271	238	781720	77	781792	79	781858	75
781044	244	781272	238	781721	77	781793	79	781859	75
781045	244	781273	238	781722	77	781794	79	781860	75
781046	244	781274	238	781723	77	781795	79	781861	75

781862	75	781931	73	782261	221	782411	20	782467	21
781863	75	781932	73	782261	223	782412	20	782468	21
781864	75	781933	73	782262	221	782413	20	782469	21
781865	75	781934	73	782262	223	782414	20	782470	21
781866	75	781935	73	782263	221	782415	20	782471	21
781867	75	781936	73	782263	223	782416	20	782472	21
781868	75	781937	73	782264	221	782417	20	782473	21
781869	75	781938	73	782264	223	782418	20	782474	21
781870	75	781941	73	782265	221	782419	20	782475	21
781871	75	781942	73	782265	223	782420	20	782476	21
781872	75	781943	73	782266	221	782421	20	782477	21
781873	75	781944	73	782266	223	782422	20	782478	21
781874	75	781945	73	782267	221	782423	20	782479	21
781875	75	781946	73	782267	223	782424	20	782480	21
781876	75	781947	73	782271	221	782425	20	782481	21
781877	75	781948	73	782271	223	782426	20	782482	21
781881	76	781949	73	782272	221	782427	20	782483	21
781882	76	781950	73	782272	223	782428	20	782484	21
781883	76	781951	73	782273	221	782429	20	782485	21
781884	76	781952	73	782273	223	782430	20	782486	21
781885	76	781953	73	782274	223	782431	20	782487	21
781886	76	781954	73	782291	224	782432	20	782488	21
781887	76	781981	73	782291	224	782433	20	782489	21
781888	76	781982	73	782292	224	782434	20	782490	21
781889	76	781983	73	782292	224	782435	20	782491	21
781890	76	781991	76	782293	224	782436	20	782492	21
781891	76	781992	76	782293	224	782437	20	782493	21
781892	76	781993	76	782294	224	782438	20	782494	21
781893	76	781994	76	782294	224	782439	20	782495	21
781894	76	781995	76	782298	225	782440	20	782496	21
781895	76	781996	76	782299	225	782441	20	782497	21
781896	76	782221	221	782301	139	782442	20	782498	21
781897	76	782221	222	782302	139	782443	20	782499	21
781898	76	782231	221	782304	139	782444	20	782500	21
781901	72	782231	222	782306	139	782445	20	782501	21
781902	72	782232	221	782307	139	782446	20	782502	21
781903	72	782232	222	782308	139	782447	20	782503	21
781904	72	782233	221	782309	139	782448	20	782504	21
781905	72	782233	222	782311	139	782449	20	782505	21
781906	72	782234	221	782312	139	782450	20	782506	22
781907	72	782234	222	782313	139	782451	20	782507	22
781908	72	782235	221	782314	139	782452	20	782508	22
781909	72	782235	222	782315	139	782453	20	782509	22
781910	72	782236	221	782316	139	782454	21	782510	22
781911	72	782236	222	782317	139	782455	21	782511	22
781912	72	782241	221	782319	139	782456	21	782512	22
781913	72	782241	222	782401	20	782457	21	782513	22
781914	72	782242	221	782402	20	782458	21	782514	22
781915	72	782242	222	782403	20	782459	21	782515	22
781916	72	782251	221	782404	20	782460	21	782516	22
781917	72	782251	223	782405	20	782461	21	782517	22
781918	72	782252	221	782406	20	782462	21	782518	22
781919	72	782252	223	782407	20	782463	21	782519	22
781920	72	782253	221	782408	20	782464	21	782520	22
781921	72	782253	223	782409	20	782465	21	782521	22
781922	72	782254	223	782410	20	782466	21	782522	22

782530	24	782654	23	782735	192	783205	15	783262	16
782531	24	782655	23	782735	196	783206	15	783263	16
782532	24	782656	23	782736	196	783207	15	783264	16
782533	24	782657	23	782737	192	783208	15	783265	16
782534	24	782658	23	782737	196	783209	15	783266	16
782535	24	782659	23	782738	192	783210	15	783267	16
782540	20	782660	23	782738	196	783211	15	783268	16
782601	22	782661	23	782739	192	783212	15	783269	16
782602	22	782662	23	782739	196	783214	15	783270	16
782603	22	782663	23	782740	192	783215	15	783271	16
782604	22	782664	23	782740	196	783216	15	783272	16
782605	22	782665	23	782741	192	783217	15	783273	18
782606	22	782666	23	782741	196	783218	15	783274	18
782607	22	782667	23	782756	192	783219	15	783275	18
782608	22	782668	23	782756	197	783220	15	783276	18
782609	22	782669	23	782757	192	783221	15	783277	18
782610	22	782670	23	782757	197	783222	15	783278	18
782611	22	782671	23	782758	192	783223	15	783279	18
782612	22	782672	23	782758	197	783224	15	783280	18
782613	22	782673	23	782760	192	783225	15	783281	18
782614	22	782674	23	782760	197	783226	15	783282	18
782615	22	782675	23	782761	192	783227	15	783283	18
782616	22	782676	23	782761	197	783228	15	783284	18
782617	22	782677	23	782762	192	783229	15	783285	18
782618	22	782678	23	782762	197	783230	15	783286	18
782619	22	782679	23	782763	192	783231	15	783287	18
782620	22	782680	23	782763	197	783232	15	783288	18
782621	22	782681	23	782764	192	783233	15	783301	16
782622	22	782701	192	782764	197	783234	15	783302	16
782623	22	782701	194	782781	192	783235	15	783303	16
782624	22	782702	192	782781	198	783236	15	783304	16
782625	22	782702	194	782782	192	783237	15	783305	16
782626	22	782711	192	782782	198	783238	15	783306	16
782627	22	782711	194	782783	192	783239	15	783307	16
782628	22	782712	192	782783	198	783240	15	783308	16
782629	22	782712	194	782784	192	783241	15	783309	16
782630	22	782713	194	782784	198	783242	15	783310	16
782631	23	782714	192	782785	192	783243	15	783311	16
782632	23	782714	194	782785	198	783244	15	783312	16
782633	23	782715	194	782786	192	783245	15	783313	16
782634	23	782719	192	782786	198	783246	15	783314	16
782635	23	782719	195	782788	192	783247	15	783315	16
782636	23	782720	192	782788	198	783248	15	783316	16
782637	23	782720	195	782791	192	783249	15	783317	16
782638	23	782721	192	782791	196	783250	15	783318	16
782639	23	782721	195	782791	215	783251	15	783319	16
782640	23	782722	195	782793	199	783252	15	783320	16
782641	23	782723	192	782794	199	783253	15	783321	16
782642	23	782723	195	783116	225	783254	15	783322	16
782643	23	782724	192	783121	225	783255	15	783323	16
782644	23	782724	195	783122	225	783256	15	783324	16
782645	23	782725	192	783123	225	783257	15	783325	16
782646	23	782725	195	783201	15	783258	15	783326	16
782651	23	782733	192	783202	15	783259	15	783327	16
782652	23	782733	196	783203	15	783260	16	783328	16
782653	23	782734	196	783204	15	783261	16	783329	16

783330	16	9	
783331	16		
783332	16	956790	206
783333	16	956932	206
783334	16	956933	206
783335	16	956934	206
783336	16	961478	206
783337	16		
783341	17		
783342	17		
783343	17		
783344	17		
783345	17		
783346	17		
783347	17		
783348	17		
783349	17		
783350	17		
783351	17		
783352	17		
783353	17		
783354	17		
783355	17		
783356	17		
783357	17		
783358	17		
783359	17		
783360	17		
783361	17		
783362	17		
783363	17		
783364	17		
783365	17		
783390	17		
783391	17		
783401	37		
783402	37		
783403	37		
783404	37		
783411	37		
783412	37		
783413	37		
783414	37		
783415	37		
783416	37		
783417	37		
783418	37		
783419	37		
783420	37		
783421	37		
783423	37		
783424	37		
783428	37		
783429	37		

HiKOKI

HIGH PERFORMANCE POWER TOOLS

HiKOKI Country

Adres line 1

Adres line 2

Tel. Telephone number

Fax Fax number

www.hikoki-powertools.com

Placeholder for your
countries information

Follow us on our socials and never
miss out on HiKOKI news.



hikoki-powertools.eu

Subject to changes and printing/typographical errors.

Nothing from this catalogue may be reproduced or copied without prior permission. All images in this catalogue are intended to give an impression. This catalogue has been compiled with the utmost care. However, it is possible that some of the information included is now outdated or no longer complete. HiKOKI is not responsible for the outcomes of use based solely on the content of this catalogue.